CLINICA CHIMICA ACTA

CUMULATIVE AUTHOR AND SUBJECT INDEX

Vols. 58 - 65 (1975)

CLINICA CHIMICA ACTA

INTERNATIONAL JOURNAL OF CLINICAL CHEMISTRY

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editor-in-chief:

S.C. Frazer, Aberdeen

Editorial Secretary:
Th. Strengers, P.O. Box. 4073, Amsterdam, The Netherlands

Editors:
for the Americas — M. Rubin, Washington, D.C.
for the British Commonwealth — R. Gaddie, Cupar, Fife
for all other territories, including Europe — E.J. van Kampen, Groningen

Editor of the International Federation of Clinical Chemistry section:
N.E. Saris, Helsinki

CUMULATIVE AUTHOR AND SUBJECT INDEX
Vols. 58 - 65

ELSEVIER SCIENTIFIC PUBLISHING COMPANY
AMSTERDAM

© Elsevier/North-Holland Biomedical Press, 1976

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the copyright owner.

A

Aalberse, R.C., see Zegers, B.J.M. (65) 319
Abels, J., see Lindemans, J. (65) 15
Abraham, C.V., Bakerman, S.
Isolation and purification of Rh(C) antigen (59) 129
Abraham, C.V., Bakerman, S.
Isolation and purification of the Rh(D) blood group receptor component from human erythrocyte membrane (60) 33
Abrahamsson, H., see Gustafson, A. (63) 91
Adesina, H., see Olusi, S.O. (62) 107
Aerts, C., see Scharfman, A. (63) 369
Agarwal, D.P., see Solem, E. (59) 203
Ahluwalia, B., see Verma, P. (63) 363
Akaoka, I. see Nishida, Y. (62) 103
Akaoka, I., see Nishizawa, T. (58) 277
Akbar, A.M., Kannan, C.R.,Burke, G.
The clinical utility of a heterologous radioimmunoassay for human prolactin (61) 391
Aldini, R., see Roda, A. (64) 337
Allain, P.
Le dosage du bismuth dans les milieux biologiques par absorption atomique sans flamme (Determination of bismuth in blood, urine and cerebrospinal fluid by flameless atomic absorption spectrophotometry) (64) 281
Allerton, S.E., see Beierle, J.W. (61) 411
Alpert, E., Coston, R.L.
Serum alpha-fetoprotein (AFP) in benign and malignant gastrointestinal diseases: Evaluation of an immunoenzymatic assay (58) 77
Amaral, L., see Samuels, A.J. (62) 341
Anderson, Ch.M., see Kyaw-Myint, T.O. (59) 51
Andersson, T.R., see Hetland, Ö. (62) 425
Andreuzzi, P., see Cantoni, L. (60) 405
Angeli, A., Bisbocci, D., Melò, F., Frairia, R., Gaidano, G.P.
Relative competition of corticosterone, cortisol, cortisone, 11-deoxycortisol and prednisolone with [1,2-^{3}H]cortisol in various protein-binding radioassay systems (61) 279
Anker, N., see Mondrup, M. (61) 127
Anoussakis, Ch., see Liakakos, D. (65) 251
Anraku, S., see Masuda, H. (62) 433
Applegarth, D.A., Poon, S.
Interpretation of elevated blood glycine levels in children (63) 49
Applegarth, D.A., Ross, P.M.
The unsuitability of creatinine excretion as a basis for assessing the excretion of other metabolites by infants and children (64) 83
Apter, D., Jänne, O., Vihko, R.
Lipidex chromatography in the radioimmunoassay of serum and urinary cortisol (63) 139
Arashima, S., see Matsuda, I. (63) 55
Ariga, S., see Matsuda, I. (63) 55
Aron, E. see Lamy, J. (60) 97
Åsard, P.-E., Svenberg, T., Nørgaard-Pedersen, B.
Application of the spark chamber for rapid evaluation of quantitative radioimmunoelectrophoresis (RIEP) (58) 303
Askenasi, R.
Urinary excretion of free hydroxylysine, peptide-bound hydroxylysine and hydroxylysyl glycosides in physiological conditions (59) 87
Assa, Sh.
Differences in the serum lipid constituents of hyperlipidemic men and women (60) 329
Augusti, K.T., Benaim, M.E.
Effect of essential oil of onion (allyl propyl disulphide) on blood glucose, free fatty acid and insulin levels of normal subjects (60) 121
Aulton, K., see Little, A.J. (65) 167
Aunis, D., see Miras-Portugal, M.T. (64) 293
Avogaro, P., Cazzolato, G.
"Sinking" lipoprotein in normal, hyperlipoproteinaemic and atherosclerotic patients (61) 239
Aw, S.E.
The radiometric assay of alkaline phosphatase activity with ^{125}I-labelled phenolphthalein monophosphate (60) 315
Aw, S.E.
The radiometric assay of microsomal UDP-glucuronyltransferase using [^{125}I]phenolphthalein (63) 73
Aylsworth, A., see Taylor, H.A. (59) 93

B

Baadenhuijsen, H., see Demacker, P.N.M. (64) 45

Baadenhuijsen, H., Jansen, A.P.
Colorimetric determination of urinary oxalate recovered as calcium oxalate. Application of a simple correction factor for incomplete precipitation (62) 315

Baak, J.M., Heck, Y.S.L., Van der Slik, W.
A comparative study on the estimation of calcium in serum (62) 125

Baba, S., Hashimoto, I., Ishitoya, Y., Fukuoka, Y.
Measurement of low molecular weight urinary monoamines by gas chromatography (62) 309

Bacardi, R., see Ras, M.R. (61) 91

Bachmann, D., see Przyrembel, H. (58) 257

Badinand, A., see Touillon, C. (63) 115

Baglin, M.-C., see Lamy, J. (60) 97

Baglin, M.-C., see Lamy, J. (60) 103

Bagnall, T.F., Lloyd, J.K.
Composition of low-density lipoprotein in children with hyperlipoproteinaemia (59) 271

Bailleul, V., see Hayem, A. (61) 9

Bakerman, S., see Abraham, C.V. (59) 129

Bakerman, S., see Abraham, C.V. (60) 33

Bakker, H.D., Wadman, S.K., Van Sprang, F.J., Van der Heiden, C., Ketting, D., De Bree, P.K.
Tyrosinemia and tyrosyluria in healthy prematures: Time courses not vitamin C dependent (61) 73

Ballieux, R.E., see Zegers, B.J.M. (65) 319

Bansillon, V., see Touillon, C. (63) 115

Barbara, L., see Roda, A. (64) 337

Bareford, D., see Whicher, J.T. (65) 393

Barker, N.D., see Rand, P.W. (61) 47

Barlow, G.B., Wilkinson, A.W.
Plasma pyridoxal phosphate levels and tryptophan metabolism in children with burns and scalds (64) 79

Barnett, M.D., Brozović, B.
A simple automated micromethod for measuring serum copper (58) 295

Barns, R.J., Elmslie, R.G.
Comparison of methods for the estimation of trypsin in duodenal fluid (58) 165

Bartels, P.C., Roijers, A.F.M.
A kinetic study on the influence of the parameters in the determination of inorganic phosphate by the molybdenum blue reaction (61) 135

Bastomsky, C.H., Solymoss, B., Zsigmond, G., Wyse, J.M.
On the mechanism of polychlorinated biphenyl-induced hypobilirubinaemia (61) 171

Bayoumi, R.A., see Rosalki, S.B. (59) 357

Beck, P.R., Sammons, H.G.
A stabilising factor for γ-glutamyl transpeptidase in urine (65) 351

Becker, K., see Przyrembel, H. (58) 257

Beierle, J.W., Wise, K.S., Trump, G.N., Allerton, S.E.
Isolation of Wilms' tumor antigens by chelation (61) 411

Beintema, A., see Gebhardt, D.O.E. (64) 133

Belanger, B.G., see Thompson, R.M. (61) 367

Belenky, D.M., Rosenfeld, E.L.
Acid α-glucosidase (γ-amylase) from human liver (60) 397

Belin, J., Smith, A.D., Thompson, R.H.S.
Effect of short-term oral administration of sunflower seed oil on the pattern of non-esterified fatty acids in human plasma (61) 95

Beljean, M., see Pays, M. (59) 121

Bellet, H., Magnan de Bornier, B.
Separation of human α_1-antitrypsin from serum albumin by ion-exchange chromatography (61) 107

Belpaire, F.M., Bogaert, M.G., De Broe, M.E.
Radioimmunoassay of digoxin in renal failure: A comparison of different commercial kits (62) 255

Benaim, M.E., see Augusti, K.T. (60) 121

Benraad, Th.J., see Drayer, J.I.M. (61) 309

Benson, P.F., see Fensom, A.H. (62) 189

Berenson, G.S., see Hopkins Fox, M. (63) 149

Berenson, G.S., see Srinivasan, S.R. (60) 293
Berglöf, J., Grahnén, A., Sjöholm, I.
    Determination of unconjugated bilirubin in human serum by optical rotation measurements (62) 169
Bergren, W.R., see Ng, W.G. (64) 39
Bergström, K., Lefvert, A.K.
    Practical aspects on the determination of serum alkaline phosphatase isoenzymes using L-phenylalanine and urea (64) 95
Berkenstadt, Y., see Shainkin, R. (60) 45
Berkeš, I., see Majkić, N. (65) 227
Berlyne, G.M., see Shainkin, R. (60) 45
Bernstein, M., see Frohlich, J. (65) 79
Bernstein, V., see Frohlich, J. (65) 79
Berrens, L., Van Dijk, A.G.
    Pseudocholinesterase in the serum of allergic subjects (65) 75
Berthelon, M., see Tuil, D. (61) 219
Bertrand, P.V., see Smith, M.R. (65) 5
Beutler, E., see Chern, C.J. (61) 353
Bieth, J., see Meyer, J.-F. (62) 43
Biewenga, J., Feltkamp, T.E.W.
    LDH—IgA immunoglobulin complexes in human serum (58) 239
Biewenga, J., Feltkamp, T.E.W.
    Lactate dehydrogenase (LDH)-IgG$_3$ immunoglobulin complexes in human serum (64) 101
Bisaz, S., Felix, R., Fleisch, H.
    Quantitative determination of ethane-1-hydroxy-1,1-diphosphonate in urine and plasma (65) 299
Bisbocci, D., see Angeli, A. (61) 279
Biserte, G., see Scharfman, A. (63) 369
Björkhem, I., Blomstrand, R., Lantto, O.
    Validation of routine methods for serum progesterone determination using mass fragmentography (65) 343
Björkhem, I., Blomstrand, R., Svensson, L., Tietz, F., Carlström, K.
    Validation of methods for determination of urinary estriol during pregnancy using mass fragmentography (62) 385
Björkhem, I., Lantto, O., Svensson, L.
    Serum testosterone determination by mass fragmentography (60) 59
Blaton, V.
    Comments on the quantitation of lipoproteins by agarose-gel electrophoresis (61) 105
Blau, K.
    Colour stabilization of stained phospholipid spots in the determination of the amniotic fluid lecithin/sphingomyelin ratio (64) 217
Blau, K., see Zambotti, F. (61) 247
Blödorn, A., see Schwedt, G. (65) 309
Blomstrand, R., see Björkhem, I. (62) 385
Blomstrand, R., see Björkhem, I. (65) 343
Blonk-Van der Wijst, J., see Teulings, F.A.G. (64) 27
Bloomer, P.R., see Goldberg, D.M. (62) 263
Blyth, A., Stewart, M.J.
    Serum magnesium levels in patients treated with phenytoin (62) 305
Bobrzecka, K., see Konieczny, L. (63) 181
Bobrzecka, K., see Rybarska, J. (63) 171
Boenisch, T., Nørgaard-Pedersen, B.
    Carcinoembryonic antigen (CEA) of human tissue extracts: Partial characterization of two variants separated by affinity chromatography on concanavalin A (60) 51
Boenisch, T., Raam, S.
    Rapid radioimmunoassay of carcinoembryonic antigen (CEA) in ultrafiltered perchloric acid extracts: Results of a clinical survey (58) 195
Bogaert, M.G., see Belpaire, F.M. (62) 255
Bogdał, J., see Konieczny, L. (63) 181
Bogdał, J., see Rybarska, J. (63) 171
Boguslaski, R.C., Rathjen, C.P.
    A column radioassay for the quantification of vitamin B-12 (62) 349
Böhm, M., see Krause, E.-G. (58) 145
Böhnel, J., see Desser, H. (63) 243
Boivin, P., see Kahn, A. (59) 183
Boivin, P., see Kahn, A. (61) 415
Bokelund, H.
    Empirical relations as interference correctives in multichannel analyzers (60) 7
Bondy, P.K., see Jarman, M. (58) 61
Bonnichsen, R., Dimberg, R., Mårde, Y., Ryhage, R.
    Variations in human metabolism of methaqualone given in therapeutic doses and in overdose cases studied by gas chromatography-mass spectrometry (60) 67

Borg, N., Hemmingsen, L., Skaarup, P.
  Evaluation of quantitative methods for determination of protein in urine (64) 247
Borgers, M., see De Broe, M.E. (59) 369
Bornschein, W.
  Isoenzyme der Alaninarylamidase (AAP, EC 3.4.11.2) und Gamma-Glutamyltranspeptidase (GGTP), EC 2.3.2.2) bei chronischer Pankreatitis und Pankreasneoplasma (Isoenzymes of alanine arylamidase (AAP, EC 3.4.11.2) and gamma-glutamyltranspeptidase (GGTP, EC 2.3.2.2) in chronic pancreatitis and pancreas neoplasm) (61) 325
Bowen, D., Cowburn, D., Rennekamp, M., Sullivan, J.
  Benzyl alcohol. High levels found in plasma of uremic patients on hemodialysis (61) 399
Boyd, P.J.R., see Tucker, S.M. (62) 333
Bradwell, A.R., Burnett, D.
  Improved methodology and precision using a straight base line technique for the quantitation of proteins by two dimensional immunoelectrophoresis (58) 283
Bradwell, A.R., Burnett, D.
  A gel cutter for use in two-dimensional immunoelectrophoresis (62) 457
Brandt, I.K., see Thompson, R.M. (61) 367
Braunsberg, H., see Hull, M.G.R. (58) 71
Bray, P.T., see Ryley, H.C. (64) 117
Bremer, H.J., see Lombeck, I. (64) 57
Bremer, H.J., see Przyrembel, H. (58) 257
Bremer, H.J., see Wendel, U. (58) 271
Bricaud, H., see Rabaud, M. (61) 257
Bricaud, H., see Rabaud, M. (61) 265
Brogan, T.D., see Ryley, H.C. (64) 117
Brombacher, P.J., see Gijzen, A.H.J. (58) 177
Brombacher, P.J., Gijzen, A.H.J., Janssens, H.H.P., Soons, M.P.J.
  The raising and characterization of cortisol-binding antiserum (58) 173
Brosh, S., see Giler, Sh. (63) 37
Brouwer-Schipper, J.W., see De Rooij, R.E. (59) 71
Brown, C., see Narasimhachari, N. (62) 245
Brown, E.S.
  Evaluation of chemical tests for heterozygosity by comparison of expected and observed numbers of heterozygotes among unaffected relatives of phenylketonurics (62) 173
Brozović, B., see Barnett, M.D. (58) 295
Brunelle, Ph., see Mallet, E. (64) 11
Brunner, G., see Hesch, R.D. (59) 209
Buassa-Bu-Tsumbu, see Fruchart, J.C. (63) 399
Buckley, N., Burkoth, T.L.
  A reinvestigation of the alkylation of 5-(p-hydroxphenyl)-5-phenylhydantoin (62) 73
Burgess, E.A., Oberholzer, V.G., Palmer, T., Levin, B.
  Plasma carnosinase deficiency in patients with urea cycle defects (61) 215
Burke, G., see Akbar, A.M. (61) 391
Burkoth, T.L., see Buckley, N. (62) 73
Burman, D., Holton, J.B., Morris, A.F.
  Factors determining blood phenylalanine in the neonatal period (62) 325
Burnett, D., see Bradwell, A.R. (58) 283
Burnett, D., see Bradwell, A.R. (62) 457
Bussemas, H.H., see Schwedt, G. (65) 309
Butler, A.R.
  The Jaffé reaction. Identification of the coloured species (59) 227
Buttery, J.E., Kua, S.L., De Witt, G.F.
  The ortho-toluidine method for blood and urine xylose (64) 325
Buttery, J.E., see Quek, E.S.C. (58) 137
Buys Ballot, A.F.K., see Mantel, M.J. (63) 297

C

Cabau, N., see Martins, D. (61) 287
Campbell, C.B., McGuffie, C., Powell, L.W.
The measurement of sulphated and non-sulphated bile acids in serum using gas-liquid chromatography (63) 249
Campbell, D.J., Skinner, S.L.
Measurement of renin concentration in human plasma using ^{125}I-labelled sheep renin substrate (65) 361
Campbell, S., see Zambotti, F. (61) 247
Cantoni, L., Curri, S.B., Andreuzzi, P., Rocchetti, P.
Plasma and red blood cell phospholipids in chronic liver diseases (60) 405
Carlström, K., see Björkhem, I. (62) 385
Carr, G., Wilkinson, A.W.
Zinc and copper urinary excretions in children with burns and scalds (61) 199
Carter, P., see Collins, G. (59) 105
Cazzolato, G., see Avogaro, P. (61) 239
Chalkley, S.R., Renshaw, A.
The use of microfilters as an alternative to centrifugation in radioimmunoassay (62) 377
Challand, G.S., Ratcliffe, W.A., Ratcliffe, J.G.
Semi-automated radioimmunoassays for total serum thyroxine and triiodothyronine (60) 25
Chan, A.W.-L., Kellen, J.A.
Resistance to Levamisole (R12564) in heat-stable alkaline phosphatases (60) 91
Chan, S.C., see Greiner, A.C. (61) 335
Chan, S.C., see Greiner, A.C. (64) 211
Chan, W.Y., see Ho, W.K.K. (61) 19
Chang, C.-H., Inglis, N.R.
Convenient immunofixation electrophoresis on cellulose acetate membrane (65) 91
Chern, C.J., Beutler, E.
Purification and characterization of human erythrocyte pyridoxine kinase (61) 353
Cheung, S.W., Jersild, R.A., Christian, J.C.
A modified method for preparative ultracentrifugation of plasma lipoproteins (64) 215
Chong, Y.H., Khoo, K.L.
Serum lipid levels and the prevalence of hyperlipidaemia in Malaysia (65) 143
Christian, J.C., see Cheung, S.W. (64) 215
Christiansen, C., Næstoft, J., Hvidberg, E.F., Larsen, N.-E., Petersen, B.
An easy procedure for in vivo estimation of protein binding and correction of elevated serum values induced by venous stasis (62) 65
Chulkova, T., Hernandez, G.
The preparation and properties of factor V from bovine plasma (62) 21
Clamp, J.R., see Fraser, D. (59) 301
Clark, M.L., see Silk, D.B.A. (59) 195
Clausen, J., Jensen, G.E.
Acid proteinase and peroxidase activity in Spielmeyer-Vogt's syndrome (Batten's syndrome or Stengel's syndrome) (65) 283
Clerc, M., see Doutriaux, C. (59) 9
Cohn, J., see Hanel, H.K. (65) 205
Colette, C., see Nicollier, M. (60) 15
Collart, M., see Humbel, R. (60) 143
Collé, A., Tonnelle, C., Leclercq, M., Manuel, Y.
The use of preparative continuous flow electrophoresis to study low weight proteins in urine (65) 223
Collins, G., Rose, M.E., Carter, P.
Interference from serum separators in total protein determination by refractometry (59) 105
Comtet, J.J., see Touillon, C. (63) 115
Conrad, F., see Stern, M.P. (65) 29
Constantopoulos, G., Dekaban, A.S.
Chemical definition of the mucopolysaccharidoses (59) 321
Cook, D.B., see Gill, G.V. (62) 157
Cook, D.B., see Gill, G.V. (63) 231
Coston, R.L., see Alpert, E. (58) 77
Cotlier, E., see Johnson, D.L. (63) 81
Cottreau, D., see Kahn, A. (59) 183
Cottreau, D., see Kahn, A. (61) 415
Cowburn, D., see Bowen, D. (61) 399
Cowley, R A., see Vitek, V. (58) 109
Crane, R.K., see Preiser, H. (59) 169

Cristau, P., see Gabrielle, L. (60) 147
Crocker, C., see Verma, P. (63) 363
Crockett, R., see Rabaud, M. (61) 257
Crowther, S., see Mishkel, M.A. (58) 121
Cucuianu, M., Popescu, T.A., Opincaru, A., Hărăguş, S.
Serum pseudocholinesterase and ceruloplasmin in various types of hyperlipoproteinemia (59) 19
Curri, S.B., see Cantoni, L. (60) 405
Curry, C., see Verma, P. (63) 363

D

Dako, D.Y., see Watson, J.D. (59) 55

Danielsson, B., Ekman, R., Johansson, B.G., Petersson, B.G.
Zonal ultracentrifugation of plasma lipoproteins from normal and cholestatic pigs (65) 187

Darragh, A., see Taaffe, W.P. (60) 263

Dautreaux, B., see Tuil, D. (61) 219

Davies, T.J., see Nobbs, B.T. (64) 219

De Bernard, B., see Moro, L. (65) 371

De Bree, P.K., see Bakker, H.D. (61) 73

De Bree, P.K., see Wadman, S.K. (59) 313

De Bree, P.K., see Wadman, S.K. (65) 197

De Broe, M.E., see Belpaire, F.M. (62) 255

De Broe, M.E. Borgers, M., Wieme, R.J.
The separation and characterization of liver plasma membrane fragments circulating in the blood of patients with cholestasis (59) 369

Deckers, S.H.C.M., see Gijzen, A.H.J. (58) 177

De Goeij, A.F.P.M., Van Steveninck, K., Went, L.N.
Characterization of protoporphyrin in red blood cells of patients with erythropoietic protoporphyria (63) 355

De Goeij, A.F.P.M., Ververgaert, P.H.J.Th., Van Steveninck, J.
Photodynamic effects of protoporphyrin on the architecture of erythrocyte membranes in protoporphyria and in normal red blood cells (62) 287

Degrelle, H., see Egloff, M. (59) 147

Dekaban, A.S., see Constantopoulos, G. (59) 321

De la Farge, F., Valdiguié, P.
Présence de dioctyl-phtalate dans les immunoglobulines G normales et myélomateuses (Presence of dioctyl phthalate in normal and myelomatotic immunoglobulin G) (65) 245

Del Monte, M.A., see Johnson, D.L. (63) 81

Demacker, P.N.M., Van Oppenraay, J.B.H.A., Baadenhuijsen, H., Jansen, A.P.
An improved semi-automated method for the colorimetric determination of triglycerides in serum (64) 45

Demos, J., see Tuil, D. (61) 219

De Nayer, Ph., see Ingenbleek, Y. (63) 61

Deodhar, S.D., see Kumar, M.S. (61) 191

DeOgny, L., Weidenbach, A., Hampton, J.W.
Improved fibrin plate method for fibrinolytic activity measurements: Use of bentonite precipitation and agar solidification (60) 85

De Rooij, R.E., see Gebhardt, D.O.E. (59) 267

De Rooij, R.E., see Gebhardt, D.O.E. (64) 133

De Rooij, R.E., Liem, K.O., Brouwer-Schipper, J.W., Husmann, G.G.F.M., Hooghwinkel, G.J.M.
A method for the determination of sphingomyelinase activity (59) 71

Desnick, R.J., see Johnson, D.L. (63) 81

Dessauer, H.C., see Hopkins Fox, M. (63) 149

Desser, H., Höcker, P., Weiser. M., Böhnel,J.
The content of unbound polyamines in blood plasma and leukocytes of patients with polycythemia vera (63) 243

De Toledo e Souza, I.T., see Pinto, H. (60) 125

De Visscher, M., see Ingenbleek, Y. (63) 61

De Vos, L., see Tepper, T. (59) 373

De Vries, A., see Giler, Sh. (63) 37

De Witt, G.F., see Buttery, J.E. (64) 325

De Witt, G.F., see Quek, E.S.C. (58) 137

Diamant, L., see Kjeld, J.M. (61) 381

Dimberg, R., see Bonnichsen, R. (60) 67

Dingjan, P.G., Postma, T., Stroes, J.A.P.
The diagnostic value of certain alkaline phosphatase isoenzyme patterns in human serum, fractions obtained by polyacrylamide disc electrophoresis (60) 169

Dinovo, E.C., see Miyada, D.S. (58) 97

Dinwiddie, R., see Thom, H. (62) 143

Di Sant'Agnese, P.A., see Lundgren, D.W. (62) 357

Djordjević-Spasić, S., see Majkić, N. (65) 227

Donnell, G.N., see Ng, W.G. (64) 39
Doran, G.R., Wilkinson, J.H.
  The origin of the elevated activities of creatine kinase and other enzymes in the sera of patients with myxoedema (62) 203
Dorkin, H., see Fisher, R.A. (61) 27
Dorn, D., see Fuchs, C. (60) 157
Dorner, J.L., see Hoffmann, W.E. (62) 137
Douglas, A.P., see Roberts, S.H. (63) 121
Doulas, N.L., see Liakakos, D. (65) 251
Doutriaux, C., Clerc, M., Giordano, C.
  Utilisation du Cellogel R.S. triangulaire pour l'étude de la protéinorachie dans la panencéphalite sclérosante subaïgue: Résultats et perspectives (Use of Cellogel R.S. wedge strips to study the cerebrospinal fluid proteins in subacute sclerosing panencephalitis: Results and perspectives) (59) 9
Drayer, J.I.M., Benraad, Th.J.
  The reliability of the measurement of plasma renin activity by radioimmunoassay (61) 309
Dreskin, R., see Rock, R.C. (62) 159
Drivas, G., see Vlassopoulos, K. (65) 389
Dubovsky, J., Meyer, R.D.
  Determination of hydroxyproline polypeptides in urine and blood serum by gel filtration (62) 277
Duignan, N.M., see Smith, M.R. (65) 5
Dunzendorfer, U.
  Die Isoenzyme des Plasmins (Plasmin isoenzymes) (64) 87
Dusci, L.J., see McDonald, I.A. (63) 235
Dyerberg, J.
  Comments on the quantitation of lipoproteins by agarose-gel electrophoresis (61) 103

E

Eastman, J.W., Rehfeld, S.J., Loken, H.
Ultrafiltrable calcium and the conformation of albumin (58) 233
Ebinger, G., see Verheyden, R. (58) 181
Egger, E., see Jung, K. (64) 329
Egloff, M., Degrelle, H., Jayle, M.F.
Dosage semi-automatique en flux continu des 17-cétosteroïdes urinaires (Semi-automated determination of urinary 17-oxosteroids in a continuous flow system) (59) 147
Ehnholm, Ch., see Huttunen, J.K. (63) 335
Eisenweiner, H.-G., see Heerspink, W. (63) 317
Ekman, R., see Danielsson, B. (65) 187
Ekman, R., Nilsson-Ehle, P.
Effects of apoliproteins on lipoprotein lipase activity of human adipose tissue (63) 29
El-Hazmi, M.A.F.
On the interaction between thyroid hormones and the tranquillisers librium and valium (63) 211
Elkeles, R.S., Hambley, J.
The effect of heparin in vitro on human plasma post-heparin lipolytic activity (65) 135
Elliot, R.B., see Robinson, P.G. (62) 225
Ellis, B.G., Tucker, S.M., Thompson, A.E., Price, R.G.
Presence of serum and tissue forms of N-acetyl-β-glucosaminidase in urine from patients with renal disease (64) 195
Ellis, G., Goldberg, D.M.
Serum guanase activities after myocardial infarction (63) 205
Elmslie, R.G., see Barns, R.J. (58) 165
Emes, A.V., Latner, A.L., Martin, J.A.
Electrofocusing followed by gradient electrophoresis: A two-dimensional polyacrylamide gel technique for the separation of proteins and its application to the immunoglobulins (64) 69
Endo, M., see Tokunaga, M. (62) 89
England, J.F., see Riley, W.J. (65) 83
Etiemble, J., see Kahn, A. (61) 415
Evans, J.R., Shepherd, A.M.M.
The effect of desferrioxamine on the colorimetric determination of iron in human serum and plasma (60) 401
Evans, P.H., see Thomas, J. (60) 237

F

Fahl, W.E., Rose, D.P.
Effect of estrogen-containing oral contraceptives on urinary corticosteroid sulfate excretion (63) 189
Fahmy, D., see Joyce, B.G. (62) 231
Farish, E., Shepherd, J., Lawrie, T.D.V., Morgan, H.G., Wightman, S.
Plasma apolipoprotein A levels in healthy human adults (62) 97
Faro, L.C., see Sobrinho, L.G. (65) 241
Farr, M., see Wilding, P. (64) 185
Farrell, Ph.M., see Lundgren, D.W. (62) 357
Fátrai, Z., see Péterfy, F. (65) 235
Feinendegen, L.E., see Lombeck, I. (64) 57
Felix, R., see Bisaz, S. (65) 299
Fellenberg, A.J., Magarey, A., Pollard, A.C.
An improved benzophenone procedure for the micro-determination of 5,5-diphenylhydantoin in blood (59) 155
Fellows, L., Riederer, P., Sandler, M.
A rapid assay of 4-hydroxy-3-methoxyphenylglycol in urine (59) 255
Feltkamp, T.E.W., see Biewenga, J. (58) 239
Feltkamp, T.E.W., see Biewenga, J. (64) 101
Fensom, A.H., Benson, P.F.
Assay of galactose-1-phosphate uridyl transferase in cultured amniotic cells for prenatal diagnosis of galactosaemia (62) 189
Fenuku, R.I.A., Foli, A.K.
Variations in total serum alkaline phosphatase activity with age and sex in adult and adolescent Ghanaians (60) 303
Ferrant, J.-P., see Lamy, J. (60) 103
Festi, D., see Roda, A. (64) 337
Fisher, P.M., see Thom, H. (62) 143
Fisher, R.A., see Rogers, P.A. (65) 291
Fisher, R.A., Turner, B.M., Dorkin, H., Harris, H.
An investigation of some factors affecting levels of erythrocyte inorganic pyrophosphatase activity (61) 27
Flatter, B., see Lorentz, K. (63) 263
Flatter, B., see Lorentz, K. (63) 271
Fleetwood, J.A., Smith, P.A.
Application of a simple urinary 11-deoxy-17-oxosteroid assay to the study of adrenocortical function in a selected group of hirsute women (64) 51
Fleisch, H., see Bisaz, S. (65) 299
Fleming, J.S., see Herraez-Dominguez, M.V. (64) 307
Fleming, R.M., see Rinderknecht, H. (59) 139
Flikweert, J.P., see Hoorn, R.K.J. (61) 151
Foli, A.K., see Fenuku, R.I.A. (60) 303
Fondu, P., see Lejeune-Lenain, C. (59) 81
Fontaine, M., Malmendier, C.L.
Carbohydrate content of human VLDL, IDL, LDL and HDL plasma apoproteins from fasting normal and hyperlipemic patients (64) 91
Forrester, P.I., Hancock, R.L., Hay, D.M., Lai, P.C.W., Lorscheider, F.L.
A rapid method for the purification and radioimmunoassay of human α-fetoprotein (64) 317
Foster, A.B., see Jarman, M. (58) 61
Frairia, R., see Angeli, A. (61) 279
Fraser, D., Clamp, J.R.
The glycoprotein content of meconium (59) 301
Fraser, T.R., see Kjeld, J.M. (61) 381
Freedman, B., see Hawkins, R.A. (64) 203
Frerichs, R.R., see Srinivasan, S.R. (60) 293
Fretz, K., see Saleem, A. (62) 131
Frič, P., Slabý, J., Kasafírek, E., Mališ, F.
Elastolytic activity of human duodenal contents (63) 309
Fried, M., see Machtey, I. (62) 149
Frigoletto, F., see Hammersen, G. (60) 281
Frison, J.C., see Ras, M.R. (61) 91
Frohlich, J., Bernstein, V., Bernstein, M.
Lecithin: cholesterol acyltransferase. Initial fractional rates of esterification in human and rat serum during development (65) 79

Fruchart, J.C., Buassa-Bu-Tsumbu, Jaillard, J., Sézille, G.
Automatisation en fluorimétrie du dosage enzymatique du cholestérol total sérique (Fluorimetric automatic enzymatic dosage of serum total cholesterol) (63) 399
Fuchs, C., Dorn, D., Fuchs, C.A., Henning, H.-V., McIntosh, C., Scheler, F., Stennert, M.
Fluoride determination in plasma by ionselective electrodes. A simplified method for the clinical laboratory (60) 157
Fuchs, C.A., see Fuchs, C. (60) 157
Fujisawa, K., see Tamaoki, H. (65) 21
Fukuoka, Y., see Baba, S. (62) 309
Fulton, I.S., see Smeaton, T.C. (62) 153
Fung, H.-L., Yaffe, S.J., Mattar, M.E., Lanighan, M.C.
Blood and salivary lead levels in children (61) 423
Futami, T., see Tokunaga, M. (62) 89

G

Gabrielle, L., Leterrier, F., Cristau, P., Laverdant, C.
Determination of human liver cytochrome P-450 level by electron paramagnetic resonance of liver biopsies (60) 147
Gaffney, P.J.
Distinction beteeen fibrinogen and fibrin degradation products in plasma (65) 109
Gaidano, G.P., see Angeli, A. (61) 279
Galand, C., see Kahn, A. (61) 415
Galton, D.J., see Heaf, D.J. (63) 41
Garčic, A., Kratochvíla, J.
Bestimmung von anorganischem Phosphor im biologischem Material mit einem einstufigen Reagens, enthaltend Rhodamin B (Direct determination of anorganic phosphor in serum and urine utilizing Rhodamin B)
Gebhardt, D.O.E., Beintema, A., De Rooij, R.E., Wildeboer, F.N., Merkus, J.M.W.M.
A study of the lecithin/sphingomyelin ratio of amniotic fluid (64) 133
Gebhardt, D.O.E., De Rooij, R.E.
On the specificity of a phosphomolybdenic acid spray used in thin-layer chromatography of amniotic fluid phosphatides (59) 267
Geison, R.L., O'Neill Rowley, B., Gerritsen, Th.
Urinary organic acid analysis in nonketotic hyperglycinemia: Non-specific occurrence of free benzoic acid, due to a β-streptococcus infection (60) 137
Gelfand, M., see Jones, J.J. (58) 299
Gera, K.L., see Halliday, J.W. (58) 207
Gerner, T., see Hetland, Ö. (62) 425
Gerresheim, F., see Sober, D. (63) 99
Gerritsen, Th., see Geison, R.L. (60) 137
Gerritsen, Th., see O'Neill Rowley, B., (62) 13
Giatt, Y., see Shainkin, R. (60) 45
Gibey, R., see Nicollier, M. (60) 15
Gijzen, A.H.J., see Brombacher, P.J. (58) 173
Gijzen, A.H.J., Brombacher, P.J., Janssens, H.H.P., Deckers, S.H.C.M.
Isolation and purification of cortisol-binding immunoglobulin by affinity chromatography (58) 177
Gilby, E.D., see Jarman, M. (58) 61
Giler, Sh., Sperling, O., Brosh, S., Urca, I., De Vries, A.
Serum xanthine oxidase in jaundice (63) 37
Gill, G.V., Cook, D.B.
Low binding capacity of porcine corticosteroid-binding globulin (62) 157
Gill, G.V., Cook, D.B.
Binding of dexamethasone to canine corticosteroid-binding globulin (63) 231
Gillin, J.C., see Karoum, F. (62) 451
Giordano, C., see Doutriaux, C. (59) 9
Gjone, E., see Ritland, S. (59) 109
Glew, R.H., see Peters, S.P. (60) 391
Gnad, K., see Schindler, A.E. (64) 287
Goedde, H.W., see Solem, E. (59) 203
Goldberg, D.M., Bloomer, P.R., Spooner, R.J.
An evaluation of the Gilford 3400 Automatic Enzyme Analyser (62) 263
Goldberg, D.M., see Ellis, G. (63) 205
Goldberg, D.M., see Herraez-Dominguez, M.V., (64) 307
Goldberg, D.M., see Martin, J.V. (61) 99
Goldberg, D.M., see Spooner, R.J. (65) 47
Gonano, F., see Moro, L. (65) 371
Gonçalves, M.J., see Sobrinho, L.G. (65) 241
Goodwin, B.L., Ruthven, C.R.J., Sandler, M.
Gas chromatographic assay of phenylacetic acid in biological fluids (62) 443
Goodwin, B.L., Ruthven, C.R.J., Weg, M.W., Sandler, M.
A specific assay of urinary 5-hydroxyindole-3-acetic acid by gas chromatography (62) 439
Goodwin, B.L., Sandler, M.
Improved resolution using capillary columns (59) 253

Goodwin, B.L., see Weg, M.W. (59) 249
Gordon, R.D., see Roginsky, M.S. (63) 303
Grahnén, A., see Berglöf, J. (62) 169
Gray, B.C., see Ryan, M. (60) 197
Gray, P.B., see Martin, J.V. (61) 99
Greaves, M., see Herraez-Dominguez, M.V., (64) 307
Green, R., see Van Tonder, S.V. (63) 285
Greenwood, H., Snedden, W., Hayward, R.P., Landon, J.
The measurement of urinary digoxin and dihydrodigoxin by radioimmunoassay and by mass spectroscopy (62) 213
Greiner, A.C., Chan, S.C., Nicolsen, G.A.
Determination of calcium, copper, magnesium and zinc content of identical areas in human cerebral hemispheres of normals (61) 335
Greiner, A.C., Chan, S.C., Nicolson, G.A.
Human brain contents of calcium, copper, magnesium and zinc in some neurological pathologies (64) 211
Grimberg, M.Th., see Wadman, S.K. (65) 197
Grimes, J.A., see Wilding, P. (64) 185
Grimm, U., Knapp, A., Schlenzka, K., Reddemann, H.
Phenylalaninhydroxylase-Aktivität in der Leber als Parameter zur Unterscheidung der verschiedenen Formen der Hyperphenylalaninämien (Phenylalanine hydroxylase activity in the liver as a parameter for distinguishing various forms of hyperphenylalaninemias) (58) 17
Groc, W., Harms, A., Lahn, W.
Electrophoretic separation of serum proteins on cellulose acetate followed by electrophoresis in antibody-containing agarose gel (60) 371
Grosso, P., see Zucchelli, G.C. (65) 57
Guidicelli, Y., Pecquery, R., Magyar, C., Lacasa, M., Nordmann, R.
Studies on the phospholipids in tracheal aspirate from normal full term newborn infants. Comparison with amniotic fluid (60) 335
Guidotti, L.M., see Jones, J.J. (58) 299
Guilbault, G.G., see Kuan, J.W. (64) 19
Gumińska, M., Ważewska-Czyżewska, M.
Enzymatic pattern of glucose metabolic pathways in pyruvate kinase-deficient erythrocytes (64) 165
Gustafson, A., Abrahamsson, H., Wiklund, O.
Biochemical typing hyperlipoproteinemia. The development of a nomogram (63) 91

H

Hackett, L.P., see McDonald, I.A. (63) 235
Hadorn, B., see Von Bergmann, J. (64) 241
Hafkenscheid, J.C.M., Hectors, M.P.C. An enzymatic method for the determination of the glycine/taurine ratio of conjugated bile acids in bile (65) 67
Hafkenscheid, J.C.M., Jansen, A.P. Standardization of the alkaline phosphatase determination with human placental phosphatase (59) 63
Hais, I.M., see Marklová, E. (64) 273
Hakim, J., see Kahn, A. (59) 183
Halliday, J.W., Gera, K.L., Powell, L.W. Solid phase radioimmunoassay for serum ferritin (58) 207
Hamada, S., Kosaka, T., Torizuka, K. Clinical evaluation of new indicators of free thyroxine concentration and thyroxine-binding globulin capacity (63) 129
Hambley, J., see Elkeles, R.S. (65) 135
Hamilton, I.J.D., see Thomson, W.H.S. (59) 241
Hammersen, G., Levy, H.L., Frigoletto, F., Mandell, R. Comparison of galactose-1-phosphate uridylyltransferase in fetal and adult tissues (60) 281
Hampton, J.W., see DeOgny, L. (60) 85
Hancock, R.L., see Forrester, P.I. (64) 317
Hanel, H.K., Cohn, J. Intraerythrocytary enzymes before and after splenectomy (65) 205
Hanson, P., see Stott, A.W. (63) 7
Harada, K., Nakayama, T., Kitamura, M., Sugimoto, T. Immunological and electrophoretical approaches to macroamylase analysis (59) 291
Harada, S. Isoelectrofocusing in acetate membrane. The method and application (63) 275
Hărăgus, S., see Cucuianu, M. (59) 19
Hargreaves, R., see Piper, R.F. (60) 215
Harms, A., see Groc, W. (60) 371
Harris, H., see Fisher, R.A. (61) 27
Harris, H., see Rogers, P.A. (65) 291
Harrison, B.M., see Oberholzer, V.G. (62) 299
Hashimoto, I., see Baba, S. (62) 309
Haverkamp, J., see Wadman, S.K. (59) 313
Hawkins, R.A., Hill, A., Freedman, B. A simple method for the determination of oestrogen receptor concentrations in breast tumours and other tissues (64) 203
Hay, D.M., see Forrester, P.I. (64) 317
Hayem, A., Laine, A., Bailleul, V., Lebas, J. Détermination quantitative des IgA du mucus bronchique humain (Quantitative determination of IgA from human bronchial mucus) (61) 9
Hayward, R.P., see Greenwood, H. (62) 213
Heaf, D.J., Galton, D.J. Sorbitol and other polyols in lens, adipose tissue and urine in diabetes mellitus (63) 41
Heck, Y.S.L., see Baak, J.M. (62) 125
Hectors, M.P.C., see Hafkenscheid, J.C.M. (65) 67
Heerspink, W., Eisenweiner, H.-G. Vergleichende Untersuchungen der Initial Rate Methode des CentrifiChem Systems mit der Frankonit-Methode zur Bestimmung des Kreatinins in Serum und Urin (Comparative studies of the initial rate method (modified CentrifiChem method) and the Frankonit method to assay creatinine in serum and urine) (63) 317
Heerspink, W., see Wakkers, P.J.M. (64) 173
Heffernan, C., see Roberts, S.H. (63) 121
Helenius, T., see Liewendahl, K. (64) 263
Hellendoorn, H.B.A., see Wakkers, P.J.M. (64) 173
Hemmingsen, L., see Borg, N. (64) 247
Hempel, K., see Löwer, R. (58) 155
Henderson, A.R., see McKenzie, D. (62) 447
Henkelman, M.S., see Teulings, F.A.G. (64) 27
Henning, H.-V., see Fuchs, C. (60) 157
Henry, J.C., see Nicollier, M. (60) 15
Hensley, W.J., see Sampson, D. (61) 1
Hermann, G., see Körber, W. (63) 323
Hernandez, G., see Chulkova, T. (62) 21

Herraez-Dominguez, M.V., Goldberg, D.M., Greaves, M., Fleming, J.S., Rider, C.C., Taylor, C.B.
Immunological determination of muscle-type enolase in the serum as a diagnostic test for myocardial infarction (64) 307
Hersh, L.S., Yaverbaum, S.
Magnetic solid-phase radioimmunoassay (63) 69
Hesch, R.D., Brunner, G., Söling, H.D.
Conversion of thyroxine (T_4) to triiodothyronine (T_3) and the subcellular localisation of the converting enzyme (59) 209
Hesso, A., see Laatikainen, T. (64) 63
Hetland, Ö., Andersson, T.R., Gerner, T.
The heterogeneity of the serum activity of γ-glutamyl transpeptidase in hepatobiliary diseases as studied by agarose gel electrophoresis (62) 425
Hidaka, H., see Nagasaka, A. (62) 1
Higa, O.Z., see Pinto, H. (60) 125
Higashino, K., Kudo, S., Yamamura, Y., Honda, T., Sakurai, J.
Possible identity between the hepatoma alkaline phosphatase and an isozyme of human amniotic membrane (FL cells) (60) 267
Higashino, K., see Otani, R. (60) 113
Hilditch, T.E., see Thomson, W.H.S. (63) 383
Hill, A., see Hawkins, R.A. (64) 203
Hillier, S.G., see Joyce, B.G. (62) 231
Hino, M., Nagatsu, T., Kakumu, S., Okuyama, S., Yoshii, Y., Nagatsu, I.
Glycylpropyl β-naphthylamidase activity in human serum (62) 5
Hinterberger, H., see Somerville, B. (65) 399
Ho, W.K.K., Chan, W.Y.
Evaluation of serum lipid and lipoprotein levels in normal Chinese. The influence of dietary habit, body weight, exercise and a familial record of coronary heart diseases (61) 19
Höcker, P., see Desser, H. (63) 243
Hodson, A.W., Latner, A.L.
Alkaline phosphatase isoenzymes of human kidney and urine (61) 53
Hoffmann, B., see Koepp, P. (58) 215
Hoffmann, W.E., Dorner, J.L.
A comparison of canine normal hepatic alkaline phosphatase and variant alkaline phosphatases of serum and liver (62) 137
Holá, J., Vácha, J., Znojil, V., Kleinwächter, V.
Studies on non-haemoglobin erythrocyte iron: The influence of haemolysis on plasma iron determinations (61) 121
Holder, R., see Wilding, P. (64) 185
Hollemans, H.J.G.
Simultaneous addition of charcoal in saturation analysis by means of microfunnels (61) 421
Holtkamp, H.C., Verhoef, N.J., Leijnse, B.
The difference between the glucose concentrations in plasma and whole blood (59) 41
Holton, J.B., see Burman, D. (62) 325
Honda, T., see Higashino, K. (60) 267
Hooghwinkel, G.J.M., see De Rooij, R.E. (59) 71
Hooghwinkel, G.J.M., see Liem, K.O. (60) 259
Hooghwinkel, G.J.M., see Overdijk, B. (59) 177
Hoorn, R.K.J., Flikweert, J.P., Westerink, D.
Vitamin B-1, B-2 and B-6 deficiencies in geriatric patients, measured by coenzyme stimulation of enzyme activities (61) 151
Hopkins Fox, M., Dessauer, H.C., Srinivasan, S.R., Thurmon, T.F., Berenson, G.S.
Variability of polymorphic cellular enzymes in medical students with different serum lipid levels: A preliminary survey (63) 149
Horowitz, M.I., see Slomiany, A. (59) 215
Houdret, N., see Scharfman, A. (63) 369
Howell, A.M., see Kyaw-Myint, T.O. (59) 51
Hull, M.G.R., Braunsberg, H., Irving, D.
Urinary total oestrogen values determined by an automated method in normal and abnormal pregnancies (58) 71
Humbel, R., Collart, M.
Oligosaccharides in urine of patients with glycoprotein storage diseases. I. Rapid detection by thin-layer chromatography (60) 143
Hundertmark, J.M., see Kampa, I.S. (59) 191
Husmann, G.G.F.M., see De Rooij, R.E. (59) 71
Huttunen, J.K., Ehnholm, Ch., Kinnunen, P.K.J., Nikkilä, E.A.
An immunochemical method for the selective measurement of two triglyceride lipases in human postheparin plasma (63) 335
Hvidberg, E.F., see Christiansen, C. (62) 65

I

Ichida, T., see Matsuda, I. (63) 55
IFCC Section (1975) No. 1, (61) following p. 112
  The role of the IFCC Section in CCA, F1
  The education and training of personnel for clinical chemistry (Rubin, Lous), F2
IFCC Section (1975) No. 2, (61) following p. 238
  IFCC Methods for the measurement of catalytic activity of enzymes: Provisional recommendation (Expert Panel on Enzymes of the Committee on Standards), F11
IFCC Section (1975) No. 3, (63) following p. 108
  Provisional recommendation on quality control in clinical chemistry. Part I. General principles and terminology (Expert Panel on Nomenclature and Principles of Quality Control in Clinical Chemistry), F25
Ikeuchi, T., see Matsuda, I. (63) 55
Ikkos, D., see Liakakos, D. (65) 251
Imai, K., see Wang, M.-T. (63) 13
Imai, K., see Wang, M.-T. (63) 21
Imashuku, S., Takada, H., Sawada, T., Kusunoki, T.
  Biochemical activity in the metastatic lesions of neuroblastoma (63) 1
Ingenbleek, Y., Van den Schrieck, H.-G., De Nayer, Ph., De Visscher, M.
  Albumin, transferrin and the thyroxine-binding prealbumin/retinol-binding protein complex in assessment of malnutrition (63) 61
Inglis, N.R., see Chang, C.-H. (65) 91
Irving, D., see Hull, M.G.R. (58) 71
Ishitoya, Y., see Baba, S. (62) 309
Ishizuki, Y., see Nagasaka, A. (62) 1
Iwarsson, S., see Lindstedt, G. (62) 183

J

Jaillard, J., see Fruchart, J.C. (63) 399
James, D.R., Pring, B.
  Use of immobilised urease in a continuous flow method for the determination of plasma urea (62) 435
Jänne, O., see Apter, D. (63) 139
Jansen, A.P., see Baadenhuijsen, H. (62) 315
Jansen, A.P., see Demacker, P.N.M. (64) 45
Jansen, A.P., see Hafkenscheid, J.C.M. (59) 63
Janssens, H.H.P., see Brombacher, P.J. (58) 173
Janssens, H.H.P., see Gijzen, A.H.J. (58) 177
Jarman, M., Gilby, E.D., Foster, A.B., Bondy, P.K.
  The quantitation of cyclophosphamide in human blood and urine by mass spectrometry — stable isotope dilution (58) 61
Jayle, M.F., see Egloff, M. (59) 147
Jensen, G.E., see Clausen, J. (65) 283
Jersild, R.A., see Cheung, S.W. (64) 215
Jockers-Wretou, E., Pfleiderer, G.
  Quantitation of creatine kinase isoenzymes in human tissues and sera by an immunological method (58) 223
Johansson, B.G., see Danielsson, B. (65) 187
Johnson, A.M., McMillan, C.W.
  Protein turnover studies using in vivo labeling and immunoprecipitation (62) 363
Johnson, D.L., Del Monte, M.A., Cotlier, E., Desnick, R.J.
  Fabry disease: Diagnosis by α-galactosidase activities in tears (63) 81
Johnson, G.F., see Least, Jr, C.J. (60) 285
Johnson, P.K., see Yoder, J.M. (61) 375
Jones, D.D., see Targett-Adams, L. (63) 377
Jones, J.J., Guidotti, L.M., Gelfand, M.
  Effects of twenty-four hours starvation and of heparin on the serum lipoproteins of rural Africans in Rhodesia (58) 299
Joplin, G.F., see Kjeld, J.M. (61) 381
Joseph, M.H., Risby, D.
  The determination of kynurenine in plasma (63) 197
Jouramani, G., see Liakakos, D. (65) 251
Joyce, B.G., Fahmy, D., Hillier, S.G.
  Specific determination of testosterone in female plasma by radioimmunoassay: A rapid and reliable procedure for the routine clinical laboratory (62) 231
Jung, K., Egger, E.
  Effect of pyridoxal 5'-phosphate on the temperature relationships of alanine aminotransferase (64) 329

K

Kahn, A., Etiemble, J., Meienhofer, M.-C., Boivin, P., Galand, C., Cottreau, D., Marie, J.
Erythrocyte phosphofructokinase deficiency associated with an unstable variant of muscle phosphofructokinase (61) 415
Kahn, A., Hakim, J., Cottreau, D., Boivin, P.
Gd(−) MATAM, an African glucose-6-phosphate dehydrogenase variant with enzyme deficiency. Biochemical and immunological properties in various hemopoietic tissues (59) 183
Kakumu, S., see Hino, M. (62) 5
Kallner, A.
Determination of phosphate in serum and urine by a single step malachite-green method (59) 35
Kamerling, J.P., see Wadman, S.K. (59) 313
Kampa, I.S., Hundertmark, J.M.
A comparison of results using three commercially available vitamin B-12 radioassay kits (59) 191
Kanis, J.A., see Walton, R.J. (63) 227
Kannan, C.R., see Akbar, A.M. (61) 391
Kanno, T., see Sudo, K. (64) 303
Kar, N.C., Pearson, C.M.
Glyoxalase enzyme system in human muscular dystrophy (65) 153
Karasawa, T., see Takahashi, S. (62) 393
Karoum, F., Gillin, J.C., McCullough, D., Wyatt, R.J.
Vanilmandelic acid (VMA), free and conjugated 3-methoxy-4-hydroxyphenylglycol (MHPG) in human ventricular fluid (62) 451
Kasafírek, E., see Frič, P. (63) 309
Kasperek, K., see Lombeck, I. (64) 57
Kędra, M., see Porembska, Z. (60) 355
Kellen, J.A., see Chan, A.W.-L. (60) 91
Kelly, S., Leikhim, E.
Isovalerylglycine detection by thin-layer chromatography: Additional observations (59) 247
Kendall, M.J., see Wilding, P. (64) 185
Keogh, J.B., see Young, G.A. (61) 205
Ketting, D., see Bakker, H.D. (61) 73
Ketting, D., see Wadman, S.K. (65) 197
Khaund, R., see Samuels, A.J. (62) 341
Khoo, K.L., see Chong, Y.H. (65) 143
Kickler, Th., see Rock, R.C. (62) 159
Kidder, D.E., Manners, M.J.
A method for automatic measurement of lactase and sucrase (61) 233
King, G.S., see Zambotti, F. (61) 247
King, J., see McQueen, M.J. (64) 155
Kinnunen, P.K.J., see Huttunen, J.K. (63) 335
Kissinger, P.T., see Pachla, L.A. (59) 309
Kitamura, M., see Harada, K. (59) 291
Kjeld, J.M., Kuku, S.F., Diamant, L., Fraser, T.R., Joplin, G.F., Mashiter, K.
Production and storage of [^{125}I]thyroxine and [^{125}I]triiodothyronine of high specific activity (61) 381
Kleinwächter, V., see Holá, J. (61) 121
Knapp, A., see Grimm, U. (58) 17
Knoll, E., see Wisser, H. (59) 1
Kochen, M., see Palme, G. (61) 163
Koepp, P., Hoffmann, B.
Detection of heterozygotes for phenylketonuria and hyperphenylalaninemia by gas-chromatographic analysis of aromatic acid excretion in urine (58) 215
Kolarić, K., Roguljić, A., Petrinović, R.
Comparative investigations of some enzymatic parameters and liver scanning in the early detection of the malignant liver process (60) 109
Kolhorn, A., see Paulssen, M.M.P. (63) 349
Kommerell, B., see Thamer, G. (61) 273
Kondo, T., see Taniguchi, Na. (59) 29
Kondo, T., Taniguchi, Na., Murao, M., Takakuwa, E.
Estimations of active and inactive carbonic anhydrase isozyme B in human red cells (60) 347
Konieczny, L., see Rybarska, J. (63) 171
Konieczny, L., Rybarska, J., Bobrzecka, K., Ważewska, M., Bogdał, J.
The use of thiosulfate to increase polymerization of IgM subunits (63) 181
Kōno, M., see Makita, M. (61) 403
Konttinen, A., see Somer, H. (60) 219

Körber, W., Meisterernst, E.B., Hermann, G.
Quantitative measurement of adenosine deaminase from human erythrocytes (63) 323
Kosaka, K., see Ueda, M. (60) 77
Kosaka, T., see Hamada, S. (63) 129
Koster, J.F., see Staal, G.E.J. (60) 323
Kowalewski, J., see Tomaszewski, J. (60) 185
Kowalski, P., see Vanderlinde, R.E. (61) 39
Kozu, T., see Takeuchi, To. (60) 205
Kratochvíla, J., see Garčic, A. (62) 29
Krause, E.-G., Will, H., Böhm, M., Wollenberger, A.
The assay of glycogen phosphorylase in human blood serum and its application to the diagnosis of myocardial infarction (58) 145
Kreutzer, H.H., Pennings, A.W., Punt, J.M. H.M., Verduin, P.A.
Further studies on the determination of lipase activity (60) 273
Kreutzer, H.H., Rechsteiner, J.
Hepatitis B antigen in clinical chemistry control sera (60) 117
Kroneman, J., see Wensing, Th. (58) 1
Kruijswijk, H., see Wadman, S.K. (65) 197
Kua, S.L., see Buttery, J.E. (64) 325
Kuan, J.W., Kuan, S.S., Guilbault, G.G.
An alternative method for the determination of uric acid in serum (64) 19
Kuan, S.S., see Kuan, J.W. (64) 19
Kudo, S., see Higashino, K. (60) 267
Kuku, S.F., see Kjeld, J.M. (61) 381
Kumar, M.S., Deodhar, S.D.
An improved radioimmunoassay of serum gastrin using commercial kit (61) 191
Kumps, A., Mardens, Y.
A rapid gas-liquid chromatographic determination of serum levels of phenobarbital and diphenylhydantoin (62) 371
Kunitake, A., see Masuda, H. (62) 433
Kusunoki, T., see Imashuku, S. (63) 1
Kyaw-Myint, T.O., Howell, A.M., Murphy, G.M., Anderson, Ch.M.
Alpha-1-antitrypsin in duodenal fluid and gallbladder bile (59) 51

L

Laatikainen, T., Hesso, A.
  Determination of serum bile acids by glass capillary gas-liquid chromatography (64) 63
Lacasa, M., see Guidicelli, Y. (60) 335
Lacombe, E., see Rand, P.W. (61) 47
Lahn, W., see Groc, W. (60) 371
Lai, P.C.W., see Forrester, P.I. (64) 317
Laine, A., see Hayem, A. (61) 9
Lamy, J., Baglin, M.-C., Aron, E., Weill, J.D.
  Diminution de la γ-glutamyltranspeptidase sérique des cirrhotiques à la suite du sevrage (Decrease in serum γ-glutamyltranspeptidase following abstention from alcohol in cirrhotics) (60) 97
Lamy, J., Baglin, M.-C., Ferrant, J.-P., Weill, J.D.
  Emploi de la mesure de la γ-glutamyltranspeptidase sérique pour contrôler le succes des cures de désintoxication anti-alcoolique (Use of the measurement of γ-glutamyltranspeptidase activity in serum to determine the success of cures for alcohol detoxification) (60) 103
Landaas, S.
  The formation of 2-hydroxybutyric acid in experimental animals (58) 23
Landaas, S.
  Accumulation of 3-hydroxyisobutyric acid, 2-methyl-3-hydroxybutyric acid and 3-hydroxyisovaleric acid in ketoacidosis (64) 143
Landon, J., see Greenwood, H. (62) 213
Lange, H.W., see Löwer, R. (58) 155
Lanighan, M.C., see Fung, H.-L. (61) 423
Lantto, O., see Björkhem, I. (60) 59
Lantto, O., see Björkhem, I. (65) 343
Lappöhn, R.E., see Pratt, J.J. (59) 337
Larrue, J., see Rabaud, M. (61) 265
Larsen, N.-E., see Christiansen, C. (62) 65
Latner, A.L., see Emes, A.V. (64) 69
Latner, A.L., see Hodson, A.W. (61) 53
Laverdant, C., see Gabrielle, L. (60) 147
Lawrie, T.D.V., see Farish, E. (62) 97
Least, Jr, C.J., Johnson, G.F., Solomon, H.M.
  A quantitative gas chromatographic determination of ethosuximide based on N-butylation (60) 285
Lebas, J., see Hayem, A. (61) 9
Leclercq, M., see Collé, A. (65) 223
Lee, K.T., Tan, I.K., Seet, A.M.
  A new colorimetric method for the determination of NADH/NADPH dependent glutathione reductase in erythrocytes and in plasma (58) 101
Lee, R.E., see Peters, S.P. (60) 391
Leegwater, D.C.
  Propyl thiolpropionate as a substrate for the automated determination of aliesterase (62) 177
Lefebvre, F., see Rabaud, M. (61) 257
Lefebvre, F., see Rabaud, M. (61) 265
Lefvert, A.K., see Bergström, K. (64) 95
Legg, E.F., Spencer, A.M.
  Studies on the stability of pancreatic enzymes in duodenal fluid to storage temperature and pH (65) 175
Lehmann, F.-G.
  Immunological relationship between human placental and intestinal alkaline phosphatase (65) 257
Lehmann, F.-G.
  Immunological methods for human placental alkaline phosphatase (Regan isoenzyme) (65) 271
Leijnse, B., see Holtkamp, H.C. (59) 41
Leikhim, E., see Kelly, S. (59) 247
Leiner, K., see Narasimhachari, N. (62) 245
Lejeune-Lenain, C., Fondu, P.
  Serial measurements of vitamin B-12 and vitamin B-12 binding capacity in marasmic kwashiorkor (59) 81
Lemonnier, A., see Luzeau, R. (59) 133
Leonhardt, H., see Palme, G. (61) 163
Leterrier, F., see Gabrielle, L. (60) 147
Levensohn, A., see Vanderlinde, R.E. (61) 39
Levillain, P., see Luzeau, R. (59) 133
Levin, B., see Burgess, E.A. (61) 215

Levy, F.M., see Martins, D. (61) 287
Levy, H.L., see Hammersen, G. (60) 281
Levy, H.L., Mudd, S.H., Uhlendorf, B.W., Madigan, P.M.
Cystathioninuria and homocystinuria (58) 51
Lewis, K.O., Mwale, S.S.
A rocket method not requiring antibody for the measurement of total conjugated bile salts in bile and duodenal juice (63) 395
Liakakos, D., Doulas, N.L., Ikkos, D., Anoussakis, Ch., Vlachos, P., Jouramani, G.
Inhibitory effect of ascorbic acid (Vitamin C) on cortisol secretion following adrenal stimulation in children (65) 251
Liem, K.O., see De Rooij, R.E. (59) 71
Liem, K.O., Hooghwinkel, G.J.M.
The use of α-L-iduronidase activity determinations in leucocytes for the detection of Hurler and Scheie syndromes (60) 259
Liewendahl, K., Helenius, T.
Comparison of serum free thyroxine indices and "corrected" thyroxine tests (64) 263
Lindberg, J., see Lindstedt, G. (62) 183
Lindemans, J., Van Kapel, J., Abels, J.
Evaluation of a radioassay for serum folate and the effects of ascorbate and methotrexate (65) 15
Lindsay Smith, J.R., see Stott, A.W. (63) 7
Lindstedt, G., Lundberg, P.-A., Iwarsson, S., Lindberg, J.
Circulating heat-labile DNA binder(s) in chronic active hepatitis and rheumatoid arthritis (62) 183
Little, A.J., Aulton, K., Payne, R.B.
Comparison of an all-aqueous automated urine pregnancy oestrogen method with one using organic solvent extraction (65) 167
Lloyd, J.K., see Bagnall, T.F. (59) 271
Loken, H., see Eastman, J.W. (58) 233
Lombeck, I., Kasperek, K., Feinendegen, L.E., Bremer, H.J.
Serum-selenium concentrations in patients with maple-syrup-urine disease and phenylketonuria (64) 57
Lombeck, I., see Przyrembel, H. (58) 257
Lorentz, K., Flatter, B.
Clinical application of a new method for the determination of aminoacylase in human serum (63) 271
Lorentz, K., Voss, J., Flatter, B.
A new method for the assay of aminoacylase. Elaboration of a fixed-incubation method for routine measurements (63) 263
Lorscheider, F.L., see Forrester, P.I. (64) 317
Losowsky, M.S., see Sheltawy, M.J. (64) 127
Lovell, M.D., see Rand, P.W. (61) 47
Löwer, R., Lange, H.W. and Hempel, K.
Diagnostic meaning of the urinary output of N(ϵ)-methylated lysines. Investigation on healthy individuals and patients with malignant diseases, myopathies or renal failure (58) 155
Ludwig, R., Matzku, S., Rapp, W.
Quantitation of α_1-acid glycoprotein in neutralized gastric juice by electroradioimmunoassay (ERIA) (64) 253
Lundberg, P.-A., see Lindstedt, G. (62) 183
Lundgren, D.W., Farrell, Ph.M., Di Sant' Agnese, P.A.
Polyamine alterations in blood of male homozygotes and heterozygotes for cystic fibrosis (62) 357
Lütjens, A., Verleur, H., Plooij, M.
Glucose and insulin levels on loading with different carbohydrates (62) 239
Luzeau, R., Odièvre, M., Levillain, P., Lemonnier, A.
Activité de la lipoprotéine lipase dans les laits de femme, inhibiteurs in vitro de la conjugaison de la bilirubine (Lipoprotein lipase activity in human milk; inhibition in vitro of the glucuro-conjugation of bilirubin) (59) 133

M

McCullough, D., see Karoum, F. (62) 451
McDonald, I.A., Hackett, L.P., Dusci, L.J. The identification of acetone and the detection of isopropanol in biological fluids by gas chromatography (63) 235
McFarlane, H., see Olusi, S.O. (62) 107
McGuffie, C., see Campbell, C.B. (63) 249
Machtey, I., Syrkis, I., Fried, M. Studies of blood ascorbic acid levels in acute myocardial infarction (62) 149
McIntosh, C., see Fuchs, C. (60) 157
McKenzie, D., Henderson, A.R. The occurrence of the Regan variant alkaline phosphatase isoenzyme in the serum of a case of adenocarcinoma of the stomach (62) 447
McMillan, C.W., see Johnson, A.M. (62) 363
McQueen, M.J., King, J. Evaluation of the Vitatron Automatic Kinetic Enzyme System (64) 155
Madigan, P.M., see Levy, H.L. (58) 51
Maestracci, D., see Preiser, H. (59) 169
Magarey, A., see Fellenberg, A.J. (59) 155
Magnan de Bornier, B., see Bellet, H. (61) 107
Magyar, C., see Guidicelli, Y. (60) 335
Mainwaring-Burton, R.W., see Wood, W.G. (61) 297
Majkić, N., Djordjević-Spasić, S., Berkeš, I. Eine kinetische Methode zur Bestimmung vor "Aeroben Transhydrogenasen" (A kinetic method for the determination of the activity of "aerobic transhydrogenases") (65) 227
Makita, M., Yamamoto, S., Kōno, M. Rapid determination of di- and polyamines in human urine by electron capture gas chromatography (61) 403
Malina, L., see Marklová, E. (64) 273
Mališ, F., see Frič, P., (63) 309
Mallet, E., Brunelle, Ph. Technique de dosage radioimmunologique de la parathormone humaine. Utilisation d'un antisérum disponible et d'un étalon international (Radioimmunoassay method for determination of parathyroid hormone. Use of a commercially available antiserum and an international standard) (64) 11
Malmendier, C.L., see Fontaine, M. (64) 91
Malvano, R., see Zucchelli, G.C. (65) 57
Mandel, P., see Miras-Portugal, M.T. (64) 293
Mandell, R., see Hammersen, G. (60) 281
Manners, M.J., see Kidder, D.E. (61) 233
Mantel, M.J., Van Riel, L.H.M., Buys Ballot, A.F.K. A rapid quantitative determination of triglycerides by means of thin-layer chromatography (63) 297
Manuel, Y., see Collé, A. (65) 223
Marcolongo, R., see Micheli, V. (65) 181
Mårde, Y., see Bonnichsen, R. (60) 67
Mardens, Y., see Kumps, A. (62) 371
Marie, J., see Kahn, A. (61) 415
Marklová, E., Malina, L., Hais, I.M. Urinary excretion of indolyl-3-acryloylglycine in some skin affections (64) 273
Martin, J.A., see Emes, A.V. (64) 69
Martin, J.V., Gray, P.B., Goldberg, D.M. Pitfalls in assay and interpretation of serum gammaglutamyl transpeptidase activity (61) 99
Martin, P.J. A quick inexpensive method for serum triglycerides (62) 79
Martins, D., Levy, F.M., Cabau, N. Les taux sériques d'immunoglobulines chez l'enfant africain: Variations saisonnières et facteurs ethniques (Blood serum levels of immunoglobulins among African children: Seasonal variations and ethnic factors) (61) 287
Masdeu, S., see Ras, M.R. (61) 91
Mashiter, K., see Kjeld, J.M. (61) 381
Masuda, H., Shichijo, S., Takeuchi, M. Glycosaminoglycan from the urine of spondyloepiphyseal dysplasia congenita (65) 149
Masuda, H., Takeuchi, M., Kunitake, A., Anraku, S. Comparative studies on the urinary glycopeptides from myoclonus epilepsy of Lafora-body type and myoclonus epilepsy of degenerative type (62) 433

Matsuda, I., Arashima, S., Oka, Y., Mitsuyama, T., Ariga, S., Ikeuchi, T., Ichida, T.
Prenatal diagnosis of fucosidosis (63) 55
Matsushima, T., see Takeuchi, To. (60) 205
Matsushima, T., see Takeuchi, To. (60) 207
Mattar, M.E., see Fung, H.-L. (61) 423
Matzku, S., see Ludwig, R. (64) 253
Mayo, P., see Treharne, I.A.L. (63) 239
Mazzella, G., see Roda, A. (64) 337
Meienhofer, M.-C., see Kahn, A. (61) 415
Meisterernst, E.B., see Körber, W. (63) 323
Melissinos, K., see Vlassopoulos, K. (65) 389
Melò, F., see Angeli, A. (61) 279
Mendershausen, P.B., see Phillips, G.B. (61) 175
Merkus, J.M.W.M., see Gebhardt, D.O.E. (64) 133
Merrett, T.G., Pantin, C.F.A.
Increasing the precision and speed of the separation step in radioimmunoassays (65) 131
Métais, P., see Meyer, J.-F. (62) 43
Meyer, J.-F., Bieth, J., Métais, P.
On the inhibition of elastase by serum. Some distinguishing properties of α_1-antitrypsin and α_2-macroglobulin (62) 43
Meyer, R.D., see Dubovsky, J. (62) 277
Metz, J., see Van Tonder, S.V. (63) 285
Micheli, V., Pompucci, G., Marcolongo, R.
An improved method for the determination of 5-phosphoribosyl 1-pyrophosphate (65) 181
Mimaki, K., see Yutaka, T., (59) 283
Minato, S., see Tamaoki, H. (65) 21
Miras-Portugal, M.T., Aunis, D., Mandel, P.
Studies on the interaction of dopamine β-hydroxylase from various sources with phytohaemagglutinins (64) 293
Mishkel, M.A., see Nazir, D.J. (62) 117
Mishkel, M.A., Nazir, D.J., Crowther, S.
A longitudinal assessment of lipid ratios in the diagnosis of type III hyperlipoproteinaemia (58) 121
Mitsuyama, T., see Matsuda, I. (63) 55
Miyada, D.S., Dinovo, E.C., Nakamura, R.M.
Creatine kinase reactivation by thiol compounds (58) 97
Miyawaki, T., see Taniguchi, No. (60) 363
Mondrup, M., Anker, N.
Carbonic anhydrase isoenzymes in the erythrocytes of new-born premature and full-term infants (61) 127
Montreuil, J., see Strecker, G. (58) 33
Morgan, H.G., see Farish, E. (62) 97
Moriya, N., see Taniguchi, No. (60) 363
Moro, L., De Bernard, B., Gonano, F.
Properties of β-glucuronidase activity in human synovial fluid (65) 371
Morris, A.F., see Burman, D. (62) 325
Moss, D.W., see Qirby, A.A. (60) 1
Moss, D.W., see Whitby, L.G. (59) 361
Moss, D.W., Whitby, L.G.
A simplified heat-inactivation method for investigating alkaline phosphatase isoenzymes in serum (61) 63
Moss, D.W., see Wootton, A.M. (61) 183
Mowat, J.H., see Vestergaard, P. (62) 163
Mudd, S.H., see Levy, H.L. (58) 51
Munakata, H., see Sato, T. (61) 145
Murao, M., see Kondo, T. (60) 347
Murata, K.
Acidic glycosaminoglycans in human kidney tissue (63) 157
Murphy, G.M., see Kyaw-Myint, T.O. (59) 51
Mwale, S.S., see Lewis, K.O. (63) 395
Myant, N.B., see Simons, L.A. (65) 117

N

Nadler, H.L., see Shapira, E. (65) 1
Naestoft, J., see Christiansen, C. (62) 65
Nagamine, M., Ohkuma, S.
  Serum alkaline phosphatase isoenzymes linked to immunoglobulin G (65) 39
Nagasaka, A., Hidaka, H., Ishizuki, Y.
  Studies on human peroxidase: Its activity in various thyroid disorders (62) 1
Nagatsu, I., see Hino, M. (62) 5
Nagatsu, T., see Hino, M. (62) 5
Nakajima, T., see Tsuji, M. (59) 161
Nakamura, R.M., see Miyada, D.S. (58) 97
Nakayama, H., see Yokoi, S. (62) 415
Nakayama, T., see Harada, K. (59) 291
Narasimhachari, N., Leiner, K., Brown, C.
  The simultaneous determination by selected ion monitoring of the levels of homovanillic, isohomovanillic, 3,4-dihydroxyphenylacetic and 3-methoxy-4-hydroxymandelic acids in single biological samples (62) 245
Nazir, D.J., see Mishkel, M.A. (58) 121
Nazir, D.J., Mishkel, M.A.
  The effect of calcium on plasma lipids and bile acid and fecal fat excretion in normolipidemic subjects (62) 117
Neale, G., see Wootton, A.M. (61) 183
Neale, L.M., see Ryley, H.C. (64) 117
Negishi, T., see Yokoi, S. (62) 415
Ng, W.G., Donnell, G.N., Bergren, W.R.
  Mannitol excretion in galactosemia patients (64) 39
Nicollier, M., Gibey, R., Colette, C., Henry, J.C.
  Etude des constituants protéiques du liquide amniotique après fractionnement chromatographique (Study of soluble proteins from human amniotic fluid by fraction chromatography) (60) 15
Nicolsen, G.A., see Greiner, A.C. (61) 335
Nicolson, G.A., see Greiner, A.C. (64) 211
Niebes, P., Schifflers, M.H.
  Micromethod for the determination of glycosaminoglycans in the serum. Results from the serum of healthy and varicose subjects (62) 195
Nijessen, J.G., see Staal, G.E.J. (60) 323
Nikkilä, E.A., see Huttunen, J.K. (63) 335
Nilsson-Ehle, P., see Ekman, R. (63) 29
Ninomiya, Y., see Uete, T. (59) 263
Nishida, Y., Akaoka, I., Nishizawa, T., Yoshimura, T.
  Hyperlipidaemia in gout (62) 103
Nishida, Y., see Nishizawa, T. (58) 277
Nishizawa, T., see Nishida, Y. (62) 103
Nishizawa, T., Nishida, Y., Akaoka, I., Yoshimura, T.
  Erythrocyte adenosine deaminase and purine nucleoside phosphorylase activity in gout (58) 277
Nobbs, B.T., Walker, A.W., Davies, T.J.
  A simplified method for the estimation of urinary total hydroxyproline (64) 219
Nordmann, R., see Guidicelli, Y. (60) 335
Nørgaard-Pedersen, B., see Åsard, P.-E. (58) 303
Nørgaard-Pedersen, B., see Boenisch, T. (60) 51

O

Oberholzer, V.G., see Burgess, E.A. (61) 215
Oberholzer, V.G., Wood, C.B.S., Palmer, T., Harrison, B.M.
Increased pyroglutamic acid levels in patients on artificial diets (62) 299
Odièvre, M., see Luzeau, R. (59) 133
O'Gorman, P., see Patel, S. (60) 249
Ohkuma, S., see Nagamine, M. (65) 39
Oka, Y., see Matsuda, I. (63) 55
Okada, S., see Yutaka, T. (59) 283
O'Kelly, D.A., see Taaffe, W.P. (60) 263
Okuda, N., see Taniguchi, No. (60) 363
Okuyama, S., see Hino, M. (62) 5
Olusi, S.O., McFarlane, H., Osunkoya, B.O., Adesina, H.
Specific protein assays in protein-calorie malnutrition (62) 107
O'Neill Rowley, B., see Geison, R.L. (60) 137
O'Neill Rowley, B., Gerritsen, Th.
Identification of N-acylglycines by gas-liquid chromatography (62) 13
Op de Weegh, G.J., see Wakkers, P.J.M. (64) 173
Opincaru, A., see Cucuianu, M. (59) 19
Orwell, R.L., Thornton, H.C., Piper, D.W.
The assay of pyruvate kinase activity in gastric mucosa (60) 307
O'Sullivan, W.I., Rothery, E.J.
The preparation and possible clinical significance of 4'-dialkylaminoisoindogenides (62) 181
Osunkoya, B.O., see Olusi, S.O. (62) 107
Otani, R., Higashino, K., Yamamura, Y.
Electrophoretically variant alkaline phosphatases in a human liver (60) 113
Overdijk, B., Van der Kroef, W.M.J., Visser, A.A.M., Hooghwinkel, G.J.M.
The determination of methotrexate in serum and urine (59) 177

P

Pachla, L.A., Kissinger, P.T.
  Estimation of serum uric acid by high performance liquid chromatography with electrochemical detection (59) 309
Palme, G., Kochen, M., Leonhardt, H.
  Veränderungen der Fliesseigenschaft des Blutes bei chronischen Lebererkrankungen (Changes of blood-flow properties in patients with chronic liver disease) (61) 163
Palmer, T., see Burgess, E.A. (61) 215
Palmer, T., see Oberholzer, V.G. (62) 299
Palo, J., see Somer, H. (60) 219
Panetz, A.I., see Roginsky, M.S. (63) 303
Pantin, C.F.A., see Merrett, T.G. (65) 131
Parsons, F.M., see Young, G.A. (61) 205
Pasternack, A., Stenman, U.-H.
  False rise of starch-iodine-determined amylase values caused by heparin treatment during haemodialysis (65) 213
Patel, S., O'Gorman, P.
  Assessment of a new enzyme reaction rate analyser, the Vitatron AKES (60) 249
Paulssen, M.M.P., Van de Graaf-Wildschut, M., Kolhorn, A., Planje, M.C.
  Radioimmunoassay of antihaemophilic factor (factor VIII) antigen (63) 349
Paumgartner, G., see Von Bergmann, J. (64) 241
Payne, R.B., see Little, A.J. (65) 167
Pays, M., Beljean, M.
  Microdetermination of unbound bilirubin in sera. Application to the prevention of kernicterus by estimating the bilirubin-binding capacity of serum albumin (59) 121
Pearson, C.M., see Kar, N.C. (65) 153
Pecquery, R., see Guidicelli, Y. (60) 335
Pennings, A.W., see Kreutzer, H.H. (60) 273
Perrett, D.
  Ampicillin and amino acid analysis (64) 343
Perrett, D., see Silk, D.B.A. (59) 195
Péterfy, F., Varró, R., Fátrai, Z.
  Application of pepsin-digested horse antibodies for quantitative immunoelectrophoresis (65) 235
Peters, S.P., Lee, R.E., Glew, R.H.
  A microassay for Gaucher's disease (60) 391
Petersen, B., see Christiansen, C. (62) 65
Petersson, B.G., see Danielsson, B. (65) 187
Petrinović, R., see Kolarić, K. (60) 109
Pettersen, J.E.
  In vivo studies on the metabolism of hexanedioic acid (58) 43
Pfleiderer, G., see Jockers-Wretou, E. (58) 223
Phillips, G.B., Mendershausen, P.B.
  Glucose consumption by red cells of diabetic patients and normal subjects. Effect of ethanol (61) 175
Pieroni, R.R., see Pinto, H. (60) 125
Pilo, A., Zucchelli, G.C.
  Automatic treatment of radioimmunoassay data: An experimental validation of the results (64) 1
Pinto, H., Wajchenberg, B.L., Higa, O.Z., De Toledo e Souza, I.T., Schmidt Werner, R., Pieroni, R.R.
  Preparation of high-quality iodine-125-labeled pituitary luteinizing hormone for radioimmunoassay (60) 125
Piper, D.W., see Orwell, R.L. (60) 307
Piper, R.F., Hargreaves, T.
  The measurement of bilirubin in liver (60) 215
Piro, M.A., see Zucchelli, G.C. (65) 57
Planje, M.C., see Paulssen, M.M.P. (63) 349
Plooij, M., see Lütjens, A. (62) 239
Plum, J., see Ringoir, S. (60) 379
Pollard, A.C., see Fellenberg, A.J. (59) 155
Pompucci, G., see Micheli, V. (65) 181
Poon, S., see Applegarth, D.A. (63) 49
Popescu, T.A., see Cucuianu, M. (59) 19
Porembska, Z., Kędra, M.
  Early diagnosis of myocardial infarction by arginase activity determination (60) 355
Portengen, H., see Teulings, F.A.G. (64) 27

Postma, T., see Dingjan, P.G. (60) 169
Powell, L.W., see Campbell, C.B. (63) 249
Powell, L.W., see Halliday, J.W. (58) 207
Pratt, J.J., see Wiegman, T. (59) 347
Pratt, J.J., Wiegman, T., Lappöhn, R.E., Woldring, M.G.
Estimation of plasma testosterone without extraction and chromatography (59) 337
Preiser, H., Schmitz, J., Maestracci, D., Crane, R.K.
Modification of an assay for trypsin and its application for the estimation of enteropeptidase (59) 169
Preston, C.J., see Walton, R.J. (63) 227
Price, J.
The dependence of tryptamine excretion on urinary pH (65) 339
Price, R.G., see Ellis, B.G. (64) 195
Price, R.G., see Tucker, S.M. (62) 333
Pring, B., see James, D.R. (62) 435
Przyrembel, H., Bachmann, D., Lombeck, I., Becker, K., Wendel, U., Wadman, S.K., Bremer, H.J.
Alpha-ketoadipic aciduria, a new inborn error of lysine metabolism: Biochemical studies (58) 257
Przyrembel, H., see Wendel, U. (58) 271
Punt, J.M.H.M., see Kreutzer, H.H. (60) 273
Pyke, F.S., see Riley, W.J. (65) 83

Q

Qirbi, A.A., Moss, D.W.
Incidence and some properties of an electrophoretically slow form of alkaline phosphatase in sera of patients with diseases of the intestine (60) 1

Quek, E.S.C., Buttery, J.E., De Witt, G.F.
Catecholamines in urine: An evaluation of alumina-trihydroxyindole methods and a description of an improved method (58) 137

R

Raam, S., see Boenisch, T. (58) 195
Rabaud, M., Crockett, R., Bricaud, H., Lefebvre, F.
Amélioration des conditions techniques de l'évaluation d'une activité élastolytique. Rôle activateur de la trypsine (Improvements in the technical conditions for the evaluation of an elastolytic activity. The role of trypsin as an activator (61) 257
Rabaud, M., Larrue, J., Bricaud, H., Lefebvre, F.
Estimation of seric and parietal inhibiting power of elastase: Its changes with experimental conditions (61) 265
Rand, P.W., Lovell, M.D., Lacombe, E., Barker, N.D.
A pH-dependent macroglobulin gel (61) 47
Rapp, W., see Ludwig, R. (64) 253
Ras, M.R., Frison, J.C., Rubiés-Prat, J., Masdeu, S., Bacardi, R.
The effect of heparin on serum lipoprotein-X (61) 91
Ratcliffe, J.G., see Challand, G.S. (60) 25
Ratcliffe, W.A., see Challand, G.S. (60) 25
Rathjen, C.P., see Boguslaski, R.C. (62) 349
Raymond, F.A., Weinshilboum, R.M.
Microassay of human erythrocyte catechol-O-methyltransferase: Removal of inhibitory calcium ion with chelating resin (58) 185
Rayner, P.H.W., see Smith, M.R. (65) 5
Rechsteiner, J., see Kreutzer, H.H. (60) 117
Reddeman, H., see Grimm, U. (58) 17
Reerink-Brongers, E.E., see Zegers, B.J.M. (65) 319
Rehfeld, S.J., see Eastman, J.W. (58) 233
Reinouts van Haga, P.
The kinetic determination of oxytocinase. Use of the "Enzyrator" (63) 193
Reman, F.C., see Van der Bijl, P. (60) 191
Rennekamp, M., see Bowen, D. (61) 399
Renshaw, A., see Chalkley, S.R. (62) 377
Reynolds, L.W., see Taylor, H.A. (59) 93
Richards, A.H., see Vanderlinde, R.E. (61) 39
Richardson, R.A.
Rapid fluorimetric determination of 5-fluorocytosine in serum (63) 109
Rider, C.C., see Herraez-Dominguez, M.V. (64) 307
Riederer, P., see Fellows, L. (59) 255
Rietra, P.J.G.M., Van den Bergh, F.A.J. T.M., Tager, J.M.
Properties of the residual α-galactosidase activity in the tissues of a Fabry hemizygote (62) 401
Riley, W.J., Pyke, F.S., Roberts, A.D., England, J.F.
The effect of long-distance running on some biochemical variables (65) 83
Rinderknecht, H., Fleming, R.M.
A new, highly sensitive and specific assay for chymotrypsin (59) 139
Ringoir, S.M.G.
Serum lactate dehydrogenase isozymes in human lung homotransplantation (58) 291
Ringoir, S., Plum, J.
Lactate dehydrogenase isozymes of human T and B lymphocytes (60) 379
Risby, D., see Joseph, M.H. (63) 197
Ritland, S., Gjone, E.
Quantitative studies of lipoprotein-X in familial lecithin:cholesterol acyltransferase deficiency and during cholesterol esterification (59) 109
Roberts, A.D., see Riley, W.J. (65) 83
Roberts, S.H., Heffernan, C., Douglas, A.P.
The sialic acid and carbohydrate content and the synthesis of glycoprotein from radioactive precursors by tissues of the normal and diseased upper intestinal tract (63) 121
Robinson, P.G., Smith, P.A., Elliot, R.B.
A simple method for the quantitative determination of stool trypsin and chymotrypsin (62) 225
Robinson, R., see Stott, A.W. (63) 7
Rocchetti, P., see Cantoni, L. (60) 405

Rock, R.C., Dreskin, R., Kickler, Th., Wimsatt, Th.
  Creatine kinase isoenzymes in serum of patients with Reye's syndrome (62) 159
Roda, A., Festi, D., Sama, C., Mazzella, G., Aldini, R., Roda, E., Barbara, L.
  Enzymatic determination of cholesterol in bile (64) 337
Roda, E., see Roda, A. (64) 337
Rogers, P.A., Fisher, R.A., Harris, H.
  An examination of the age-related patterns of decay of the hexokinases of human red cells (65) 291
Roginsky, M.S., Panetz, A.I., Gordon, R.D.
  The use of Amberlite XAD-2 columns for the determination of plasma aldosterone by radioimmunoassay (63) 303
Roguljić, A., see Kolarić, K. (60) 109
Roijers, A.F.M., see Bartels, P.C. (61) 135
Rooney, S.A.
  UDPgalactose-glycoprotein galactosyltransferase from canine tracheal mucosa (64) 333
Rosalki, S.B., Bayoumi, R.A.
  Activation by pyridoxal 5-phosphate of aspartate transaminase in serum of patients with heart and liver disease (59) 357
Rose, D.P., see Fahl, W.E. (63) 189
Rose, M.E., see Collins, G. (59) 105
Rosenfeld, E.L., see Belenky, D.M. (60) 397
Ross, P.M., see Applegarth, D.A. (64) 83
Ross, U.S., see Treharne, I.A.L. (63) 239
Rothery, E.J., see O'Sullivan, W.I. (62) 181
Roussel, P., see Scharfman, A. (63) 369
Rubiés-Prat, J., see Ras, M.R. (61) 91
Rudd, B.T., see Smith, M.R. (65) 5
Rüdiger, H.W., see Wendel, U. (58) 271
Russell, G., see Thom, H. (62) 143
Russell, R.G.G., see Walton, R.J. (63) 227
Ruthven, C.R.J., see Goodwin, B.L. (62) 439
Ruthven, C.R.J., see Goodwin, B.L. (62) 443
Ruthven, C.R.J., see Weg, M.W. (59) 249
Ruutu, R.
  Determination of iron and unsaturated iron binding capacity in serum with ferrozine (61) 229
Ryan, M., Gray, B.C.
  Estrogen analysis in pregnancy urine: An artifact corrected (60) 197
Rybarska, J., Bobrzecka, K., Konieczny, L., Bogdał, J., Ważewska, M.
  Deficient polymerization of human IgM (63) 171
Rybarska, J., see Konieczny, L. (63) 181
Ryhage, R., see Bonnichsen, R. (60) 67
Ryley, H.C., Neale, L.M., Brogan, T.D., Bray, P.T.
  Screening for cystic fibrosis by analysis of meconium for albumin and protease inhibitors (64) 117

S

Saito, K., see Taniguchi, Na. (59) 29
Sakurai, J., see Higashino, K. (60) 267
Saleem, A., Fretz, K.
  An improved method for plasma fibrinogen based on thrombin time measurement (62) 131
Sama, C., see Roda, A. (64) 337
Sammons, H.G., see Beck, P.R. (65) 351
Sampson, D., Hensley, W.J.
  A rapid gas chromatographic method for the quantitation of underivatised individual free fatty acids in plasma (61) 1
Samuels, A.J., Khaund, R., Werthamer, S., Amaral, L.
  Serum B-12 binding as determined by the method of disc-acrylamide electrophoresis (62) 341
Sander, P.C., see Zegers, B.J.M. (65) 319
Sandler, M., see Fellows, L. (59) 255
Sandler, M., see Goodwin, B.L. (59) 253
Sandler, M., see Goodwin, B.L. (62) 439
Sandler, M., see Goodwin, B.L. (62) 443
Sandler, M., see Weg, M.W. (59) 249
Sandler, M., see Zambotti, F. (61) 247
Sano, I., see Tsuji, M. (59) 161
Sato, T., Munakata, H., Yoshinaga, K., Yosizawa, Z.
  Comparison of the chemical composition of glomerular and tubular basement membranes obtained from human kidneys of diabetics and non-diabetics (61) 145
Sato, T., see Taniguchi, Na. (59) 29
Savolainen, H., see Somer, H. (60) 219
Sawada, T., see Imashuku, S. (63) 1
Sayegh, J.F., see Vestergaard, P. (62) 163
Schardt, W., Wardle, E.N.
  Plasma lysolecithin in uraemia (63) 223
Scharfman, A., Houdret, N., Roussel, P., Biserte, G., Aerts, C., Tonnel, A.B., Voisin, C.
  Etude comparative des hydrolases acides des leucocytes humains et des macrophages alvéolaires de l'homme et du Cobaye. I. Etude des activités de glycosidases, arylsulphatase et phosphatase acide (Comparative studies of the acid hydrolases of
  human leucocytes and human and guinea pig alveolar macrophages. I. Study of the activities of glycosidases, arylsulfatase and acid phosphatase) (63) 369
Scheler, F., see Fuchs, C. (60) 157
Schifflers, M.H., see Niebes, P. (62) 195
Schindler, A.E., Gnad, K., Walk, T.
  Plasma dehydroepiandrosterone in pregnant and non-pregnant women (64) 287
Schlenzka, K., see Grimm, U. (58) 17
Schmidt Werner, R., see Pinto, H. (60) 125
Schmitz, H., see Preiser, H. (59) 169
Schotman, A.J.H., see Wensing, Th. (58) 1
Schulman, L., see Shaw, W. (60) 385
Schwartz, H.D.
  Serum ionized calcium by electrodes: New technology and methodology (64) 227
Schwedt, G., Blödorn, A., Bussemas, H.H.
  Gas-Chromatographische Routineanalyse von Metanephrin/Normetanephrin 3-Methoxy-4-hydroxyphenylglykol und Vanillinmandelsäure im Urin als TMS-Vanillin bzw. -Vanillylalkohol (65) 309
Scowen, E.F., see Silk, D.B.A. (59) 195
Seet, A.M., see Lee, K.T. (58) 101
Sézille, G., see Fruchart, J.C. (63) 399
Shainkin, R., Berkenstadt, Y., Giatt, Y., Berlyne, G.M.
  An automated technique for the analysis of plasma guanidino acids, and some findings in chronic renal disease (60) 45
Shapira, E., Nadler, H.L.
  Problems associated with the determination of arylsulfatase A and B using nitrocatechol sulfate substrate (65) 1
Shaw, W., Schulman, L., Spierto, F.W.
  The carrier effect of gamma globulin when a polyethylene glycol separation technique is used in digoxin radioimmunoassay (60) 385
Sheltawy, M.J., Losowsky, M.S.
  Determination of faecal bile acids by an enzymic method (64) 127

Shepherd, A.M.M., see Evans, J.R. (60) 401
Shepherd, J., see Farish, E. (62) 97
Shichijo, S., see Masuda, H. (65) 149
Shirley, A., see Smith, M.R. (65) 5
Silk, D.B.A., Perrett, D., Clark, M.L., Stephens, A.D., Scowen, E.F.
A study of the renal handling and intestinal absorption of dibasic amino acids in a patient with genotype +/11 heterozygous cystinuria and idiopathic hypercalciuria (59) 195
Simons, L.A., Myant, N.B.
Cholesterol metabolism in hypertriglyceridaemia and the effects of treatment (65) 117
Simons, L.A., Williams, P.F.
The biochemical composition and metabolism of lipoproteins in Type V hyperlipoproteinaemia (61) 341
Siva Prasad, J.
Effect of ascorbic acid on plasma iron turnover (59) 101
Sjöholm, I., see Berglöf, J. (62) 169
Skaarup, P., see Borg, N. (64) 247
Skinner, S.L., see Campbell, D.J. (65) 361
Slabý, J., see Frič, P. (63) 309
Slomiany, A., Slomiany, B.L., Horowitz, M.I.
Studies on changes in lipid profiles of the rat gastric mucosa with stress ulcers (59) 215
Slomiany, B.L., see Slomiany, A. (59) 215
Smeaton, T.C., Fulton, I.S.
A method for the recovery of the constituents of scintillation fluid used in the assay of steroid hormones (62) 153
Smith, A.D., see Belin, J. (61) 95
Smith, A.F., see Wong, P.C.-P. (65) 99
Smith, B.S.W., Wright, H.
Effect of dietary Mo on Cu metabolism. Evidence for the involvement of Mo in abnormal binding of Cu to plasma proteins (62) 55
Smith, M.R., Rudd, B.T., Shirley, A., Rayner, P.H.W., Williams, J.W., Duignan, N.M., Bertrand, P.V.
A radioimmunoassay for the estimation of serum dehydroepiandrosterone sulphate in normal and pathological sera (65) 5
Smith, P.A., see Fleetwood, J.A. (64) 51
Smith, P.A., see Robinson, P.G. (62) 225
Snedden, W., see Greenwood, H. (62) 213
Sober, D., Gerresheim, F.
Lipoprotein-Elektrophorese auf Acetatfolie als Routinemethode (Lipoprotein electrophoresis on acetate gel as a routine method) (63) 99
Sobrinho, L.G., Gonçalves, M.J., Faro, L.C.
Interference of yeast extract on the Zimmerman reaction (65) 241
Solem, E., Agarwal, D.P., Goedde, H.W.
The determination of β-aminoisobutyric acid in human serum by ion-exchange chromatography (59) 203
Söling, H.D., see Hesch, R.D. (59) 209
Solomon, H.M., see Least, Jr, C.J. (60) 285
Solymoss, B., see Bastomsky, C.H. (61) 171
Somer, H.
"Nothing dehydrogenase" reaction as an artefact in serum isoenzyme analyses (60) 223
Somer, H., Palo, J., Savolainen, H., Konttinen, A.
Studies on N-aspartyl-β-glucosaminidase in aspartylglycosaminuria (60) 219
Somerville, B., Hinterberger, H.
Levels of serotonin bound to platelets and free in plasma in jugular and forearm venous blood as determined by a fluorescent-OPT (ortho-phthalaldehyde) assay (65) 399
Soons, M.P.J., see Brombacher, P.J. (58) 173
Spencer, A.M., see Legg, E.F. (65) 175
Sperling, O., see Giler, Sh. (63) 37
Spierto, F.W., see Shaw, W. (60) 385
Spooner, R.J., see Goldberg, D.M. (62) 263
Spooner, R.J., Toseland, P.A., Goldberg, D.M.
The fluorimetric determination of ammonia in protein-free filtrates of human blood plasma (65) 47
Srinivasan, S.R., Frerichs, R.R., Berenson, G.S.
Serum lipid and lipoprotein profile in school children from a rural community (60) 293
Srinivasan, S.R., see Hopkins Fox, M. (63) 149
Staal, G.E.J., Van Berkel, Th.J.C., Nijessen, J.G., Koster, J.F., Wensink-Van der Loo, A.
Normalisation of red blood cell pyruvate kinase in pyruvate kinase deficiency by riboflavin treatment (60) 323

Staal, G.E.J., see van Biervliet, J.P.G.M. (65) 157
Stenman, U.-H., see Pasternack, A. (65) 213
Stennert, M., see Fuchs, C. (60) 157
Stephens, A.D., see Silk, D.B.A. (59) 195
Stern, M.P., Conrad, F.
An automated, direct method for measuring adipocyte cell size (65) 29
Stevenson, R.E., see Taylor, H.A. (59) 93
Stewart, M.J., see Blyth, A. (62) 305
Stoop, J.W., see Zegers, B.J.M. (65) 319
Stott, A.W., Lindsay Smith, J.R., Hanson, P., Robinson, R.
A simple chromatographic procedure for the concurrent estimation of urinary 4-hydroxy-3-methoxymandelic acid (HMMA) and homovanillic acid (HVA) using a scanning technique (63) 7
Strecker, G., Montreuil, J.
Dosage des glycoprotides totaux de l'urine et du sérum d'enfants sains et d'un enfant sialurique (Determination of total glycoproteins in urine and serum from normal children and from a child with a sialuria) (58) 33
Stroes, J.A.P., see Dingjan, P.G. (60) 169
Sudo, K., Kanno, T.
Sialic acid containing abnormal amylases in human sera (64) 303
Sugimoto, T., see Harada, K. (59) 291
Sugimura, T., see Takeuchi, To. (60) 205
Sugimura, T., see Takeuchi, To. (60) 207
Sugita, T., see Yutaka, T. (59) 283
Sullivan, J., see Bowen, D. (61) 399
Sutherland, H.W., see Thom, H. (62) 143
Svenberg, T., see Åsard, P.-E. (58) 303
Svensson, L., see Björkhem, I. (60) 59
Svensson, L., see Björkhem, I. (62) 385
Sweetin, J.C., see Thomson, W.H.S. (59) 241
Sweetin, J.C., see Thomson, W.H.S. (63) 383
Syrkis, I., see Machtey, I. (62) 149

T

Taaffe, W.P., O'Kelly, D.A., Darragh, A. Simple inexpensive procedure for the measurement of serum thyroxine (60) 263
Tabak-Van Gorcum, J.A., see Van Gennip, A.H. (58) 85
Tager, J.M., see Rietra, P.J.G.M. (62) 401
Takada, H., see Imashuku, S. (63) 1
Takahashi, S., Karasawa, T. A sensitive non-isotopic assay for the monoamine oxidase activity in human blood platelets (62) 393
Takakuwa, E., see Kondo, T. (60) 347
Takakuwa, E., see Taniguchi, Na. (59) 29
Takei, S., see Tamaoki, H. (65) 21
Takemoto, T., see Takeuchi, To. (60) 205
Taketa, K., see Ueda, M. (60) 77
Takeuchi, M., see Masuda, H. (62) 433
Takeuchi, M., see Masuda, H. (65) 149
Takeuchi, Ta., see Takeuchi, To. (60) 205
Takeuchi, To., Matsushima, T., Sugimura, T. Separation of human α-amylase isozymes by electrofocusing and their immunological properties (60) 207
Takeuchi, To., Matsushima, T., Sugimura, T., Kozu, T., Takeuchi, Ta., Takemoto, T. Occurrence of multiforms of α-amylase, new isozymes or autodigested forms? (60) 205
Tamachi, H., see Taniguchi, Na. (59) 29
Tamaoki, H., Minato, S., Takei, S., Fujisawa, K. A clinical method for the determination of serum γ-glutamyl transpeptidase (65) 21
Taminiau, J.A.J.M., see Van Gennip, A.H. (58) 85
Tamura, Z., see Wang, M.-T. (63) 13
Tamura, Z., see Wang, M.-T. (63) 21
Tan, I.K., see Lee, K.T. (58) 101
Taniguchi, Na., see Kondo, T. (60) 347
Taniguchi, Na., Sato, T., Kondo, T., Tamachi, H., Saito, K., Takakuwa, E. Carbonic anhydrase isozymes, hemoglobin-F and glutathione levels in lead-exposed workers (59) 29
Taniguchi, No., Miyawaki, T., Moriya, N., Okuda, N. Molecular size difference of urinary heparan sulfates from normal individuals and genetic mucopolysaccharidoses (60) 363
Targett-Adams, L., Jones, D.D., Williams, G.F. A rapid method for the determination of deoxycytidylate deaminase activity in pregnancy serum (63) 377
Taylor, C.B., see Herraez-Dominguez, M.V. (64) 307
Taylor, H.A., Thomas, G.H., Aylsworth, A., Stevenson, R.E., Reynolds, L.W. Mannosidosis: Deficiency of a specific α-mannosidase component in cultured fibroblasts (59) 93
Teisberg, P. In vivo activation of C3 revealed by crossed immunoelectrophoresis as a parameter of immunological activity in disease (62) 35
Tepper, T., De Vos, L. An automated determination of free plasma hydroxyproline (59) 373
Teulings, F.A.G., Blonk-Van der Wijst, J., Portengen, H., Henkelman, M.S., Treurniet, R.E., Van Gilse, H.A. Quantitation of estrogen receptors in human breast cancer by agar gel electrophoresis (64) 27
Thamer, G., Kommerell, B. A new radioimmunoassay for demonstrating the antibody to hepatitis-B-surface-antigen (HB_s-AG) (61) 273
Thom, H., Dinwiddie, R., Fisher, P.M., Russell, G., Sutherland, H.W. Palmitic acid concentrations and lecithin/sphingomyelin ratios in amniotic fluid (62) 143
Thomas, G.H., see Taylor, H.A. (59) 93
Thomas, J., Evans, P.H. Serum protein changes in coal workers' pneumoconiosis (60) 237
Thompson, A.E., see Ellis, B.G. (64) 195

Thompson, A.E., see Tucker, S.M. (62) 333
Thompson, R.H.S., see Belin, J. (61) 95
Thompson, R.M., Belanger, B.G., Wappner, R.S., Brandt, I.K.
An artifact in the gas chromatographic analysis of urinary organic acids from phenylketonuric children: Decarboxylation of phenylpyruvic acid during extraction (61) 367
Thomson, W.H.S., Sweetin, J.C., Hamilton, I.J.D.
ATP and muscle enzyme efflux after physical exertion (59) 241
Thomson, W.H.S., Sweetin, J.C., Hilditch, T.E.
Studies on the carrier state in X-linked recessive (Duchenne) muscular dystrophy (63) 383
Thornton, H.C., see Orwell, R.L. (60) 307
Thurmon, T.F., see Hopkins Fox, M. (63) 149
Tietz, F., see Björkhem, I. (62) 385
Titus-Dillon, P., see Verma, P. (63) 363
Tokunaga, M., Futami, T., Wakamatsu, E., Endo, M., Yosizawa, Z.
Werner's syndrome as "Hyaluronuria" (62) 89
Tomaszewski, J., Kowalewski, J.
High-molecular-weight hydroxyproline-protein in relation to immunoglobulins M(IgM) in human blood serum (60) 185
Tomaszewski, L.
A new convenient, rapid and accurate method for determination of total lipids in feces (61) 113
Tonnel, A.B., see Scharfman, A. (63) 369
Tonnelle, C. see Collé, A. (65) 223
Torizuka, K., see Hamada, S. (63) 129
Toseland, P.A., see Spooner, R.J. (65) 47
Touillon, C., Bansillon, V., Vallon, J.J., Badinand, A., Comtet, J.J.
Etude des taux sérique et érythrocytaires du zinc chez le brûlé (Study of the zinc levels in serum and erythrocytes in burn patients) (63) 115
Treharne, I.A.L., Ross, U.S., Mayo, P.
The estimation of plasma non-esterified fatty acids in pregnancy (63) 239
Trenchard, P.M.
A new fast-dependent time-modified relationship between basal plasma glucose levels and the early glucose response to oral glucose loading in normal human subjects (65) 139
Treurniet, R.E., see Teulings, F.A.G. (64) 27
Trump, G.N., see Beierle, J.W. (61) 411
Tsuji, M., Nakajima, T., Sano. I,
Putrescine, spermidine, N-acetylspermidine and spermine in the urine of patients with leukaemias and tumours (59) 161
Tucker, S.M., Boyd, P.J.R., Thompson, A.E., Price, R.G.
Automated assay of N-acetyl-β-glucosaminidase in normal and pathological human urine (62) 333
Tucker, S.M., see Ellis, B.G. (64) 195
Tuil, D., Berthelon, M., Demos, J., Dautreaux, B.
Distribution des diphénoloxydases (DPOx) dans divers tissus de diverses espèces animales (Distribution of diphenoloxidases (DPOx) in various tissues of various animal species) (61) 219
Turner, B.M., see Fisher, R.A. (61) 27

U

Ueda, M., Taketa, K., Kosaka, K.
  Hexokinase isozyme pattern in CCl_4-injured rat liver (60) 77
Uete, T.
  Ultra-micromethods for the biochemical analysis of cutaneous capillary blood. I. Critical evaluation and application of the Roth fluorimetric determination of plasma or serum bilirubin (59) 259
Uete, T., Ninomiya, Y.
  Ultra-micromethods for the biochemical analysis of cutaneous capillary blood. II. Elimination of bilirubin and hemoglobin interference in the glucose oxidase colorimetric method for measuring blood glucose (59) 263
Uhlendorf, B.W., see Levy, H.L. (58) 51
Urca, I., see Giler, Sh. (63) 37

V

Vácha, J., see Holá, J. (61) 121
Vader, H.L., Vink, C.L.J.
  The influence of viscosity on dilution methods. Its problems in the determination of serum sodium (65) 379
Valdiguié, P., see De la Farge, F. (65) 245
Vallon, J.J., see Touillon, C. (63) 115
Van Berkel, Th.J.C., see Staal, G.E.J. (60) 323
Van Biervliet, J.P.G.M., Van Milligen-Boersma, L., Staal, G.E.J.
  A new variant of glucosephosphate isomerase deficiency (GPI-Utrecht) (65) 157
Van de Graaf-Wildschut, M., see Paulssen, M.M.P. (63) 349
Van de Laar, A.J.B., see Van Stekelenburg, G.J. (59) 233
Van den Bergh, F.A.J.T.M., see Rietra, P.J.G.M. (62) 401
Van den Hoek, A., see Zail, S.S. (60) 231
Van den Schrieck, H.-G., see Ingenbleek, Y. (63) 61
Van der Bijl, P., Reman, F.C.
  Human very low density lipoproteins: Loss of electrophoretic mobility on enzymatic removal of sialic acid residues (60) 191
Van der Bijl, P., Van Gent, C.M.
  Determination of human low density lipoprotein apoprotein (APO-LDL) by the Lowry procedure: Standardisation and effect of sodium chloride (61) 407
Van der Bijl, P., Van Gent, C.M.
  Lipid and protein contents of low density lipoproteins (LDL) from patients with various types of hyperlipoproteinemia (63) 95
Van der Heiden, C., see Bakker, H.D. (61) 73
Van der Heiden, C., see Wadman, S.K. (65) 197
Van der Kroef, W.M.J., see Overdijk, B. (59) 177
Van der Laag, J., see Van Stekelenburg, G.J. (59) 233
Vanderlinde, R.E., Richards, A.H., Kowalski, P., Levensohn, A.
  Linearity and accuracy of ultraviolet and visible wavelength photometers: An interlaboratory survey (61) 39
Van der Slik, W., see Baak, J.M. (62) 125
Van Dijk, A.G., see Berrens, L. (65) 75
Van Gennip, A.H., Tabak-Van Gorcum, J.A., Taminiau, J.A.J.M., Wadman, S.K.
  The behaviour of lactate dehydrogenase isoenzyme LDH-3 in patients with malignant diseases during therapy with cytostatic drugs and prednisone, studied by LDH-isoenzyme electrophoresis on cellulose acetate (58) 85
Van Gent, C.M., see Van der Bijl. P. (61) 407
Van Gent, C.M., see Van der Bijl, P. (63) 95
Van Gent, C.M., see Wensing, Th. (58) 1
Van Gilse, H.A., see Teulings, F.A.G. (64) 27
Van Kapel, J., see Lindemans, J. (65) 15
Van Milligen-Boersma, L., see Van Biervliet, J.P.G.M. (65) 157
Van Oppenraay, J.B.H.A., see Demacker, P.N.M. (64) 45
Van Riel, L.H.M., see Mantel, M.J. (63) 297
Van Sprang, F.J., see Bakker, H.D. (61) 73
Van Sprang, F.J., see Wadman, S.K. (59) 313
Van Stekelenburg, G.J., Van de Laar, A.J.B., Van der Laag, J.
  Copper analysis of nail clippings; an attempt to differentiate between normal children and patients suffering from cystic fibrosis (59) 233
Van Steveninck, J., see De Goeij, A.F.P.M. (62) 287
Van Steveninck, J., see De Goeij, A.F.P.M. (63) 355
Van Tonder, S.V., Metz, J., Green, R.
  Tissue vitamin B-12 assay by a radioisotope dilution technique (63) 285
Varró, R., see Péterfy, F. (65) 235

Venkateswarlu, P.
A micro method for direct determination of ionic fluoride in body fluids with the hanging drop fluoride electrode (59) 277
Verduin, P.A., see Kreutzer, H.H. (60) 273
Verheyden, R., Ebinger, G.
Para-O-methylation of the catecholamines in neuroblastoma, (58) 181
Verhoef, N.J., see Holtkamp, H.C. (59) 41
Verleur, H., see Lütjens, A. (62) 239
Verma, P., Curry, C., Crocker, C., Titus-Dillon, P., Ahluwalia, B.
A competitive protein binding radioassay for 17α-ethynylestradiol in human plasma (63) 363
Ververgaert, P.H.J.Th., see De Goeij, A.F.P.M. (62) 287
Vessby, B., Wide, L.
Serum levels of thyroid-stimulating hormone in hyperlipoproteinemia (62) 293
Vestergaard, P., Sayegh, J.F., Mowat, J.H.
Massfragmentographic assay for testosterone in blood using high specific activity tritiated testosterone as an internal standard (62) 163
Vihko, R., see Apter, D. (63) 139
Vink, C.L.J., see Vader, H.L. (65) 379
Visser, A.A.M., see Overdijk, B. (59) 177
Vitek, K., see Vitek, V. (58) 109
Vitek, V., Vitek, K., Cowley, R A.
Lactosuria. A new metabolic feature of severe cerebrocranial trauma (58) 109
Vlachos, P., see Liakakos, D. (65) 251
Vlassopoulos, K., Melissinos, K., Drivas, G.
The erythrocyte protoporphyrin in chronic renal failure (65) 389
Vliegenthart, J.F.G., see Wadman, S.K. (59) 313
Voisin, C., see Scharfman, A. (63) 369
Von Bergmann, J., Von Bergmann, K., Hadorn, B., Paumgartner, G.
Biliary lipid composition in early childhood (64) 241
Von Bergmann, K., see Von Bergmann, J. (64) 241
Voss, J., see Lorentz, K. (63) 263

W

Wadman, S.K., see Bakker, H.D. (61) 73
Wadman, S.K., De Bree, P.K., Van Sprang, F.J., Kamerling, J.P., Haverkamp, J., Vliegenthart, J.F.G.
N^{ϵ}-(Carboxymethyl)lysine, a constituent of human urine (59) 313
Wadman, S.K., Ketting, D., De Bree, P.K. Van der Heiden, C., Grimberg, M.Th., Kruijswijk, H.
Permanent chemical phenylketonuria and a normal phenylalanine tolerance in two sisters with a normal mental development (65) 197
Wadman, S.K., see Przyrembel, H. (58) 257
Wadman, S.K., see Van Gennip, A.H. (58) 85
Wajchenberg, B.L., see Pinto, H. (60) 125
Wakamatsu, E., see Tokunaga, N. (62) 89
Wakkers, P.J.M., Hellendoorn, H.B.A., Op de Weegh, G.J., Heerspink, W.
Applications of statistics in clinical chemistry. A critical evaluation of regression lines (64) 173
Walk, T., see Schindler, A.E. (64) 287
Walker, A.W., see Nobbs, B.T. (64) 219
Walton, R.J., Preston, C.J., Russell, R.G.G., Kanis, J.A.
An estimate of the turnover rate of bone-derived plasma alkaline phosphatase in Paget's disease (63) 227
Wang, M.-T., Imai, K., Yoshioka, M., Tamura, Z.
Gas-liquid chromatographic and mass fragmentographic determination of catecholamines in human plasma (63) 13
Wang, M.-T., Yoshioka, M., Imai, K., Tamura, Z.
Gas-liquid chromatographic and mass fragmentographic determination of 3-O-methylated catecholamines in human plasma (63) 21
Wappner, R.S., see Thompson, R.M. (61) 367
Wardle, E.N., see Schardt, W. (63) 223
Watson, J.D., Dako, D.Y.
Erythrocyte transketolase activity in adult Ghanaian subjects (59) 55
Ważewska, M., see Konieczny, L. (63) 181
Ważewska, M., see Rybarska, J. (63) 171
Ważewska-Czyżewska, M., see Gumińska, M. (64) 165
Weg, M.W., see Goodwin, B.L. (62) 439
Weg, M.W., Ruthven, C.R.J., Goodwin, B.L., Sandler, M.
Specific gas chromatographic measurement of urinary 3,4-dihydroxyphenylacetic acid (59) 249
Weidenbach, A., see DeOgny, L. (60) 85
Weill, J.D., see Lamy, J. (60) 97
Weill, J.D., see Lamy, J. (60) 103
Weinshilboum, R.M., see Raymond, F.A. (58) 185
Weiser, M., see Desser, H. (63) 243
Wendel, U., see Przyrembel, H. (58) 257
Wendel, U., Rüdiger, H.W., Przyrembel, H., Bremer, H.J.
Alpha-ketoadipic aciduria: Degradation studies with fibroblasts (58) 271
Wensing, Th., Van Gent, C.M., Schotman, A.J.H., Kroneman, J.
Hyperlipoproteinaemia in ponies; mechanisms and response to therapy (58) 1
Wensink-Van der Loo, A., see Staal, G.E.J. (60) 323
Went, L.N., see De Goeij, A.F.P.M. (63) 355
Werthamer, S., see Samuels, A.J. (62) 341
Westerink, D., see Hoorn, R.K.J. (61) 151
Whicher, J.T., Bareford, D.
Synthesis of polymers of Bence-Jones protein for use as molecular weight markers for sodium dodecyl sulphate-polyacrylamide gel electrophoresis (65) 393
Whitby, L.G., Moss, D.W.
Analysis of heat inactivation curves of alkaline phosphatase isoenzymes in serum (59) 361
Whitby, L.G., see Moss, D.W. (61) 63

Wide, L., see Vessby, B. (62) 293
Wiegman, T., see Pratt, J.J. (59) 337
Wiegman, T., Woldring, M.G., Pratt, J.J.
A new cocktail for liquid scintillation counting of aqueous radioimmunoassay-samples (59) 347
Wieme, R.J., see De Broe, M.E. (59) 369
Wightman, S., see Farish, E. (62) 97
Wiklund, O., see Gustafson, A. (63) 91
Wildeboer, F.N., see Gebhardt, D.O.E. (64) 133
Wilding, P., Kendall, M.J., Holder, R., Grimes, J.A., Farr, M.
The influence of drugs and disease activity on biochemical and haematological data in rheumatoid arthritis (64) 185
Wilkinson, A.W., see Barlow, G.B. (64) 79
Wilkinson, A.W., see Carr, G. (61) 199
Wilkinson, J.H., see Doran, G.R. (62) 203
Will, H., see Krause, E.-G. (58) 145
Williams, G.F., see Targett-Adams, L. (63) 377
Williams, J.W., see Smith, M.R. (65) 5
Williams, P.F., see Simons, L.A. (61) 341
Wimsatt, Th., see Rock, R.C. (62) 159
Wise, K.S., see Beierle, J.W. (61) 411
Wisser, H., Knoll, E.
Ergebnisse einer Kurzzeitstudie über die circadiane Rhythmik bei normaler und erhöhter Katecholaminausscheidung im Urin (Results of a study on the circadian rhythm of catecholamine excretion in normal subjects and those with high excretion levels) (59) 1
Woldring, M.G., see Pratt, J.J. (59) 337
Woldring, M.G., see Wiegman, T. (59) 347
Wollenberger, A., see Krause, E.-G. (58) 145
Wong, P.C.-P., Smith, A.F.
Comparison of 3 methods of analysis of the MB isoenzyme of creatine kinase in serum (65) 99
Wood, C.B.S., see Oberholzer, V.G. (62) 299
Wood, S.
A sensitive fluorometric assay for alpha-L-fucosidase (58) 251
Wood, W.G., Mainwaring-Burton, R.W.
The development and evaluation of a semi-automated assay for catecholamines suitable for plasma and urine (61) 297
Wootton, A.M., Neale, G., Moss, D.W.
Some properties of alkaline phosphatases in parenchymal and biliary tract cells separated from rat liver (61) 183
Wright, H., see Smith, B.S.W. (62) 55
Wyatt, R.J., see Karoum, F. (62) 451
Wyse, J.M., see Bastomsky, C.H. (61) 171

Y

Yabuuchi, H., see Yutaka, T. (59) 283
Yaffe, S.J., see Fung, H.-L. (61) 423
Yamamoto, S., see Makita, M. (61) 403
Yamamura, Y., see Higashino, K. (60) 267
Yamamura, Y., see Otani, R. (60) 113
Yaverbaum, S., see Hersh, L.S. (63) 69
Yoder, J.M., Johnson, P.K.
  Effect of extraction methods on two pregnancy related, antigenic components of human chorionic gonadotropin preparations (61) 375
Yokoi, S., Nakayama, H., Negishi, T.
  Biochemical studies on tissues from a patient with Lafora disease (62) 415
Yoshii, Y., see Hino, M. (62) 5
Yoshimura, T., see Nishida, Y. (62) 103
Yoshimura, T., see Nishizawa, T. (58) 277
Yoshinaga, K., see Sato, T. (61) 145
Yoshioka, M., see Wang, M.-T. (63) 13
Yoshioka, M., see Wang, M.-T. (63) 21
Yosizawa, Z., see Sato, T. (61) 145
Yosizawa, Z., see Tokunaga, M. (62) 89
Young, G.A., Keogh, J.B., Parsons, F.M.
  Plasma amino acids and protein levels in chronic renal failure and changes caused by oral supplements of essential amino acids (61) 205
Yutaka, T., Okada, S., Mimaki, K., Sugita, T., Yabuuchi, H.
  Enzymatic study of GM_1 gangliosidosis (59) 283

Z

Zail, S.S., Van den Hoek, A.
  Electrophoretic analysis of the major polypeptides of human erythrocyte membranes prepared by low and high osmolarity haemolysis (60) 231

Zambotti, F., Blau, K., King, G.S., Campbell, S., Sandler, M.
  Monoamine metabolites and related compounds in human amniotic fluid: Assay by gas chromatography and gas chromatography-mass spectrometry (61) 247

Zegers, B.J.M., Stoop, J.W., Reerink-Brongers, E.E., Sander, P.C., Aalberse, R.C., Ballieux, R.E.
  Serum immunoglobulins in healthy children and adults: Levels of the five classes, expressed in International Units per millilitre (65) 319

Znojil, V., see Holá, J. (61) 121

Zsigmond, G., see Bastomsky, C.H. (61) 171

Zucchelli, G.C., see Pilo, A. (64) 1

Zucchelli, G.C., Piro, M.A., Grosso, P., Malvano, R.
  Measurement by radioimmunoassay of unconjugated estriol in pregnancy serum (65) 57

Zuyderhoudt, F.M.J.
  On the quantitative determination of liver ferritin in the rat (65) 331

SUBJECT INDEX

A

Acetate membrane, isoelectrofocusing in, method and application (Harada) (63) 275
Acetone, identification of, and detection of isopropanol in biological fluids by gas chromatography (McDonald, Hackett, Dusci) (63) 235
N-Acetyl-β-glucosaminidase, serum and tissue forms, in urine from patients with renal disease (Ellis, Tucker, Thompson, Price) (64) 195
N-Acetyl-β-glucosaminidase, in urine, automated assay in normal and pathological human urine (Tucker, Boyd, Thompson, Price) (62) 333
N-Acetylspermidine, and other polyamines in the urine of patients with leukaemias and tumours (Tsuji, Nakajima, Sano) (59) 161
Acid α-glucosidase, γ-amylase, from human liver (Belenky, Rosenfeld) (60) 397
α_1-Acid glycoprotein, in neutralized gastric juice, quantitation by electroradioimmuno assay (ERIA) (Ludwig, Matzku, Rapp) (64) 253
Acid phosphatase, in human leukocytes and human and guinea pig alveolar macrophages (Scharfman, Houdret, Roussel, Biserte, Aerts, Tonnel, Voisin) (63) 369
Acid proteinase, and peroxidase in Spielmeyer-Vogt's syndrome (Batten's syndrome — Stengel's syndrome) (Clausen, Jensen) (65) 283
N-Acylglycines, identification by gas liquid chromatography (O'Neill Rowley, Gerritsen) (62) 5
Adenocarcinoma, of the stomach, occurrence of the Regan variant alkaline phosphatase isoenzyme in the serum of a patient with (McKenzie, Henderson) (62) 447
Adenosine deaminase, from human leukocytes, quantitative measurement (Körber, Meisterernst, Hermann) (63) 323
Adipocyte cell size, automated, direct method for measuring (Stern, Conrad) (65) 29
Adrenal cortex, functioning of, in hirsute women, studied using a simple assay for urinary 11-deoxy-17-oxosteroid (Fleetwood, Smith) (64) 51
Adrenal stimulation, cortisol secretion following, in children, inhibitory effect of ascorbic acid (vitamin C) (Liakakos, Doulas, Ikkos, Anoussakis, Vlachos, Jouramani) (65) 251
Agar, solidification, and bentonite precipitation; improved fibrin plate method for fibrinolytic activity measurements (Deogny, Weidenbach, Hampton) (60) 85
Alanine aminotransferase, effect of pyridoxal 5′-phosphate on the temperature relationships of (Jung, Egger) (64) 329
Alanine arylamidase, isoenzymes, and γ-GT in chronic pancreatitis and pancreas neoplasm (Bornschein) (61) 325
Albumin, conformation, and ultra-filtrable calcium as a function of pH (Eastman, Rehfeld, Loken) (58) 233
Albumin, in serum, separation from human α_1-antitrypsin by ion-exchange chromatography (Bellet, Magnan de Bornier) (61) 107
Albumin, in serum, bilirubin-binding capacity, application of the estimation to the prevention of kernicterus. Microdetermination of unbound bilirubin in sera (Pays, Beljean) (59) 121
Albumin, in assessment of malnutrition (Ingenbleek, Van den Schrieck, De Nayer, De Visscher) (63) 61
Albumin, in meconium, screening for cystic fibrosis by analysis of, and of protease inhibitors (Ryley, Neale, Brogan, Bray) (64) 117
Alcohol, abstention from, decrease in serum γ-glutamyltranspeptidase following (Lamy, Baglin, Aron, Weill) (60) 97
Alcohol, detoxification, use of the measurement of serum γ-glutamyl-transpeptidase activity to determine the success of cures for (Lamy, Baglin, Ferrant, Weill) (60) 103

Aldosterone, in plasma, by radioimmunoassay, use of Amberlite XAD-2 columns (Roginsky, Panetz, Gordon) (63) 303

Aliesterase, automated determination of, using propyl thiolpropionate as a substrate (Leegwater) (62) 177

Alkaline phosphatase, standardization of the determination with human placental phosphatase (Hafkenscheid, Jansen) (59) 63

Alkaline phosphatase, incidence and some properties of an electrophoretically slow form, in sera of patients with diseases of the intestine (Qirbi, Moss) (60) 1

Alkaline phosphatases, heat-stable, resistance to Levamisole (R 12564) (Chan, Kellen) (60) 91

Alkaline phosphatases, electrophoretically variant, in a human liver (Otani, Higashino, Yamamura) (60) 113

Alkaline phosphatase, possible identity between isoenzyme of human amniotic membrane (FL cells) and, in hepatocellular carcinoma (Higashino, Kudo, Yamamura, Honda, Sakurai) (60) 267

Alkaline phosphatase, total activity in serum, variations with age and sex in adult and adolescent Ghanaians (Fenuku, Foli) (60) 303

Alkaline phosphatase, radiometric assay with iodine-125-labelled phenolphthalein monophosphate (Aw) (60) 315

Alkaline phosphatases, properties of, in parenchymal and biliary tract cells separated from rat liver (Wootton, Neale, Moss) (61) 183

Alkaline phosphatase, bone-derived, in plasma, estimate of the turnover rate of, in Paget's disease (Walton, Preston, Russell, Kanis) (63) 227

Alkaline phosphatase, immunological relationship between human placental and intestinal, (Lehmann) (65) 257

Alkaline phosphatase isoenzymes, heat inactivation curves (Whitby, Moss) (59) 361

Alkaline phosphatase, isoenzyme patterns, in human serum, fractions obtained by polyacrylamide disc electrophoresis, diagnostic value of, (Dingjan, Postma, Stroes) (60) 169

Alkaline phosphatase, isoenzymes of human kidney and urine (Hodson, Latner) (61) 53

Alkaline phosphatase isoenzymes, in serum, simplified heat-inactivation method for investigation of (Moss, Whitby) (61) 63

Alkaline phosphatase, isoenzymes of serum and liver, comparison of canine normal hepatic alkaline phosphatase and (Hoffmann, Dorner) (62) 137

Alkaline phosphatase, isoenzyme, Regan variant, in serum of a patient with adenocarcinoma of the stomach (McKenzie, Henderson) (62) 447

Alkaline phosphatase, isoenzymes in serum, determination using L-phenylalanine and urea, practical aspects (Bergström, Lefvert) (64) 95

Alkaline phosphatase, isoenzymes, in serum, linked to immunoglobulin G (Nagamine, Ohkuma) (65) 39

Alkaline phosphatase, Regan isoenzyme, in human placenta, immunological methods (Lehmann) (65) 271

Alkylation, of 5-(p-hydroxyphenyl)-5-phenylhydantoin, a reinvestigation (Buckley, Burkoth) (62) 73

Allergy, pseudocholinesterase in subjects with (Berrens, Van Dijk) (65) 75

Allyl propyl disulphide (essential oil of onion), effect on blood glucose, serum free fatty acid and insulin levels of normal subjects (Augusti, Benaim) (60) 121

Alumina-trihydroxyindole methods, and an improved method for determination of catecholamines in urine (Quek, Buttery, De Witt) (58) 137

Amberlite XAD-2 columns, used for the determination of plasma aldosterone by radioimmunoassay (Roginsky, Panetz, Gordon) (63) 303

Amines, di- and poly-, rapid determination in human urine by electron capture gas chromatography (Makita, Yamamoto, Kōno) (61) 403

Amino acids, in plasma, and plasma protein levels in chronic renal failure and changes caused by oral supplements of essential amino acids (Young, Keogh, Parsons) (61) 205

Amino acid analysis, degradation products in urine of patients receiving ampicillin (Perrett) (64) 343

Aminoacylase, new method for routine measurements (Lorentz, Voss, Flatter) (63) 263
Aminoacylase, in human serum, clinical application of the new method (Lorentz, Flatter) (63) 271
β-Aminoisobutyric acid, determination in human serum by ion-exchange chromatography (Solem, Agarwal, Goedde) (59) 203
Ammonia, by fluorimetry, in protein-free filtrates of human blood plasma (Spooner, Toseland, Goldberg) (65) 47
Amniotic cells, cultured, assay of galactose-1-phosphate uridyltransferase for prenatal diagnosis of galactosaemia (Fensom, Benson) (62) 189
Amniotic fluid, monoamine metabolites and related compounds. Assay by gas chromatography and gas chromatography - mass spectrometry (Zambotti, Blau, King, Campbell, Sandler) (61) 247
Amniotic fluid, the lecithin/sphingomyelin ratio in (Gebhardt, Beintema, De Rooy, Wildeboer, Merkus) (64) 133
Amniotic fluid, lecithin/sphingomyelin ratio in, colour stabilization of stained phospholipid spots in the determination of (Blau) (64) 217
Amniotic fluid, palmitic acid concentration and lecithin/sphingomyelin ratios (Thom, Dinwiddie, Fisher, Russell, Sutherland) (62) 143
Amniotic fluid, phospholipids in, from normal full term newborn infants, comparison with tracheal aspirate (Giudicelli, Pecquery, Magyar, Lacasa, Nordmann) (60) 335
Amniotic fluid, soluble proteins in, study using fraction chromatography (Nicollier, Gibey, Colette, Henry) (60) 15
Amniotic membrane (FL cells), alkaline phosphatase isoenzyme of, possible identity between, and hepatoma alkaline phosphatase (Higashino, Kudo, Yamamura, Honda, Sakurai) (60) 267
Ampicillin, degradation products in urine of patients receiving, (Perrett) (64) 343
Amylases, abnormal, in human sera, containing sialic acid (Sudo, Kanno) (64) 303
γ-Amylase, acid α-glucosidase, from human liver (Belenky, Rosenfeld) (60) 397
Amylase, by starch-iodine, false rise caused by heparin treatment during haemodialysis (Pasternack, Stenman) (65) 213
α-Amylase, isoenzymes, separation by electrofocusing and their immunological properties (Takeuchi, Matsushima, Sugimura) (60) 207
Amylase, macro-, immunological and electrophoretical approaches (Harada, Nakayama, Kitamura, Sugimoto) (59) 291
α-Amylase, multiforms of, new isoenzymes or autodigested forms? (Takeuchi, Matsushima, Sugimura, Kozu, Takeuchi, Takemoto) (60) 205
Antigen, carcinoembryonic, rapid radioimmunoassay in ultrafiltered perchloric acid extracts, results of a clinical survey (Boenisch, Raam) (58) 195
Antigen, Rh(C), isolation and purification (Abraham, Bakerman) (59) 129
Antigen, to Wilms' tumour, isolation by chelation (Beierle, Wise, Trump, Allerton) (61) 411
Antihaemophilic factor (Factor VIII) antigen, radioimmunoassay of (Paulssen, Van de Graaf-Wildschut, Kolhorn, Planje) (63) 349
Antiserum, cortisol binding, raising and characterization (Brombacher, Gijzen, Janssens, Soons) (58) 173
α_1-Antitrypsin, complex with elastase (Meyer, Bieth, Metais) (62) 43
α_1-Antitrypsin, immunoelectrophoretic determination in duodenal fluid and gallbladder bile (Kyaw-Myint, Howell, Murphy, Anderson) (59) 51
α_1-Antitrypsin, separation from serum albumin by ion-exchange chromatography (Bellet, Magnan de Bornier) (61) 107
Apolipoprotein A, in plasma, in healthy human adults (Farish, Shepherd, Lawrie, Morgan, Wightman) (62) 97
Apoproteins, low density lipoprotein, determination by the Lowry procedure. Standardization and effect of sodium chloride (Van der Bijl, Van Gent) (61) 407

Apoproteins, effect of, on lipoprotein lipase activity of human adipose tissue (Ekman, Nilsson-Ehle) (63) 29

Apoproteins, VLDL, IDL, LDL and HDL, carbohydrate content of, from fasting normal and hyperlipaemic patients (Fontaine, Malmendier) (64) 91

Arginase, early diagnosis of myocardial infarction by determination of (Porembska, Kedra) (60) 355

Arthritis, rheumatoid, circulating heat-labile DNA binders in chronic active hepatitis and in (Lindstedt, Lundberg, Iwarsson, Lindberg) (62) 183

Arylsulphatase, in human leukocytes and human and guinea pig alveolar macrophages (Scharfman, Houdret, Roussel, Biserte, Aerts, Tonnel, Voisin) (63) 369

Arylsulphatase A and B, determination using nitrocatechol sulphate as substrate, associated problems (Shapira, Nadler) (65) 1

Ascorbate, effect on serum folate by radioassay (Lindemans, Van Kapel, Abels) (65) 15

Ascorbic acid, effect on plasma iron turnover (Prasad) (59) 101

Ascorbic acid, in blood, levels in acute myocardial infarction (Machtey, Syrkis, Fried) (62) 149

Ascorbic acid, inhibitory effect on cortisol secretion following adrenal stimulation in children (Liakakos, Doulas, Ikkos, Anoussakis, Vlachos, Jouramani) (65) 251

Aspartate transaminase, activation by pyridoxal 5-phosphate in serum of patients with heart and liver disease (Rosalki, Bayoumi) (59) 357

N-Aspartyl-β-glucosaminidase in aspartylglycosaminuria (Somer, Palo, Savolainen, Konttinen) (60) 219

Aspartylglycosaminuria, N-aspartyl-β-glucosaminidase in (Somer, Palo, Savolainen, Konttinen) (60) 219

Atherosclerosis, "sinking" lipoprotein in patients with, and in normal and hyperlipoproteinaemic patients (Avogaro, Cazzolato) (61) 239

Atomic absorption, spectrophotometry, flameless, determination of bismuth in blood, urine and cerebrospinal fluid (Allain) (64) 281

ATP and muscle enzyme efflux after physical exertion (Thomson, Sweetin, Hamilton) (59) 241

B

Batten's syndrome, Stengel's syndrome, Spielmeyer-Vogt's syndrome, acid proteinase and peroxidase in (Clausen, Jensen) (65) 283

Bence-Jones protein, synthesis of polymers of, for use as molecular weight markers for SDS-polyacrylamide gel electrophoresis (Whicher, Bareford) (65) 393

Bentonite, precipitation of fibrinogen; improved fibrin plate method for fibrinolytic activity measurements (Deogny, Weidenbach, Hampton) (60) 85

Benzoic acid, free, in urine of patient with non-ketotic hyperglycinaemia, a nonspecific occurrence, due to a β-streptococcus infection (Geison, O'Neill Rowley, Gerritsen) (60) 137

Benzophenone procedure, improved, for the micro-determination of 5,5-diphenylhydantoin in blood (Fellenberg, Magarey, Pollard) (59) 155

Benzyl alcohol, in plasma, high levels found for uraemic patients on haemodialysis (Bowen, Cowburn, Rennekamp, Sullivan) (61) 399

Bile, cholesterol in, enzymatic determination (Roda, Festi, Sama, Mazzella, Aldini, Roda, Barbara) (64) 337

Bile, lipid composition in, in early childhood (Von Bergmann, Von Bergmann, Hadorn, Paumgartner) (64) 241

Bile acids, conjugated, in bile, enzymatic determination of the glycine/taurine ratio (Hafkenscheid, Hectors) (65) 67

Bile acids, in faeces, determination by an enzymatic method (Sheltawy, Losowsky) (64) 127

Bile acids, in plasma, effect of calcium on, and on plasma lipids and on faecal fat excretion in normolipidaemic subjects (Nazir, Mishkel) (62) 117

Bile acids, sulphated and non-sulphated, in serum, determination by gas-liquid chromatography (Campbell, McGuffie, Powell) (63) 249

Bile acids, in serum, determination by glass capillary gas-liquid chromatography (Laatikainen, Hesso) (64) 63

Bile salts, total conjugated, in bile and duodenal juice, a rocket method not requiring antibody (Lewis, Mwale) (63) 395

Biliary tract cells, alkaline phosphatases in, and in parenchymal cells separated from rat liver (Wootton, Neale, Moss) (61) 183

Bilirubin, in serum, unbound, microdetermination. Application to the prevention of kernicterus by estimating the bilirubin-binding capacity of serum albumin (Pays, Beljean) (59) 121

Bilirubin, inhibition of the glucuroconjugation of, and lipoprotein lipase activity in human milk (Luzeau, Odièvre, Levillain, Lemonnier) (59) 133

Bilirubin, determination by fluorimetry, in plasma or serum, critical evaluation and application of the method of Roth (Uete) (59) 259

Bilirubin, elimination of interference in the glucose oxidase colorimetric method for measuring blood glucose (Uete, Ninomiya) (59) 263

Bilirubin, determination in liver (Piper, Hargreaves) (60) 215

Bilirubin, unconjugated, in serum, determination by optical rotation measurements (Berglöf, Grahnén, Sjöholm) (62) 169

Bismuth, in blood, urine, and cerebrospinal fluid, by flameless atomic absorption spectrophotometry (Allain) (64) 281

Blood, ascorbic acid levels in, in acute myocardial infarction (Machtey, Syrkis, Fried) (62) 149

Blood, glucose in, effect of essential oil of onion on serum free fatty acid, on insulin levels and on, of normal subjects (Augusti, Benaim) (60) 121

Blood, glycogen phosphorylase in human, and diagnosis of myocardial infarction (Krause, Will, Böhm, Wollenberger) (58) 145

Blood, lead level in, and in salivary in children (Fung, Yaffe, Mattar, Lanighan) (61) 423

Blood, phenylalanine in, factors determining, in the neonatal period (Burman, Holton, Morris) (62) 325
Blood, polyamine alterations in, of male homozygotes and heterozygotes for cystic fibrosis (Lundgren, Farrell, Di Sant'Agnese) (62) 357
Blood-flow properties, changes in patients with chronic liver disease (Palme, Kochen, Leonhardt) (61) 163
Brain, calcium, copper, magnesium and zinc in some neurological pathologies (Greiner, Chan, Nicolson) (64) 211
Brain, crystallized creatine kinase isoenzymes from human, skeletal muscle, heart muscle and myocardial infarction sera, quantitation by an immunological method (Jockers-Wretou, Pfleiderer) (58) 223
Brain, metal content in five anatomical regions of both hemispheres (Greiner, Chan, Nicolson) (61) 335
Bronchial mucus, IgA from, quantitative determination (Hayem, Laine, Bailleul, Lebas) (61) 9
Burn patients, zinc levels in serum and erythrocytes (Touillon, Bansillon, Vallon, Badinand, Comtet) (63) 115

C

Caeruloplasmin, in serum, and serum pseudocholinesterase, in various types of hyperlipoproteinaemia (Cucuianu, Popescu, Opincaru, Hǎrǎgus) (59) 19

Calcium, effect on plasma lipids and bile acid and faecal fat excretion in normolipidaemic subjects (Nazir, Mishkel) (62) 117

Calcium, in serum, a comparative study of the estimation of (Baak, Heck, Van der Slik) (62) 125

Calcium, ultrafiltrable, binding to human serum albumin as a function of pH (Eastman, Rehfeld, Loken) (58) 233

Calcium ion, dip electrodes, to determine serum ionized calcium, new technology and methodology (Schwartz) (64) 227

Calcium ion, inhibiting the activation of human erythrocyte catechol O-methyltransferase by magnesium, removed with chelating resin (Raymond, Weinshilboum) (58) 185

Carbohydrate, content, of human VLDL, IDL, LDL and HDL plasma apoproteins from fasting normal and hyperlipaemic patients (Fontaine, Malmendier) (64) 91

Carbohydrates, loading with different, blood glucose and insulin levels following (Lütjens, Verleur, Plooij) (62) 239

Carbohydrate, and sialic acid content and the synthesis of glycoprotein from radioactive precursors by tissues of the normal and diseased upper intestinal tract (Roberts, Heffernan, Douglas) (63) 121

Carbonic anhydrase, isoenzymes, haemoglobin F and glutathione levels in lead-exposed workers (Taniguchi, Sato, Kondo, Tamachi, Saito, Takakuwa) (59) 29

Carbonic anhydrase, isoenzyme B, active and inactive, in erythrocytes (Kondo, Taniguchi, Murao, Takakuwa) (60) 347

Carbonic anhydrase, isoenzymes, in the erythrocytes of new-born premature and full-term infants (Mondrup, Anker) (61) 127

Carbon tetrachloride, rat liver injured by, hexokinase isoenzyme pattern (Ueda, Taketa, Kosaka) (60) 77

N^{ϵ}-(Carboxymethyl)-lysine, a constituent of human urine (Wadman, De Bree, Van Sprang, Kamerling, Haverkamp, Vliegenthart) (59) 313

Carcinoembryonic antigen, rapid radioimmunoassay in ultrafiltered perchloric acid extracts, result of a clinical survey (Boenisch, Raam) (58) 195

Carcinoembryonic antigen, of human tissue extracts, partial characterization of two variants separated by affinity chromatography on Concanavalin A (Boenisch, Nørgaard-Pedersen) (60) 51

Carcinomas, mammary, quantitation of oestrogen receptors in, by agar gel electrophoresis (Teulings, Blonk-van der Wijst, Portengen, Henkelman, Treurniet, Van Gilse) (64) 27

Carnosinase, in plasma, deficiency in patients with urea cycle defects (Burgess, Oberholzer, Palmer, Levin) (61) 215

Catecholamines, circadian rhythm of excretion in normal subjects and in patients with a high excretion level (Wisser, Knoll) (59) 1

Catecholamines, in neuroblastoma, p-O-methylation of (Verheyden, Ebinger) (58) 181

Catecholamines, in plasma and urine, development and evaluation of a semi-automated assay (Wood, Mainwaring-Burton) (61) 297

Catecholamines, in human plasma, gas-liquid chromatographic and mass fragmentographic determination (Wang, Imai, Yoshioka, Tamura) (63) 13

Catecholamines, in urine, an evaluation of alumina-trihydroxyindole methods and a description of an improved method (Quek, Buttery, De Witt) (58) 137

Catecholamines, 3-O-methylated, in human plasma, gas-liquid chromatographic and mass fragmentographic determination (Wang, Yoshioka, Imai, Tamura) (63) 21

Catechol O-methyltransferase, in human erythrocyte, microassay of, removal of inhibitory calcium ion with chelating resin (Raymond, Weinshilboum) (58) 185
Cell size, of fat cells from adipose tissue, an automated, direct method (Stern, Conrad) (65) 29
Cellogel R.S. wedge strips, use in studying the cerebrospinal fluid proteins in subacute sclerosing panencephalitis (Doutriaux, Clerc, Giordano) (59) 9
Cellulose acetate membrane, convenient immunofixation electrophoresis on (Chang, Inglis) (65) 91
Cerebrocranial trauma, lactosuria as a metabolic feature of severe (Vitek, Vitek, Cowley) (58) 109
Cerebrospinal fluid, multifractionation of CSF proteins in subacute sclerosing panencephalitis by use of Cellogel R.S. wedge strips (Doutriaux, Clerc, Giordano) (59) 9
Charcoal, simultaneous addition in saturation analysis by means of microfunnels (Hollemans) (61) 421
Cholestasis, separation and characterization of liver plasma membrane fragments circulating in the blood of patients (De Broe, Borgers, Wieme) (59) 369
Cholesterol, in bile, enzymatic determination of (Roda, Festi, Sama, Mazzella, Aldini, Roda, Barbara) (64) 337
Cholesterol, metabolism in hypertriglyceridaemia and effects of treatment (Simons, Myant) (65) 117
Cholesterol, total, in serum, fluorimetric automatic enzymatic dosage (Fruchart, Buasa-Bu-Tsumbu, Jaillard, Sezille) (63) 399
Cholesterol, esterification of, quantitative studies of lipoprotein -X during, and in familial LCAT deficiency (Ritland, Gjone) (59) 109
Cholesterol/triglyceride, lipid ratios, in the diagnosis of Type III hyperlipoproteinaemia (Mishkel, Nazir, Crowther) (58) 121
Chromatography, simple procedure for concurrent estimation of urinary 4-hydroxy-3-methoxymandelic acid and homovanillic acid using a scanning technique (Stott, Lindsay Smith, Hanson, Robinson) (63) 7
Chromatography, improved resolution using capillary columns (Goodwin, Sandler) (59) 253
Chromatography, affinity, on Concanavalin A, partial characterization of two variants of carcinoembryonic antigen of human tissue extracts (Boenisch, Nørgaard-Pedersen) (60) 51
Chromatography, affinity, isolation and purification of cortisol-binding immunoglobulin G (Gijzen, Brombacher, Janssens, Deckers) (58) 177
Chromatography, fraction, soluble proteins in amniotic fluid (Nicollier, Gibey, Colette, Henry) (60) 15
Chromatography, gas, identification of acetone and detection of isopropanol in biological fluids (McDonald, Hackett, Dusci) (63) 235
Chromatography, gas, of aromatic acid excretion in urine to detect heterozygotes for phenylketonuria and hyperphenylalaninaemia (Koepp, Hoffmann) (58) 215
Chromatography, gas, specific measurement of urinary 3,4-dihydroxyphenylacetic acid employing electron capture detection (Weg, Ruthven, Goodwin, Sandler) (59) 249
Chromatography, gas, determination of ethosuximide, based on N-butylation (Least, Johnson, Solomon) (60) 285
Chromatography, gas, a rapid method for the quantitation of underivatised individual free fatty acids in plasma (Sampson, Hensley) (61) 1
Chromatography, gas, a specific assay for urinary 5-hydroxyindole-3-acetic acid (Goodwin, Ruthven, Weg, Sandler) (62) 439
Chromatography, gas, routine analysis of metanephrine/normetanephrine, 3-methoxy-4-hydroxyphenylglycol and vanillinmandelic acid in urine as trimethylsilyl vanillin and vanillyl alcohol (Schwedt, Blödorn, Bussemas) (65) 309
Chromatography, gas, for measurement of low molecular weight urinary monoamines (Baba, Hashimoto, Ishitoya, Fukuoka) (62) 309
Chromatography, gas, of phenylacetic acid in biological fluids (Goodwin, Ruthven, Sandler) (62) 443

Chromatography, gas, selected ion monitoring during, and mass spectrometry, simultaneous determination of homovanillic, isohomovanillic, 34-dihydroxyphenylacetic and 3-methoxy-4-hydroxy-mandelic acids (Narasimhachari, Leiner, Brown) (62) 245
Chromatography, gas-liquid, identification of N-acylglycines (O'Neill Rowley, Gerritsen) (62) 13
Chromatography, gas-liquid, determination of sulphated and non-sulphated bile acids in serum (Campbell, McGuffie, Powell) (63) 249
Chromatography, gas-liquid, with an glass capillary column for determination of serum bile acids (Laatikainen, Hesso) (64) 63
Chromatography, gas-liquid, and mass fragmentography, determination of catecholamines in human plasma (Wang, Imai, Yoshioka, Tamura) (63) 13
Chromatography, gas-liquid, and mass fragmentography, determination of 3-O-methylated catecholamines in human plasma (Wang, Yoshioka, Imai, Tamura) (63) 21
Chromatography, gas-liquid, rapid determination of serum levels of phenobarbital and diphenylhydantoin (Kumps, Mardens) (62) 371
Chromatography, high performance liquid, determination of serum uric acid using electrochemical detection (Pachla, Kissinger) (59) 309
Chromatography, ion-exchange, determination of β-aminoisobutyric acid in serum (Solem, Agarwal, Goedde) (59) 203
Chromatography, ion-exchange, separation of human α_1-antitrypsin from serum albumin (Bellet, Magnan de Bornier) (61) 107
Chromatography, Lipidex, in the radioimmunoassay of serum and urinary cortisol (Apter, Jänne, Vihko) (63) 139
Chromatography, thin-layer, detection of isovalerylglycine (Kelly, Leikhim) (59) 247
Chromatography, thin-layer, rapid detection of oligosaccharides in urine of patients with glycoprotein storage diseases (Humbel, Collart) (60) 143
Chromatography, thin-layer, of amniotic fluid phosphatides, specificity of a phosphomolybdic spray used (Gebhardt, De Rooij) (59) 267
Chromatography, thin-layer, a rapid quantitative determination of triglycerides (Mantel, Van Riel, Buys Ballot) (63) 297
Chymotrypsin, determination by fluorimetry, new, highly sensitive and specific (Rinderknecht, Fleming) (59) 139
Chymotrypsin, in faeces, and trypsin, simple method for quantitative determination (Robinson, Smith, Elliott) (62) 225
Circadian rhythm of catecholamine excretion in normal subjects and in patients with a high excretion level (Wisser, Knoll) (59) 1
Cirrhosis, decrease in serum γ-glutamyltranspeptidase following abstention from alcohol (Lamy, Baglin, Aron, Weill) (60) 97
Coenzyme stimulation, of enzyme activities, to measure vitamin B-1, B-2 and B-6 deficiencies in geriatric patients (Hoorn, Flikweert, Westerink) (61) 151
Colorimetry, determination of iron in human serum and plasma, effect of desferrioxamine (Evans, Shepherd) (60) 401
Colorimetry, determination of NADH/NADPH dependent glutathione reductase in erythrocytes and in plasma (Lee, Tan, Seet) (58) 101
Colorimetry, determination of oxalate in urine, recovered as calcium oxalate. Application of a simple correction factor for incomplete precipitation (Baadenhuijsen, Jansen) (62) 315
Colorimetry, semi-automated method for triglycerides in serum (Demacker, Van Oppenraay, Baadenhuijsen, Jansen) (64) 45
Component of complement, third (C 3), in vivo activation of, by crossed immunoelectrophoresis as a parameter of immunological activity in disease (Teisberg) (62) 35
Computational automatic treatment of radioimmunoassay data. Experimental validation of the results (Pilo, Zucchelli) (64) 1

Congenital dysplasia, spondyloepiphyseal glycosaminoglycan in urine (Masuda, Shichijo, Takeuchi) (65) 149

Continuous flow method, for the determination of plasma urea (James, Pring) (62) 435

Contraceptives, oral, oestrogen-containing, effect on urinary corticosteroid sulphate excretion (Fahl, Rose) (63) 189

Copper, analysis of nail clippings, An attempt to differentiate between normal children and patients suffering from cystic fibrosis (Van Stekelenburg, Van de Laar, Van der Laag) (59) 233

Copper, metabolism, effect of Mo on. Evidence for the involvement of Mo in abnormal binding of Cu to plasma proteins (Smith, Wright) (62) 55

Copper, in serum, measurement by a simple automated micromethod (Barnett, Brozović) (58) 295

Copper, urinary excretions of, and of zinc in children with burns and scalds (Carr, Wilkinson) (61) 199

Coronary heart disease, serum lipid and lipoprotein levels in normal Chinese. The influence of dietary habit, body weight, exercise and a familial record of, (Ho, Chan) (61) 19

Corticosteroid, bound by porcine globulin (Gill, Cook) (62) 157

Corticosteroid, -binding globulin, in canine, binding of dexamethasone to, (Gill, Cook) (63) 231

Corticosteroid sulphate, urinary excretion, effect of oestrogen-containing oral contraceptives (Fahl, Rose) (63) 189

Cortisol, secretion, following adrenal stimulation in children, effect of vitamin C (Liakako, Doulas, Ikkos, Anoussakis, Vlachos, Jouramani) (65) 251

Cortisol, in serum and urine, Lipidex chromatography in radioimmunoassay of (Apter, Jänne, Vihko) (63) 139

Cortisol, relative competition of some endogenous corticosteroids and of synthetic prednisolone in various protein-binding radioassay systems (Angeli, Bisbocci, Melo, Frairia, Gaidano) (61) 279

Cortisol-binding antiserum, raising and characterization (Brombacher, Gijzen, Janssens, Soons) (58) 173

Cortisol-binding immunoglobulin G, isolation and purification by affinity chromatography (Gijzen, Brombacher, Janssens, Deckers) (58) 177

Creatine kinase, reactivation by thiol compounds (Miyada, Dinovo, Nakamura) (58) 97

Creatine kinase, in serum of patients with myxoedema, origin of elevated activities of, and of other enzymes (Doran, Wilkinson) (62) 203

Creatine kinase isoenzymes, quantitation in human tissues and myocardial infarction sera by an immunological method (Jockers-Wretou, Pfleiderer) (58) 223

Creatine kinase, isoenzymes, in serum of patients with Reye's syndrome (Rock, Dreskin, Kickler, Wimsatt) (62) 159

Creatine kinase, isoenzyme MB, comparison of three analytical methods (Wong, Smith) (65) 99

Creatinine, in serum and urine, comparison of the initial rate method and the Frankonit method (Heerspink, Eisenwiener) (63) 317

Creatinine, unsuitability of excretion of, as a basis for assessing the excretion of other metabolites by infants and children (Applegarth, Ross) (64) 83

Cyclophosphamide, in human blood and urine, determination by mass spectrometry — stable isotope dilution (Jarman, Gilby, Foster, Bondy) (58) 61

Cystathioninuria, possible relationship with homocystinuria (Levy, Mudd, Uhlendorf, Madigan) (58) 51

Cystic fibrosis, copper analysis of nail clippings, attempt to differentiate between normal children and patients (Van Stekelenburg, Van de Laar, Van der Laag) (59) 233

Cystic fibrosis, screening for, by analysis of meconium for albumin and protease inhibitors (Ryley, Neale, Brogan, Bray) (64) 117

Cystinuria, renal handling and intestinal absorption of dibasic amino-acids (Silk, Perrett, Clark, Stephens, Scowen) (59) 195

Cytochrome P-450, in human liver, by electron paramagnetic resonance of liver biopsies (Gabrielle, Leterrier, Cristau, Laverdant) (60) 147

D

Dehydroepiandrosterone, in plasma, in pregnant and nonpregnant women (Schindler, Gnad, Walk) (64) 287

Dehydroepiandrosterone sulphate, in serum, radioimmunoassay in normal and pathological sera (Smith, Rudd, Shirley, Rayner, Williams, Duignan, Bertrand) (65) 5

Deoxycytidylate deaminase, in pregnancy serum, rapid determination (Targett-Adams, Jones, Williams) (63) 377

11-Deoxy-17-oxosteroid, in urine, a simple assay of, to study the adrenocortical function in women with hirsutism (Fleetwood, Smith) (64) 51

Desferrioxamine, effect on colorimetric determination of iron in human serum and plasma (Evans, Shepherd) (60) 401

Dexamethasone, binding to canine corticosteroid-binding globulin (Gill, Cook) (63) 231

Diabetes, chemical composition of glomerular and tubular basement membranes obtained from kidneys of diabetics and non-diabetics (Sato, Munakata, Yoshinaga, Yosizawa) (61) 145

Diabetes mellitus, sorbitol and other polyols in lens, adipose tissue and urine (Heaf, Galton) (63) 41

4′-Dialkylaminoisoindogenides, preparation and possible clinical significance (O'Sullivan, Rothery) (62) 181

Dibasic amino-acids, study of renal handling and intestinal absorption in a patient with genotype +/π heterozygous cystinuria and iodopathic hypercalcuria (Silk, Perrett, Clark, Stephens, Scowen) (59) 195

Digoxin, in renal failure, radioimmunoassay of, comparison of different commercial kits (Belpaire, Bogaert, De Broe) (62) 255

Digoxin, in urine, and dihydrodigoxin, determination by radioimmunoassay and by mass spectroscopy (Greenwood, Snedden, Hayward, Landon) (62) 213

Dihydrodigoxin, in urine, and digoxin, determination by radioimmunoassay and by mass spectroscopy (Greenwood, Snedden, Hayward, Landon) (62) 213

3,4-Dihydroxyphenylacetic acid, in urine determination by specific gas chromatography employing electron capture detection (Weg, Ruthven, Goodwin, Sandler) (59) 249

3,4-Dihydroxyphenylacetic acid, simultaneous determination with other acids in single biological samples by selected ion monitoring during GC-MS (Narasimhachari, Leiner, Brown) (62) 245

Dilution methods influence of viscosity on, problems in determination of serum sodium (Vader, Vink) (65) 379

Dioctyl phthalate, in normal and myelomatotic immunoglobulins G (De la Farge, Valdiguie) (65) 245

Diphenoloxidases, distribution in various tissues of various animal species (Tuil, Berthelon, Demos, Dautreaux) (61) 219

5,5-Diphenylhydantoin, micro-determination in blood, an improved benzophenone procedure (Fellenberg, Magarey, Pollard) (59) 155

Diphenylhydantoin, in serum, rapid gas-liquid chromatographic determination of serum phenobarbital and (Kumps, Mardens) (62) 371

Diphosphonates, in urine and plasma, quantitative determination of ethane-1-hydroxy-1,1-diphosphonate (Bisaz, Felix, Fleisch) (65) 299

Dopamine β-hydroxylase, from various sources, interaction with phytohaemagglutinins (Miras-Portugal, Aunis, Mandel) (64) 293

Drugs, influence of, and disease activity on biochemical and haematological data in rheumatoid arthritis (Wilding, Kendall, Holder, Grimes, Farr) (64) 185

Duchenne muscular dystrophy, studies on the carrier state in X-linked recessive (Thomson, Sweetin, Hilditch) (63) 383

Duodenal fluid, α_1-antitrypsin in, determination in patients with various gastroenterological problems, using immunoelectrophoresis (Kyaw-Myint, Howell, Murphy, Anderson) (59) 51
Duodenal fluid, trypsin in, comparison of two spectrophotometric methods (amidase and esterase) and a titrimetric method (esterase) (Barns, Elmslie) (58) 165
Dysplasia, congenital, spondyloepiphyseal, glycosaminoglycan in urine (Masuda, Shichijo, Takeuchi) (65) 149
Dystrophy, muscular, glyoxalase enzyme system in (Kar, Pearson) (65) 153
Dystrophy, recessive (Duchenne) muscular, X-linked, studies on the carrier state (Thomson, Sweetin, Hilditch) (63) 383

E

Elastase, inhibition by serum, distinguishing properties of α_1-antitrypsin and α_2-macroglobulin (Meyer, Bieth, Metais) (62) 43

Elastase, seric and parietal, inhibiting power of, changes with experimental conditions (Rabaud, Larrue, Bricaud, Lefebvre) (61) 265

Elastase, role of trypsin as an activator, improvements in the technical conditions for the evaluation of (Rabaud, Crockett, Bricaud, Lefebvre) (61) 257

Elastolytic activity of human duodenal contents (Frič, Slabý, Kasafírek, Mališ) (63) 309

Electrodes, ion-selective, determination of fluoride in plasma by (Fuchs, Dorn, Fuchs, Henning, McIntosh, Scheler, Stennert) (60) 157

Electrodes, specific calcium dip, to determine serum ionized calcium, new technology and methodology (Schwartz) (64) 227

Electrofocusing, iso-, in acetate membrane, the method and application (Harada) (63) 275

Electrofocusing, separation of human α-amylase isoenzymes (Takeuchi, Matsushima Sugimura) (60) 207

Electrofocusing, followed by gradient electrophoresis. A two-dimensional polyacrylamide gel technique for separation of proteins and its application to immunoglobulins (Emes, Latner, Martin) (64) 69

Electron capture detection, determination of 3,4-dihydroxyphenylacetic acid in urine by gas chromatography (Weg, Ruthven, Goodwin, Sandler) (59) 249

Electron capture detection, determination of 4-hydroxy-3-methoxyphenylglycol in urine by gas chromatography (Fellows, Riederer, Sandler) (59) 255

Electron capture gas chromatography, rapid determination of di- and polyamines in human urine (Makita, Yamamoto, Kōno) (61) 403

Electron paramagnetic resonance, determination of human liver cytochrome P-450 level of liver biopsies (Gabrielle, Leterrier, Cristau, Laverdant) (60) 147

Electrophoresis, on acetate membrane, for lipoprotein, a routine method (Sober, Gerresheim) (63) 99

Electrophoresis, agar gel, quantitation of oestrogen receptors in human breast cancer (Teulings, Blonk-Van der Wijst, Portengen, Henkelman, Treurniet, Van Gilse) (64) 27

Electrophoresis, agarose gel, heterogeneity of serum γ-glutamyltranspeptidase in hepatobiliary diseases as studied by (Hetland, Andersson, Gerner) (62) 425

Electrophoresis, determination of total conjugated bile salts in bile and duodenal juice by a rocket method not requiring antibody (Lewis, Mwale) (63) 395

Electrophoresis, on cellulose acetate, lactate dehydrogenase distribution and behaviour of LDH-3 in patients with malignant diseases during therapy with cytostatic drugs and prednisone (Van Gennip, Tabak-Van Gorcum, Taminiau, Wadman) (58) 85

Electrophoresis, crossed immuno-, in vivo activation of C3 revealed by, as a parameter of immunological activity in disease (Teisberg) (62) 35

Electrophoresis, disc-acrylamide, serum vitamin B-12 binding determined by (Samuels, Khaund, Werthamer, Amaral) (62) 341

Electrophoresis, gradient, following electrofocusing. A two-dimensional polyacrylamide gel technique to separate proteins and its application to immunoglobulins (Emes, Latner, Martin) (64) 69

Electrophoresis, immuno-, quantitative, application of pepsin-digested horse antibodies (Péterfy, Varró, Fátrai) (65) 235

Electrophoresis, two-dimensional immuno-, a gel cutter for use in (Bradwell, Burnett) (62) 457

Electrophoresis, immunofixation, on cellulose acetate membrane (Chang, Inglis) (65) 91

Electrophoresis, loss of mobility of human very low density lipoproteins on enzymatic removal of sialic acid residues (Van der Bijl, Reman) (60) 191

Electrophoresis, major polypeptides of human erythrocyte membranes prepared by low- and high osmolarity haemolysis (Zail, Van den Hoek) (60) 231

Electrophoresis, preparative continuous flow, to study low molecular weight proteins in urine (Collé, Tonelle, Leclercq, Manuel) (65) 223

Electrophoresis, sodium dodecyl sulphate-polyacrylamide gel, synthesis of polymers of Bence-Jones protein for use as molecular weight markers (Whicher, Bareford) (65) 393

Electrophoresis, separation of serum proteins on cellulose acetate followed by electrophoresis in antibody-containing agarose gel (Groc, Harms, Lahn) (60) 371

Electroradioimmunoassay (ERIA) quantitation of α_1-acid glycoprotein in neutralized gastric juice (Ludwig, Matzku, Rapp) (64) 253

Enolase, muscle-type, immunological determination in serum as a diagnostic test for myocardial infarction (Herraez-Dominguez, Goldberg, Greaves, Fleming, Rider, Taylor) (64) 307

Enteropeptidase, determination, application of a modification of an assay for trypsin (Preiser, Schmitz, Maestracci, Crane) (59) 169

Enzymatic determination, automatic, of serum total cholesterol by fluorimetry (Fruchart, Buassa-Bu-Tsumbu, Jaillard, Sezille) (63) 399

Enzymatic determination, cholesterol in bile (Roda, Festi, Sama, Mazzella, Aldini, Roda, Barbara) (64) 337

Enzymatic method, determination of the glycine/taurine ratio of conjugated bile acids in bile (Hafkenscheid, Hectors) (65) 67

Enzymatic method, for faecal bile acids (Sheltawy, Losowsky) (64) 127

Enzyme, automatic analyser Gilford 3400, an evaluation (Goldberg, Bloomer, Spooner) (62) 263

Enzyme, efflux after physical exertion and intracellular ATP (Thomson, Sweetin, Hamilton) (59) 241

Enzymes, intra-erythrocytary, before and after splenectomy (Hanel, Cohn) (65) 205

Enzymes, of the pancreas, stability in duodenal fluid to storage and pH (Legg, Spencer) (65) 175

Enzyme, Vitatron automatic kinetic enzyme system, evaluation of (McQueen, King) (64) 155

Enzyme reaction rate analyser, assessment of the Vitatron AKES (Patel, O'Gorman) (60) 249

Enzyme reaction-rate analyzer, kinetic determination of oxytocinase (Reinouts van Haga) (63) 193

Enzyrator, see Enzyme reaction-rate analyzer

Epilepsy, myoclonus of Lafora-body type and of degenerative type, comparative studies on the urinary glycopeptides from (Masuda, Takeuchi, Kunitake, Anraku) (62) 433

Erythrocyte, adenosine deaminase and purine-nucleoside phosphorylase activity in gout (Nishizawa, Nishida, Akaoka, Yoshimura) (58) 277

Erythrocytes, adenosine deaminase in, quantitative measurement (Körber, Meisterernst, Hermann) (63) 323

Erythrocytes, carbonic anhydrase isoenzyme B, active and inactive, in (Kondo, Taniguchi, Murao, Takakuwa) (60) 347

Erythrocytes, carbonic anhydrase isoenzymes in, of new-born premature and full-term infants (Mondrup, Anker) (61) 127

Erythrocyte, catechol O-methyltransferase in human, microassay, removal of inhibitory calcium ion with chelating resin (Raymond, Weinshilboum) (58) 185

Erythrocytes, glucose consumption by, of diabetic patients and normal subjects. Effect of ethanol (Phillips, Mendershausen) (61) 175

Erythrocytes, glutathione reductase (NAD(P)H) in, colorimetric determination of (Lee, Tan, Seet) (58) 101

Erythrocytes, hexokinases in, examination of age-related patterns of decay (Rogers, Fisher, Harris) (65) 291
Erythrocytes, inorganic pyrophosphatase activity in, factors affecting (Fisher, Turner, Dorkin, Harris) (61) 27
Erythrocyte, membranes, polypeptides of, prepared by low and high osmolarity haemolysis, electrophoretic analysis (Zail, Van den Hoek) (60) 231
Erythrocyte, phosphofructokinase deficiency, associated with an unstable variant of muscle phosphofructokinase (Kahn, Etiemble, Meienhofer, Boivin, Galand, Cottreau, Marie) (61) 415
Erythrocytes, photodynamic damage to the architecture of erythrocyte membranes due to protoporphyrin in protoporphyria and in normal erythrocytes (De Goeij, Ververgaert, Van Steveninck) (62) 287
Erythrocytes, protoporphyrin in, in patients with erythropoietic protoporphyria (De Goeij, Van Steveninck, Went) (63) 355
Erythrocyte, protoporphyrin in, in chronic renal failure (Vlassopoulos, Melissinos, Drivas) (65) 389
Erythrocyte, pyridoxine kinase in, purification and characterization (Chern, Beutler) (61) 353
Erythrocytes, deficient in pyruvate kinase, enzymatic pattern of glucose metabolic pathways in (Gumińska, Ważewska-Czyżewska) (64) 165
Erythrocyte, Rh(D) antigen, isolation and purification from membrane of, (Abraham, Bakerman) (60) 33
Erythrocyte, transketolase activity in adult Ghanaian subjects (Watson, Dako) (59) 55
Erythrocytes, zinc in, and in serum, in burn patients (Touillon, Bansillon, Vallon, Badinand, Comtet) (63) 115
Ethane-1-hydroxy-1,1-diphosphonate, in urine and plasma, quantitative determination (Bisaz, Felix, Fleisch) (65) 299
Ethanol, effect on glucose consumption by erythrocytes of diabetic patients and normal subjects (Phillips, Mendershausen) (61) 175
Ethosuximide, quantitative gas chromatographic determination based on N-butylation (Least, Johnson, Solomon) (60) 285
17α-Ethynyloestradiol, in human plasma, by competitive protein binding radioassay (Verma, Curry, Crocker, Titus-Dillon, Ahluwalia) (63) 363
Excretion, of creatinine and other metabolites, unsuitability of creatinine as a basis for assessing excretion of other metabolites by infants and children (Applegarth, Ross) (64) 83
Excretion, see also Urinary excretion
Exercise, long-distance running, effect on some biochemical variables (Riley, Pyke, Roberts, England) (65) 83

F

Fabry disease, diagnosis by α-galactosidase activities in tears (Johnson, Del Monte, Cotlier, Desnick) (63) 81

Fabry hemizygote, properties of the residual α-galactosidase activity in the tissues of a (Rietra, Van den Bergh, Tager) (62) 401

Factor V, from bovine plasma, preparation and properties (Chulkova, Hernandez) (62) 21

Faeces, bile acids in, enzymatic method for (Sheltawy, Losowsky) (64) 127

Faeces, trypsin and chymotrypsin in, simple method for quantitative determination of (Robinson, Smith, Elliott) (62) 225

Fatty acids, free, in plasma, rapid gas chromatographic method for the quantitation of, (Sampson, Hensley) (61) 1

Fatty acid, free, in serum, effect of essential oil of onion on blood glucose, serum insulin level and on, of normal subjects (Augusti, Benaim) (60) 121

Fatty acids, non-esterified, in human plasma, effect of short-term oral administration of sunflower seed oil (Belin, Smith, Thompson) (61) 95

Fatty acids, non-esterified, in plasma, estimation of, in pregnancy (Treharne, Ross, Mayo) (63) 239

Ferritin, in liver, in rat, quantitative determination (Zuyderhoudt) (65) 331

Ferritin, in human serum, solid phase radioimmunoassay (Halliday, Gera, Powell) (58) 207

Ferrozine, determination of iron and unsaturated iron-binding capacity in serum with (Ruutu) (61) 229

Fibrin, degradation products in plasma, distinction between fibrinogen and (Gaffney) (65) 109

Fibrin plate method, improved for fibrinolytic activity measurements; use of bentonite precipitation and agar solidification (Deogny, Weidenbach, Hampton) (60) 85

Fibrinogen, in plasma, improved method for, based on thrombin time measurement (Saleem, Fretz) (62) 131

Fibrinogen, degradation products in plasma, distinction between fibrin and (Gaffney) (65) 109

Fibroblasts, degradation studies with radiolabelled lysine metabolites to study α-ketoadipic aciduria (Wendel, Rüdiger, Przyrembel, Bremer) (58) 271

Fibroblasts, mannosidosis in cultured skin, deficiency of a specific α-mannosidase component (Taylor, Thomas, Aylsworth, Stevenson, Reynolds) (59) 93

Fluorescence, serotonin (free and bound) in jugular and forearm venous blood using ortho-phthalaldehyde (Somerville, Hinterberger) (65) 399

Fluoride, ionic, direct determination in body fluids with the hanging drop fluoride electrode, a micromethod (Venkateswarlu) (59) 277

Fluoride, in plasma, determination by ion selective electrodes, a simplified method for the clinical laboratory (Fuchs, Dorn, Fuchs, Henning, McIntosh, Scheler, Stennert) (60) 157

Fluorimetry, ammonia in protein-free filtrates of human blood plasma (Spooner, Toseland, Goldberg) (65) 47

Fluorimetry, bilirubin, determination of plasma or serum bilirubin, critical evaluation and application of the method of Roth (Uete) (59) 259

Fluorimetry, cholesterol, automatic enzymatic dosage of serum total cholesterol (Fruchart, Buassa-Bu-Tsumbu, Jaillard, Sezille) (63) 399

Fluorimetry, chymotrypsin by, a highly sensitive and specific assay (Rinderknecht, Fleming) (59) 139

Fluorimetry, α-L-fucosidase by, sensitive assay applicable to serum or plasma (Wood) (58) 251

Fluorimetry, 5-fluorocytosine in serum, rapid determination of (Richardson) (63) 109

Fluorimetry, oestrogen in urine, determination in normal and abnormal pregnancies by an automated method (Hull, Braunsberg, Irving) (58) 71

Fluorimetry, uric acid in serum, determination of (Kuan, Kuan, Guilbault) (64) 19

5-Fluorocytosine, in serum, rapid fluorimetric determination (Richardson) (63) 109

α-Foetoprotein, immunoenzymatic assay in serum of patients with benign and malignant gastrointestinal diseases (Alpert, Coston) (58) 77

α-Foetoprotein, purification and determination by radioimmunoassay (Forrester, Hancock, Hay, Lai, Lorscheider) (64) 317

Folate, in serum, radioassay, evaluation and effects of ascorbate and methotrexate (Lindemans, Van Kapel, Abels) (65) 15

Frankonit method, comparative studies of the, and the initial rate method to assay creatinine in serum and urine (Heerspink, Eisenwiener) (63) 317

α-L-Fucosidase, a sensitive fluorimetric assay in serum or plasma (Wood) (58) 251

Fucosidosis, prenatal diagnosis of (Matsuda, Arashima, Oka, Mitsuyama, Ariga, Ikeuchi, Ichida) (63) 55

G

Galactosaemia, prenatal diagnosis by assay of galactose-1-phosphate uridyltransferase in cultured amniotic cells (Fensom, Benson) (62) 189

Galactosaemia, mannitol excretion in patients with (Ng, Donnell, Bergren) (64) 39

Galactose-1-phosphate uridyltransferase, in fetal and adult tissues, a comparison (Hammersen, Levy, Frigoletto, Mandell) (60) 281

Galactose-1-phosphate uridyltransferase, assay in cultured amniotic cells for prenatal diagnosis of galactosaemia (Fensom, Benson) (62) 189

α-Galactosidase, properties of the residual activity in the tissues of a Fabry hemizygote (Rietra, Van den Bergh, Tager) (62) 401

α-Galactosidase, in tears, diagnosis of Fabry disease (Johnson, Del Monte, Cotlier, Desnick) (63) 81

Gallbladder bile, α_1-antitrypsin in, determination in patients with various gastroenterological problems, using immunoelectrophoresis (Kyaw-Myint, Howell, Murphy, Anderson) (59) 51

Gangliosidosis, GM_1, enzymatic study (Yutaka, Okada, Mimaki, Sugita, Yabuuchi) (59) 283

Gas chromatography — mass spectrometry, variation in human metabolism of methaqualone given in therapeutic doses and in overdose cases studied by (Bonnichsen, Dimberg, Mårde, Ryhage) (60) 67

Gaschromatography, assay of monoamine metabolites and related compounds in human amniotic fluid by, and by gas chromatography-mass spectrometry (Zambotti, Blau, King, Campbell, Sandler) (61) 247

Gas chromatography, urinary organic acids from phenylketonuric children. Decarboxylation of phenylpyruvic acid during extraction: an artifact (Thompson, Belanger, Wappner, Brandt) (61) 367

Gastrin, in serum, radioimmunoassay using a commercial kit (Kumar, Deodhar) (61) 191

Gaucher's disease, microassay (Peters, Lee, Glew) (60) 391

Gel cutter, for use in two-dimensional immunoelectrophoresis (Bradwell, Burnett) (62) 457

Gel filtration, determination of hydroxyproline polypeptides in urine and blood serum (Dubovsky, Meyer) (62) 277

Gilford 3400 automatic enzyme analyser, evaluation of (Goldberg, Bloomer, Spooner) (62) 263

γ-Globulin, carrier effect, when a polyethylene glycol separation technique is used in digoxin radioimmunoassay (Shaw, Schulman, Spierto) (60) 385

Globulin, corticosteroid-binding, in porcine, low binding capacity of (Gill, Cook) (62) 157

Globulin, corticosteroid-binding, in canine, binding of dexamethasone to (Gill, Cook) (63) 231

Globulin, thyroxine-binding capacity and free thyroxine concentration, clinical evaluation of new indicators (Hamada, Kosaka, Torizuka) (63) 129

Glucose, difference between concentrations in plasma and whole blood (Holtkamp, Verhoef, Leijnse) (59) 41

Glucose, in blood, determination by the glucose oxidase colorimetric method, elimination of interference of bilirubin and haemoglobin (Uete, Ninomiya) (59) 263

Glucose, in blood, effect of essential oil of onion on serum free fatty acid and insulin levels and on, of normal subjects (Augusti, Benaim) (60) 121

Glucose, in blood, following loading with different carbohydrates (Lutjens, Verleur, Plooij) (62) 239

Glucose, consumption by erythrocytes of diabetic patients and normal subjects. Effect of ethanol (Phillips, Mendershausen) (61) 175

Glucose, metabolic pathways, enzymatic pattern of, in pyruvate kinase-deficient erythrocytes (Gumińska, Ważewska-Czyżewska) (64) 165

Glucose, basal plasma levels and early glucose response to oral glucose loading in normal human subjects, fast-dependent time-modified relationship (Trenchard) (65) 139

Glucose-6-phosphate dehydrogenase, deficient variant, Gd(−) Matam, Biochemical and immunological properties in various hemopoietic tissues (Kahn, Hakim, Cottreau, Boivin) (59) 183

Glucosephosphate isomerase, deficiency, a new variant GPI-Utrecht (Van Biervliet, Van Milligen-Boersma, Staal) (65) 157

β-Glucuronidase, properties in human synovial fluid (Moro, De Bernard, Gonano) (65) 371

γ-Glutamyltransferase, in serum, pitfalls in assay and interpretation (Martin, Gray, Goldberg) (61) 99

γ-Glutamyltransferase, isoenzymes, and alanine arylamidase in chronic pancreatitis and pancreas neoplasm (Bornschein) (61) 325

γ-Glutamyltranspeptidase, in serum, decrease in, following abstention from alcohol in cirrhotics (Lamy, Baglin, Aron, Weill) (60) 97

γ-Glutamyltranspeptidase, in serum, use of the measurement of activity to determine the success of cures for alcohol detoxification (Lamy, Baglin, Ferrant, Weill) (60) 103

γ-Glutamyltranspeptidase, increase in activity, and early detection of malignant liver processes (Kolarić, Roguljić, Petrinović) (60) 109

γ-Glutamyltranspeptidase, heterogeneity of the serum activity in hepatobiliary diseases as studied by agarose gel electrophoresis (Hetland, Andersson, Gerner) (62) 425

γ-Glutamyltranspeptidase, in serum, clinical method (Tamaoki, Minato, Takei, Fujisawa) (65) 21

γ-Glutamyltranspeptidase, in urine, a stabilising factor for (Beck, Sammons) (65) 351

Glutathione, carbonic anhydrase isoenzymes and haemoglobin F levels in lead-exposed workers (Taniguchi, Sato, Kondo, Tamachi, Saito, Takakuwa) (59) 29

Glutathione reductase (NADH/NADPH dependent), colorimetric determination in erythrocytes and in plasma (Lee, Tan, Seet) (58) 101

Glycine, in blood, interpretation of elevated levels in children (Applegarth, Poon) (63) 49

Glycine/taurine ratio, of conjugated bile acids in bile, by enzymatic method (Hafkenscheid, Hectors) (65) 67

Glycogen phosphorylase, assay in human blood and serum, application to the diagnosis of myocardial infarction (Krause, Will, Böhm, Wollenberger) (58) 145

Glycopeptides, in urine, from myoclonus epilepsy of Lafora-body type and of degenerative type (Masuda, Takeuchi, Kunitake, Anraku) (62) 433

Glycoprotein, in meconium (Fraser, Clamp) (59) 301

Glycoprotein, synthesis from radioactive precursors by tissues of the normal and diseased upper intestinal tract, sialic acid and carbohydrate content (Roberts, Heffernan, Douglas) (63) 121

Glycoproteins, total, in urine and serum from normal children and a child with a sialuria (Strecker, Montreuil) (58) 33

Glycoprotein storage diseases, oligosaccharides in urine of patients with, rapid detection by thin-layer chromatography (Humbel, Collart) (60) 143

Glycosaminoglycans, acidic, in human kidney tissue (Murata) (63) 157

Glycosaminoglycans, in serum, micromethod for the determination. Results from the serum of healthy and varicose subjects (Niebes, Schifflers) (62) 195

Glycosaminoglycan, in urine of spondyloepiphyseal dysplasia congenita (Masuda, Shichijo Takeuchi) (65) 149

Glycosidase, in human leukocytes and human and guinea pig alveolar macrophages (Scharfman, Houdret, Roussel, Biserte, Aerts, Tonnel, Voisin) (63) 369

Glycylprolyl β-naphthylamidase, activity in human serum (Hino, Nagatsu, Kakumu, Okuyama, Yoshii, Nagatsu) (62) 5
Glyoxalase enzyme system, in human muscular dystrophy (Kar, Pearson) (65) 153
Gonadotrophin, Human chorionic, effect of extraction methods on two pregnancy-related, antigenic components of HCG preparations (Yoder, Johnson) (61) 375
Gout, erythrocyte adenosine deaminase and purine-nucleoside phosphorylase (inosine phosphorylase) activity in (Nishizawa, Nishida, Akaoka, Yoshimura) (58) 277
Gout, hyperlipidaemia in patients (Nishida, Akaoka, Nishizawa, Yoshimura) (62) 103
Guanase, in serum, activity after myocardial infarction (Ellis, Goldberg) (63) 205
Guanidino acids, in plasma an automated technique for the analysis, some findings in chronic renal disease (Shainkin, Berkenstadt, Giatt, Berlyne) (60) 45

H

Haemodialysis, high levels of benzyl alcohol found in plasma of uraemic patients on (Bowen, Cowburn, Rennekamp, Sullivan) (61) 399
Haemodialysis, heparin treatment during, causing false rise in starch-iodine-determined amylase values (Pasternack, Stenman) (65) 213
Haemoglobin F, carbonic anhydrase isoenzymes and glutathione levels in lead-exposed workers (Taniguchi, Sato, Kondo, Tamachi, Saito, Takakuwa) (59) 29
Haemoglobin, elimination of interference in the glucose oxidase colorimetric method for measuring blood glucose (Uete, Ninomiya) (59) 263
Haemolysis, low and high osmolarity, major polypeptides of erythrocyte membranes prepared by, (Zail, Van den Hoek) (60) 231
Heart muscle, crystallized creatine kinase isoenzymes from human, skeletal muscle, brain and myocardial infarction sera, quantitation by an immunological method (Jockers-Wretou, Pfleiderer) (58) 223
Heat-inactivation, of alkaline phosphatase isoenzymes (Whitby, Moss) (59) 361
Heat-inactivation, simplified method for investigating alkaline phosphatase isoenzymes in serum (Moss, Whitby) (61) 63
Heparan sulphates, in urine, difference in molecular size, from normal individuals and patients with genetic mucopolysaccharidosis (Taniguchi, Miyawaki, Moriya, Okuda) (60) 363
Heparin, effect in vitro on human plasma post-heparin lipolytic activity (Elkeles, Hambley) (65) 135
Heparin, effect on serum lipoproteins of rural Africans in Rhodesia (Jones, Guidotti, Gelfand) (58) 299
Heparin, effect on serum lipoprotein -X (Ras, Frison, Rubies-Prat, Masdeu, Bacardi) (61) 91
Heparin, treatment with, during haemodialysis, causes false rise in starch-iodine determined amylase values (Pasternack, Stenman) (65) 213
Heparin lipase, in postheparin plasma, immunochemical method for selective measurement of (Huttunen, Ehnholm, Kinnunen, Nikkilä) (63) 335
Hepatitis, active, chronic, circulating heat-labile DNA binders in, and in rheumatoid arthritis (Lindstedt, Lundberg, Iwarsson, Lindberg) (62) 183
Hepatitis B antigen, in control sera used in clinical chemistry (Kreutzer, Rechsteiner) (60) 117
Hepatitis-B-surface-antigen, antibody to, demonstrated by a new radio-immunoassay (Thamer, Kommerell) (61) 273
Hepatobiliary diseases, heterogeneity of the serum activity of γ-glutamyltranspeptidase as studied by agarose gel electrophoresis (Hetland, Andersson, Gerner) (62) 425
Hexanedioic acid, in urine and serum, in vivo studies on the metabolism (Pettersen) (58) 43
Hexokinases, in erythrocytes examination of age-related patterns of decay of (Rogers, Fisher, Harris) (65) 291
Hexokinase, isoenzyme pattern in carbon tetrachloride-injured rat liver (Ueda, Taketa, Kosaka) (60) 77
Hirsutism, study of adrenocortical function in women with, using a simple assay for urinary 11-deoxy-17-oxosteroid (Fleetwood, Smith) (64) 51
Homocystinuria, possible relationship with cystathioninuria (Levy, Mudd, Uhlendorf, Madigan) (58) 51
Homovanillic acid, simultaneous determination with other acids in single biological samples by selected ion monitoring during gas chromatography mass spectrometry (Narasimhachari, Leiner, Brown) (62) 245
Homovanillic acid, in urine, concurrent estimation of, and 4-hydroxy-3-methoxy-

mandelic acid by chromatography using a scanning technique (Stott, Lindsay Smith, Hanson, Robinson) (63) 7

Hormone, parathyroid, determination by radioimmunoassay (Mallet, Brunelle) (64) 11

Hormones, steroid, method for the recovery of the constituents of scintillation fluid used in the assay of (Smeaton, Fulton) (62) 153

Hormones, thyroid, interaction between, and the tranquillisers Librium and Valium (El-Hazmi) (63) 211

Hormone, thyroid-stimulating, serum levels in hyperlipoproteinaemia (Vessby, Wide) (62) 293

Horse antibodies, pepsin-digested, application for quantitative immunoelectrophoresis (Péterfy, Varró, Fátrai) (65) 235

Hurler syndrome, use of determination of α-L-iduronidase in leucocytes for detection of, and Scheie syndrome (Liem, Hooghwinkel) (60) 259

"Hyaluronuria" in patients with Werner's syndrome (Tokunaga, Futami, Wakamatsu, Endo, Yosizawa) (62) 89

Hydrolases, acid, of human leukocytes and human and guinea pig alveolar macrophages. I. Study of activities of glycosidases, arylsulphatase and acid phosphatase (Scharfman, Houdret, Roussel, Biserte, Aerts, Tonnel, Voisin) (63) 369

Hydroxybutyric acid, formation and excretion in urine of experimental animals (Landaas) (58) 23

5-Hydroxyindole-3-acetic acid, in urine, a specific assay for, by gaschromatography (Goodwin, Ruthven, Weg, Sandler) (62) 439

3-Hydroxyisobutyric acid, accumulation in ketoacidosis (Landaas) (64) 143

3-Hydroxyisovaleric acid, accumulation in ketoacidosis (Landaas) (64) 143

Hydroxylysine, free and peptide bound, and hydroxylysyl glycosides, urinary excretion in physiological conditions (Askenasi) (59) 87

Hydroxylysyl glycosides, urinary excretion in physiological conditions (Askenasi) (59) 87

4-Hydroxy-3-methoxymandelic acid, in urine, concurrent estimation of, and homovanillic acid by chromatography using a scanning technique (Stott, Lindsay Smith, Hanson, Robinson) (63) 7

4-Hydroxy-3-methoxyphenylglycol, in urine, a rapid assay employing electron capture detection (Fellows, Riederer, Sandler) (59) 255

5-(p-Hydroxyphenyl)-5-phenylhydantoin, alkylation of, a reinvestigation (Buckley, Burkoth) (62) 73

Hydroxyproline, free, in plasma, an automated determination (Tepper, De Vos) (59) 373

Hydroxyproline, total, in urine, simplified method (Nobbs, Walker, Davies) (64) 219

Hydroxyproline polypeptides, in urine and blood serum, determination by gel filtration (Dubovsky, Meyer) (62) 277

Hydroxyproline-protein, in relation to IgM in human blood serum (Tomaszewski, Kowalewski) (60) 185

5-Hydroxytryptamine, see Serotonin

Hypercalcuria, renal handling and intestinal absorption of dibasic amino acids (Silk, Perrett, Clark, Stephens, Scowen) (59) 195

Hyperlipaemia, carbohydrate content of human VLDL, IDL, LDL and HDL plasma apoproteins from fasting normal subjects and patients with (Fontaine, Malmendier) (64) 91

Hyperlipidaemia in gout (Nishida, Akaoka, Nishizawa, Yoshimura) (62) 103

Hyperlipidaemia, differences in serum lipid constituents of men and women (Assa) (60) 329

Hyperlipidaemia, and serum lipid levels in Malaysia (Chong, Khoo) (65) 143

Hyperlipoproteinaemia, in ponies: mechanisms and response to therapy (Wensing, Van Gent, Schotman, Kroneman) (58) 1

Hyperlipoproteinaemia, Type III, longitudinal assessment of lipid ratios in the diagnosis of (Mishkel, Nazir, Crowther) (58) 121

Hyperlipoproteinaemia, Type V, biochemical composition and metabolism of lipoproteins (Simons, Williams) (61) 341

Hyperlipoproteinaemia, biochemical typing of, the development of a nomogram (Gustafson, Abrahamsson, Wiklund) (63) 91

Hyperlipoproteinaemia, composition of low-density lipoprotein in children (Bagnall, Lloyd) (59) 271

Hyperlipoproteinaemia, lipid and protein contents of low density lipoproteins from patients with various types of (Van der Bijl, Van Gent) (63) 95

Hyperlipoproteinaemia, serum pseudo-cholinesterase and caeruloplasmin in various types (Cucuianu, Popescu, Opincaru, Hărăgus) (59) 19

Hyperlipoproteinaemia, serum levels of thyroid-stimulating hormone in (Vessby, Wide) (62) 293

Hyperlipoproteinaemia, "sinking" lipoprotein in patients with, and in normal and atherosclerotic patients (Avogaro, Cazzolato) (61) 239

Hyperphenylalaninaemia, detection of heterozygotes for, and phenylketonuria by gas-chromatographic analysis of aromatic acid excretion in urine (Koepp, Hoffmann) (58) 215

Hyperphenylalaninaemias, various forms distinguished using the activity of phenylalanine hydroxylase in the liver as a parameter (Grimm, Knapp, Schlenzka, Reddemann) (58) 17

Hypertriglyceridaemia, cholesterol metabolism in, and effects of treatment (Simons, Myant) (65) 117

Hypobilirubinaemia, mechanism of, induced by polychlorinated biphenyl (Bastomsky, Solymoss, Zsigmond, Wyse) (61) 171

I

α-L-Iduronidase, in leucocytes, detection of Hurler and Scheie syndromes (Liem, Hooghwinkel) (60) 259

IFCC Section (1975) No.1, The role of the IFCC Section in CCA (61) F1; The education and training of personnel for clinical chemistry (61) F2, (61) following p. 112

IFCC Section (1975) No.2, Provisional recommendation (1974) on IFCC Methods for the measurement of catalytic activity of enzymes (61) F11, (61) following p. 238

IFCC Section (1975) No.3, Provisional recommendation on quality control in clinical chemistry. Part 1. General principles and terminology (63) F25-F38, (63) following p. 108

Immunochemistry, method for the selective measurement of two triglyceride lipases in human postheparin plasma (Huttunen, Ehnholm, Kinnunen, Nikkilä) (63) 335

Immunoelectrophoresis, two dimensional, improved methodology and precision using a straight base line technique for the quantitation of proteins (Bradwell, Burnett) (58) 283

Immunoelectrophoresis, see also Electrophoresis, immuno-,

Immunoenzymatic assay, of α-feto-protein in serum of patients with benign and malignant gastrointestinal diseases (Alpert, Coston) (58) 77

Immunoglobulins, in serum in healthy children and adults (Zegers, Stoop, Reerink-Brongers, Sander, Aalberse, Ballieux) (65) 319

Immunoglobins, blood serum levels, among African children. Seasonal variations and ethnic factors (Martins, Levy, Cabau) (61) 287

Immunoglobulins, separation by a two-dimensional polyacrylamide gel technique: electrofocusing followed by gradient electrophoresis (Emes, Latner, Martin) (64) 69

Immunoglobulin A, lactate dehydrogenase complexes with, in human serum (Biewenga, Feltkamp) (58) 239

Immunoglobulin A, quantitative determination, from human bronchial mucus (Hayem, Laine, Bailleul, Lebas) (61) 9

Immunoglobulin G, cortisol binding, isolation and purification by affinity chromatography (Gijzen, Brombacher, Janssens, Deckers) (58) 177

Immunoglobulin G, serum alkaline phosphatase isoenzymes linked to (Nagamine, Ohkuma) (65) 39

Immunoglobulins G, presence of dioctyl phthalate in normal and myelomatotic (De la Farge, Valdiguie) (65) 245

Immunoglobulin, IgG$_3$, complexes with lactate dehydrogenase in human serum (Biewenga, Feltkamp) (64) 101

Immunoglobulin M, in human blood serum, relation of high-molecular-weight hydroxyproline-protein to (Tomaszewski, Kowalewski) (60) 185

Immunoglobulin, IgM, with deficient disulphide cross-linking (Rybarska, Bobrzecka, Konieczny, Bogdał, Ważewska) (63) 171

Immunoglobulin, IgM subunits, use of thiosulphate to increase the polymerization (Konieczny, Rybarska, Bobrzecka, Ważewska, Bogdał) (63) 181

Immunology, determination of muscle-type enolase in serum, as a diagnostic test for myocardial infarction (Herraez-Dominguez, Goldberg, Greaves, Fleming, Rider, Taylor) (64) 307

Immunology, methods for determination of human placental alkaline phosphatase (Regan isoenzyme) (Lehmann) (65) 271

Immunology, quantitation of creatine kinase isoenzymes in human tissues and sera (Jockers-Wretou, Pfleiderer) (58) 223

Immunology, relationships between human placental and intestinal alkaline phosphatase (Lehmann) (65) 257

Immunoprecipitation, protein turnover studies using in vivo ^{75}Se-labelling and (Johnson, McMillan) (62) 363

Indolyl-3-acryloylglycine, in urine, in some skin affections (Marklová, Malina, Hais) (64) 273

Initial rate method (modified Centrifi Chem method), comparative studies of the, and the Frankonit method to assay creatinine in serum and urine (Heerspink, Eisenwiener) (63) 317

Inosine phosphorylase, see Purine-nucleoside phosphorylase

Insulin, in blood, following loading with different carbohydrates (Lütjens, Verleur, Plooij) (62) 239

Insulin, in serum, effect of essential oil of onion on blood glucose, serum free fatty acid level and on, of normal subjects (Augusti, Benaim) (60) 121

Interference correctives, empirical relations to correct for interference from turbidity and bilirubin in multichannel analyzers (Bokelund) (60) 7

Iodide peroxidase, activity in various thyroid disorders (Nagasaka, Hidaka, Ishizuki) (62) 1

Ion-exchange chromatography, determination of β-aminoisobutyric acid in serum (Solem, Agarwal, Goedde) (59) 203

Iron, in plasma, effect of ascorbic acid on turnover (Prasad) (59) 101

Iron, in serum and plasma, effect of desferrioxamine on the colorimetric determination (Evans, Shepherd) (60) 401

Iron, non-haemoglobin, in erythrocyte, influence of haemolysis on plasma iron determinations (Holá, Vácha, Znojil, Kleinwächter) (61) 121

Iron, and unsaturated iron-binding capacity in serum, determination with ferrozine (Ruutu) (61) 229

Isohomovanillic acid, simultaneous determination with other acids in single biological samples by selected ion monitoring during GC-MS (Narasimhachari, Leiner, Brown) (62) 245

Isopropanal, detection of, and identification of acetone, in biological fluids by gas chromatography (McDonald, Hackett, Dusci) (63) 235

Isovalerylglycine, detection by thin-layer chromatography (Kelly, Leikhim) (59) 247

J

Jaffé reaction, identification of the
  coloured species (Butler) (59) 227
Jaundice, serum xanthine oxidase in
  (Giler, Sperling, Brosh, Urca, De Vries)
  (63) 37

K

Kernicterus, prevention of, application of the microdetermination of unbound bilirubin in sera, estimation of the bilirubin-binding capacity of serum albumin (Pays, Beljean) (59) 121
Ketoacidosis, accumulation of 3-hydroxyisobutyric acid, 2-methyl-3-hydroxybutyric acid and 3-hydroxyisovaleric acid (Landaas) (64) 143
α-Ketoadipic aciduria, a new inborn error of lysine metabolism (Przyrembel, Bachmann, Lombeck, Becker, Wendel, Wadman, Bremer) (58) 257
α-Ketoadipic aciduria, degradation studies with fibroplasts (Wendel, Rüdiger, Przyrembel, Bremer) (58) 271
Kidney, acidic glycosaminoglycans in tissue of human (Murata) (63) 157
Kidney, of diabetics and non-diabetics, comparison of the chemical composition of glomerular and tubular basement membranes obtained from (Sato, Munakata, Yoshinaga, Yosizawa) (61) 145
Kinetic method, for the activity of "aerobic transhydrogenases" (Majkić, Djordjević-Spasić, Berkeš) (65) 227
Kwashiorkor, marasmic, serial measurements of vitamin B-12 and vitamin B-12-binding capacity by a radiosaturation assay in the blood of patients (Lejeune-Lenain, Fondu) (59) 81
Kynurenine, in plasma, determination via alkaline cleavage, extraction and diazotisation and coupling (Joseph, Risby) (63) 197

L

Lactase, automatic measurement of, and of sucrase (Kidder, Manners) (61) 233
Lactate dehydrogenase, behaviour of LDH-3 in patients with malignant diseases during therapy with cytostatic drugs and prednisone, studied by LDH-isoenzyme electrophoresis on cellulose acetate (Van Gennip, Tabak-van Gorcum, Taminiau, Wadman) (58) 85
Lactate dehydrogenase, complexes with immunoglobulin A, in human serum (Biewenga, Feltkamp) (58) 239
Lactate dehydrogenase, complexes with immunoglobulin IgG_3 in human serum (Biewenga, Feltkamp) (64) 101
Lactate dehydrogenase, in liver, increase in activity and early detection of malignant liver processes (Kolarić, Roguljić, Petrinović) (60) 109
Lactate dehydrogenase, isoenzymes of human T and B lymphocytes (Ringoir, Plum) (60) 379
Lactate dehydrogenase isoenzymes, in serum after a human lung homotransplantation (Ringoir) (58) 291
Lactose, diets low in, increased pyroglutamic acid levels in patients on (Oberholzer, Wood, Palmer, Harrison) (62) 299
Lactosuria, metabolic feature of severe cerebrocranial trauma (Vitek, Vitek, Cowley) (58) 109
Lafora disease, biochemical studies on tissues from a patient with (Yokoi, Nakayama, Negishi) (62) 415
Lead, levels in blood and salivary, in children (Fung, Yaffe, Mattar, Lanighan) (61) 423
Lecithin:cholesterol acyltransferase, (familial) deficiency, quantitative studies of lipoprotein X in, and during cholesterol esterification (Ritland, Gjone) (59) 109
Lecithin:cholesterol acyltransferase, initial fractional rates of esterification in human and rat serum during development (Frohlich, Bernstein, Bernstein) (65) 79
Lecithin/sphingomyelin ratio, in amniotic fluid, and palmitic acid concentrations (Thom, Dinwiddie, Fisher, Russell, Sutherland) (62) 143
Lecithin/sphingomyelin ratio, in amniotic fluid (Gebhardt, Beintema, De Rooij, Wildeboer, Merkus) (64) 133
Lecithin/sphingomyelin ratio, in amniotic fluid, colour stabilization of stained phospolipid spots in the determination of (Blau) (64) 217
Leukaemias, polyamines in urine of patients (Tsuji, Nakajima, Sano) (59) 161
Leukocytes, α-L-iduronidase in, in Hurler and Scheie syndromes (Liem, Hooghwinkel) (60) 259
Leukocytes, unbound polyamines in, and in blood plasma of patients with polycythaemia vera (Desser, Höcker, Weiser, Böhnel) (63) 243
Levamisole (R 12564), resistance of heat-stable alkaline phosphatases to (Chan, Kellen) (60) 91
Librium, interaction between thyroid hormones and the tranquillisers Valium and (El-Hazmi) (63) 211
Lipase, activity determination (Kreutzer, Pennings, Punt, Verduin) (60) 273
Lipase, lipoprotein, activity in human milk; inhibition in vitro of the glucuro-conjugation of bilirubin (Luzeau, Odièvre, Levillain, Lemonnier) (59) 133
Lipase, see also, Triglyceride lipase, Lipoprotein lipase and Heparin lipase
Lipid, in bile, composition in early childhood (Von Bergmann, Von Bergmann, Hadorn, Paumgartner) (64) 241
Lipids, total, in faeces, rapid and accurate method for determination (Tomaszewski) (61) 113
Lipid, and protein contents of low density lipoproteins from patients with various types of hyperlipoproteinaemia (Van der Bijl, Van Gent) (63) 95
Lipids, in plasma, effect of calcium on, and on plasma bile acid and on faecal fat excretion in normolipidaemic subjects (Nazir, Mishkel) (62) 117

Lipid, in serum, differences in hyperlipidaemic men and women (Assa) (60) 329

Lipid, in serum, levels in normal Chinese. Influence of dietary habit, body weight, exercise and a familial record of coronary heart disease (Ho, Chan) (61) 19

Lipid, in serum, and lipoprotein profile in schoolchildren (Srinivasan, Frerichs, Berenson) (60) 293

Lipid, in serum, and prevalence of hyperlipidaemia in Malaysia (Chong, Khoo) (65) 143

Lipid, in serum, variability of polymorphic cellular enzymes in subjects with (Hopkins Fox, Dessauer, Srinivasan, Thurmon, Berenson) (63) 149

Lipid, profiles, changes in, of the rat gastric mucosa with stress ulcers (Slomiany, Slomiany, Horowitz) (59) 215

Lipidex chromatography, in the radioimmunoassay of serum and urinary cortisol (Apter, Jänne, Vihko) (63) 139

Lipolytic activity, post-heparin, in human plasma, effect of heparin in vitro (Elkeles, Hambley) (65) 135

Lipoprotein, electrophoresis on acetate, a routine method (Sober, Gerresheim) (63) 99

Lipoproteins, in Type V hyperlipoproteinaemia, biochemical composition and metabolism of (Simons, Williams) (61) 341

Lipoprotein, low density, apoproteins determination by the Lowry procedure. Standardization and effect of sodium chloride (Van der Bijl, Van Gent) (61) 407

Lipoprotein, low-density, composition in children with hyperlipoproteinaemia (Bagnall, Lloyd) (59) 271

Lipoproteins, in plasma, preparation by ultracentrifugation of, a modified method (Cheung, Jersild, Jr., Christian) (64) 215

Lipoproteins, in plasma, zonal ultracentrifugation of, from normal and cholestatic pigs (Danielsson, Ekman, Johansson, Petersson) (65) 187

Lipoproteins, quantitation by agarose-gel electrophoresis (Dyerberg) (61) 103

Lipoproteins, quantitation by agarose-gel electrophoresis (Blaton) (61) 105

Lipoprotein, "sinking", in normal, hyperlipoproteinaemic and atherosclerotic patients (Avogaro, Cazzolato) (61) 239

Lipoprotein, in serum and lipid profile in school children (Srinivasan, Frerichs, Berenson) (60) 293

Lipoproteins, in serum of rural Africans in Rhodesia, effects of 24 hours starvation and of heparin (Jones, Guidotti, Gelfand) (58) 299

Lipoproteins, very low density, loss of electrophoretic mobility on enzymatic removal of sialic acid residues (Van der Bijl, Reman) (60) 191

Lipoprotein-X, quantitative studies in familial LCAT deficiency and during cholesterol esterification (Ritland, Gjone) (59) 109

Lipoprotein-X, in serum, effect of heparin (Ras, Frison, Rubies-Prat, Masdeu, Bacardi) (61) 91

Lipoprotein lipase, effect of apoproteins on activity of, of adipose tissue (Ekman, Nilsson-Ehle) (63) 29

Lipoprotein lipase, activity in human milk; inhibition in vitro of the glucuroconjugation of bilirubin (Luzeau, Odièvre, Levillain, Lemonnier) (59) 133

Lipoprotein lipase, in postheparin plasma, immunochemical method for selective measurement of (Huttunen, Ehnholm, Kinnunen, Nikkilä) (63) 335

Liver, γ-amylase from (Belenky, Rosenfeld) (60) 397

Liver, bilirubin in, determination of (Piper, Hargreaves) (60) 215

Liver, chronic disease, changes in bloodflow properties in patients (Palme, Kochen, Leonhardt) (61) 163

Liver, chronic diseases, phospholipids in plasma and erythrocytes (Cantoni, Curri, Andreuzzi, Rocchetti) (60) 405

Liver, electrophoretically variant alkaline phosphatases in human (Otani, Higashino, Yamamura) (60) 113

Liver biopsy, determination of human liver cytochrome P-450 level by electron paramagnetic resonance (Gabrielle, Leterrier, Cristau, Laverdant) (60) 147

Liver plasma membrane fragments, in blood, separation and characterization in patients with cholestasis (De Broe, Borgers, Wieme) (59) 369

Liver, scanning, in the early detection of malignant liver process, comparative investigations of some enzymatic parameters (Kolarić, Roguljić, Petrinović) (60) 109

Luteinizing hormone, high quality pituitary, iodine-125 labelled, preparation of, for radioimmunoassay (Pinto, Wajchenberg, Higa, Toledo e Souza, Werner, Pieroni) (60) 125

Lymphocytes, T and B, lactate dehydrogenase isoenzymes in (Ringoir, Plum) (60) 379

Lysines, N^{ϵ}-methylated, diagnostic meaning of the urinary excretion of (Löwer, Lange, Hempel) (58) 155

Lysine metabolism, α-ketoadipic acciduria, a new inborn error of (Przyrembel, Bachmann, Lombeck, Becker, Wendel, Wadman, Bremer) (58) 257

Lysolecithin, in plasma, in uraemia (Schardt, Wardle) (63) 223

M

α_2-Macroglobulin, complex with elastase (Meyer, Bieth, Metais) (62) 43
Macroglobulin gel, pH-dependent (Rand, Lovell, Lacombe, Barker) (61) 47
Magnesium, in serum, in patients treated with phenytoin (Blyth, Stewart) (62) 305
Magnetic solid-phase radioimmunoassay (Hersh, Yaverbaum) (63) 69
Malachite-green method, single step, determination of phosphate in serum and urine (Kallner) (59) 35
Malnutrition, albumin, transferrin and the thyroxine-binding prealbumin/retinol-binding protein complex in assessment of (Ingenbleek, Van den Schrieck, De Nayer, De Visscher) (63) 61
Malnutrition, protein-calorie, specific protein assays in (Olusi, McFarlane, Osunkoya, Adesina) (62) 107
Mannitol, in urine, excretion in galactosaemia patients (Ng, Donnell, Bergren) (64) 39
α-Mannosidase, deficiency of a specific component of, in cultured fibroblasts (Taylor, Thomas, Aylsworth, Stevenson, Reynolds) (59) 93
Mannosidosis, deficiency of a specific α-mannosidase component in cultured fibroblasts (Taylor, Thomas, Aylsworth, Stevenson, Reynolds) (59) 93
Maple-syrup-urine disease, serum selenium concentrations in patients with phenylketonuria and, under dieto-therapy (Lombeck, Kasperek, Feinendegen, Bremer) (64) 57
Marasmic kwashiorkor, see Kwashiorkor
Mass fragmentography, and gas-liquid chromatography, determination of catecholamines in human plasma (Wang, Imai, Yoshioka, Tamura) (63) 13
Mass fragmentography, and gas-liquid chromatography, determination of 3-O-methylated catecholamines in human plasma (Wang, Yoshioka, Imai, Tamura) (63) 21
Mass fragmentography, determination of testosterone in blood using high specific activity tritiated testosterone as an internal standard (Vestergaard, Sayegh, Mowat) (62) 163
Mass fragmentography, serum testosterone determination (Björkhem, Lantto, Svensson) (60) 59
Mass fragmentography, validation of methods for determination of urinary oestriol during pregnancy (Björkhem, Blomstrand, Svensson, Tietz, Carlström) (62) 385
Mass fragmentography, validation of routine methods for serum progesterone (Björkhem, Blomstrand, Lantto) (65) 343
Mass spectrometry-gas chromatography, monoamine metabolites and related compounds in human amniotic fluid (Zambotti, Blau, King, Campbell, Sandler) (61) 247
Mass spectrometry, selected ion monitoring during, and gas chromatography, simultaneous determination of homovanillic, isohomovanillic, 3,4-dihydroxyphenylacetic and 3-methoxy-4-dihydroxymandelic acids in single biological fluids (Narasimhachari, Leiner, Brown) (62) 245
Mass spectrometry-stable isotope dilution, to determine cyclophosphamide in human blood and urine (Jarman, Gilby, Foster, Bondy) (58) 61
Mass spectroscopy, determination of urinary digoxin and dihydrodigoxin (Greenwood, Snedden, Hayward, Landon) (62) 213
Meconium, albumin and protease inhibitors in, screening for cystic fibrosis by analysis of (Ryley, Neale, Brogan, Bray) (64) 117
Meconium, glycoprotein content (Fraser, Clamp) (59) 301
Membranes, glomerular basement and tubular basement, comparison of the chemical composition, from kidneys of diabetics and non-diabetics (Sato, Munakata, Yoshinaga, Yosizawa) (61) 145

Metabolites, excretion of, unsuitability of creatinine excretion as a basis for assessing the, by infants and children (Applegarth, Ross) (64) 83
Metal content, of identical areas in human cerebral hemispheres of normals (Greiner, Chan, Nicolson) (61) 335
Metanephrine, gas chromatographic routine analysis in urine (Schwedt, Blödorn, Bussemas) (65) 309
Metastatic lesions of neuroblastoma, biochemical activity in (Imashuku, Takada, Sawada, Kusunoki) (63) 1
Methaqualone, metabolism in man, variations studied by gas chromatography-mass spectrometry in overdose and therapeutic dose cases (Bonnichsen, Dimberg, Mårde, Ryhage) (60) 67
Methotrexate, determination in serum and urine (Overdijk, Van der Kroef, Visser, Hooghwinkel) (59) 177
Methotrexate, effect on serum folate by radioassay (Lindemans, Van Kapel, Abels) (65) 15
3-Methoxy-4-hydroxymandelic acid, simultaneous determination in single biological samples by selected ion monitoring during GC-MS (Narasimhachari, Leiner, Brown) (62) 245
3-Methoxy-4-hydroxyphenylglycol, free and conjugated, in human ventricular fluid (Karoum, Gillin, McCullough, Wyatt) (62) 451
3-Methoxy-4-hydroxyphenylglycol, gas chromatographic routine analysis in urine (Schwedt, Blödorn, Bussemas) (65) 309
p-O-Methylation of catecholamines in neuroblastoma (Verheyden, Ebinger) (58) 181
2-Methyl-3-hydroxy butyric acid, accumulation in ketoacidosis (Landaas) (64) 143
Microfilters, use of, as an alternative to centrifugation in radioimmunoassay (Chalkley, Renshaw) (62) 377
Micromethod, determination of glycosaminoglycans in the serum. Results from the serum of healthy and varicose subjects (Niebes, Schifflers) (62) 195
Molecular weight markers, polymers of Bence-Jones protein, synthesis of, as for SDS-polyacrylamide gel electrophoresis (Whicher, Bareford) (65) 393
Molybdenum, effect of dietary, on copper metabolism. Evidence for the involvement of Mo in abnormal binding of Cu to plasma proteins (Smith, Wright) (62) 55
Molybdenum blue reaction, kinetic study on the influence of the parameters in the determination of inorganic phosphate (Bartels, Royers) (61) 135
Monoamines, low molecular weight, in urine, measurement by gaschromatography (Baba, Hashimoto, Ishitoya, Fukuoka) (62) 309
Monoamine, metabolites and related compounds in human amniotic fluid: Assay by gas chromatography and gas chromatography—mass spectrometry (Zambotti, Blau, King, Campbell, Sandler) (61) 247
Monoamine oxidase, in human blood platelets, a sensitive non-isotopic assay (Takahashi, Karasawa) (62) 393
Mucopolysaccharidoses, chemical definition (Constantopoulos, Dekaban) (59) 321
Mucopolysaccharidosis, genetic, difference in molecular size of heparan sulphates from normal individuals and patients with (Taniguchi, Miyawaki, Moriya, Okuda) (60) 363
Mucosa, gastric, pyruvate kinase in (Orwell, Thornton, Piper) (60) 307
Multichannel analyzers, empirical relations as interference correctives (Bokelund) (60) 7
Myocardial infarction, acute, blood ascorbic acid levels in (Machtey, Syrkis, Fried) (62) 149
Myocardial infarction, creatine kinase in serum, rapid quantitation of isoenzymes in human tissues and sera by an immunological method (Jockers-Wretou, Pfleiderer) (58) 223
Myocardial infarction, early diagnosis by arginase activity determination (Porembska, Kedra) (60) 355
Myocardial infarction, enolase in serum, immunological determination of muscle-type, as a diagnostic test (Herraez-Dominguez, Goldberg, Greaves, Fleming, Rider, Taylor) (64) 307

Myocardial infarction, glycogen phosphorylase in human blood and serum, assay and application to the diagnosis of (Krause, Will, Böhm, Wollenberger) (58) 145
Myocardial infarction, guanase activities in serum, following (Ellis, Goldberg) (63) 205
Myxoedema, origin of elevated activities of creatine kinase and other enzymes in the sera of patients with (Doran, Wilkinson) (62) 203

N

Neonates, blood phenylalanine in, factors determining (Burman, Holton, Morris) (62) 325

Neuroblastoma, catecholamines in, p-O-methylation of (Verheyden, Ebinger) (58) 181

Neuroblastoma, metastatic lesions of , biochemical activity (Imashuku, Takada, Sawada, Kusunoki) (63) 1

Neurological pathologies, human brain contents of calcium, copper, magnesium and zinc (Greiner, Chan, Nicolson) (64) 211

Nitrocatechol sulphate, substrate for arylsulphatase A and B, problems met (Shapira, Nadler) (65) 1

Nomogram, development of a, biochemical typing of hyperlipoproteinaemia (Gustafson, Abrahamsson, Wiklund) (63) 91

Normetanephrine, gas chromatographic routine analysis in urine (Schwedt, Blödorn, Bussemas) (65) 309

"Nothing dehydrogenase" reaction, an artifact in serum isoenzyme analyses (Somer) (60) 223

5'-Nucleotidase, increase in activity, and early detection of malignant liver processes (Kolarić, Roguljić, Petrinović) (60) 109

O

Oestriol, unconjugated, in pregnancy serum, by radioimmunoassay (Zucchelli, Piro, Grosso, Malvano) (65) 57

Oestriol, in urine during pregnancy, validation of methods using mass fragmentography (Björkhem, Blomstrand, Svensson, Tietz, Carlström) (62) 385

Oestrogen, effect of, -containing oral contraceptives on urinary corticosteroid sulphate excretion (Fahl, Rose) (63) 189

Oestrogen, total, urinary values determined by an automated fluorimetric method in normal and abnormal pregnancies (Hull, Braunsberg, Irving) (58) 71

Oestrogen, in urine, in pregnancy, analysis, an artifact corrected (Ryan, Gray) (60) 197

Oestrogen, in urine, in pregnancy, comparison of an all-aqueous automated method with one using organic solvent extraction (Little, Aulton, Payne) (65) 167

Oestrogen receptor, concentrations in breast tumours and other tissues, a simple method (Hawkins, Hill, Freedman) (64) 203

Oestrogen receptors, quantitation in human breast cancer by agar gel electrophoresis (Teulings, Blonk-van der Wijst, Portengen, Henkelman, Treurniet, Van Gilse) (64) 27

Oligosaccharides, in urine of patients with glycoprotein storage diseases. Rapid detection by thin-layer chromatography (Humbel, Collart) (60) 143

Optical rotation, determination of unconjugated bilirubin in human serum by (Berglöf, Grahnén, Sjöholm) (62) 169

Organic acids, in urine of phenylketonuric children, an artifact in the gas chromatographic analysis. Decarboxylation of phenylpyruvic acid during extraction (Thompson, Belanger, Wappner, Brandt) (61) 367

Oxalate, in urine, colorimetric determination of, recovered as calcium oxalate. Application of a simple correction factor for incomplete precipitation (Baadenhuysen, Jansen) (62) 315

17-Oxosteroids, in urine, determination, semi-automated, in a continuous flow system (Egloff, Degrelle, Jayle) (59) 147

Oxytocinase, kinetic determination using the "Enzyrator" (enzyme reaction-rate analyzer) (Reinouts van Haga) (63) 193

P

Paget's disease, estimate of the turnover rate of bone-derived plasma alkaline phosphatase (Walton, Preston, Russell, Kanis) (63) 227
Palmitic acid, in amniotic fluids, and lecithin/sphingomyelin ratios (Thom, Dinwiddie, Fisher, Russell, Sutherland) (62) 143
Pancreas neoplasm, isoenzymes of alanine arylamidase and γ-glutamyl-transferase in chronic pancreatitis and (Bornschein) (61) 325
Pancreatic enzymes, stability in duodenal fluid to storage and pH (Legg, Spencer) (65) 175
Panencephalitis, subacute sclerosing, study of cerebrospinal fluid proteins using Cellogel R.S. wedge strips (Doutriaux, Clerc, Giordano) (59) 9
Parathyroid hormone, radioimmunoassay. Use of a commercial antiserum and an internal standard (Mallet, Brunelle) (64) 11
Parenchymal cells, alkaline phosphatases in, and in biliary tract cells separated from rat liver (Wootton, Neale, Moss) (61) 183
Pepsin, horse antibodies digested by, application for quantitative immunoelectrophoresis (Péterfy, Varró, Fátrai) (65) 235
Perchloric acid extracts, of carcinoembryonic antigen, rapid radioimmunoassay, results of a clinical survey (Boenisch, Raam) (58) 195
Peroxidase, and acid proteinase in Spielmeyer-Vogt's syndrome (Batten's syndrome—Stengel's syndrome) (Clausen, Jensen) (65) 283
Phenazine methosulphate, "Nothing dehydrogenase" reaction as an artifact in serum isoenzyme analyses caused by, and a tetrazolium stain (Somer) (60) 223
Phenobarbital, in serum, rapid gas-liquid chromatographic determination of serum diphenylhydantoin and (Kumps, Mardens) (62) 371
Phenolphthalein, ^{125}I-labelled, for the radiometric assay of microsomal UDP-glucuronyltransferase (Aw) (63) 73
Phenolphthalein monophosphate, use of iodine-125-labelled, in the radiometric assay of alkaline phosphatase (Aw) (60) 315
Phenylacetic acid, in biological fluids, assay of, by gas chromatography (Goodwin, Ruthven, Sandler) (62) 443
Phenylalanine, in blood, factors determining, in the neonatal period (Burman, Holton, Morris) (62) 325
L-Phenylalanine, for determination of serum alkaline phosphatase isoenzymes (Bergström, Lefvert) (64) 95
Phenylalanine hydroxylase activity in the liver as a parameter for distinguishing hyperphenylalaninaemias (Grimm, Knapp, Schlenzka, Reddemann) (58) 17
Phenylalanine tolerance, normal, and permanent chemical phenylketonuria in two sisters with a normal mental development (Wadman, Ketting, De Bree, Van der Heiden, Grimberg, Kruijswijk) (65) 197
Phenylketonuria, analysis of urinary organic acids from children with, an artifact in gas chromatographic analysis. Decarboxylation of phenylpyruvic acid during extraction (Thompson, Belanger, Wappner, Brandt) (61) 367
Phenylketonuria, detection of heterozygotes for, and hyperphenylalaninaemia by gas-chromatographic analysis of aromatic acid excretion in urine (Koepp, Hoffmann) (58) 215
Phenylketonuria, evaluation of chemical tests for heterozygosity by comparison of expected and observed numbers of heterozygotes among unaffected relatives of patients with (Brown) (62) 173
Phenylketonuria, permanent chemical, and a normal phenylalanine tolerance in two sisters with a normal mental development (Wadman, Ketting, De

Bree, Van der Heiden, Grimberg, Kruijswijk) (65) 197
Phenylketonuria, serum selenium concentrations in patients with maple-syrup-urine disease and, under dieto-therapy (Lombeck, Kasperek, Feinendegen, Bremer) (64) 57
Phenylpyruvic acid, decarboxylation during extraction. An artifact in the gas chromatographic analysis of urinary organic acids from phenylketonuric children (Thompson, Belanger, Wappner, Brandt) (61) 367
Phenytoin, serum magnesium levels in patients treated with (Blyth, Stewart) (62) 305
Phosphatase, acid, in human leukocytes and human and guinea pig alveolar macrophages (Scharfman, Houdret, Roussel, Biserte, Aerts, Tonnel, Voisin) (63) 369
Phosphatase, alkaline, bone-derived, in plasma, estimate of the turnover rate of, in Paget's disease (Walton, Preston, Russell, Kanis) (63) 227
Phosphatase, alkaline, an electrophoretically slow form, incidence and some properties in sera of patients with diseases of the intestine (Qirby, Moss) (60) 1
Phosphatases, alkaline, electrophoretically variant, in a human liver (Otani, Higashino, Yamamura) (60) 113
Phosphatases, alkaline, heat-stable, resistance to Levamisole (R 12564) (Chan, Kellen) (60) 91
Phosphatase, alkaline, hepatoma, possible identity between, and an isoenzyme of human amniotic membrane (FL cells) (Higashino, Kudo, Yamamura, Honda, Sakurai) (60) 267
Phosphatase, from human placenta, use for standardization of the determination of alkaline phosphatase (Hafkenscheid, Jansen) (59) 63
Phosphatase, alkaline, in human placenta and intestine, immunological relationship (Lehmann) (65) 257
Phosphatase, alkaline, isoenzyme patterns in human serum, diagnostic value of (Dingjan, Postma, Stroes) (60) 169
Phosphatase, alkaline, isoenzymes of human kidney and urine (Hodson, Latner) (61) 53
Phosphatase, alkaline, isoenzymes, in serum, a simplified heat-inactivation method (Moss, Whitby) (61) 63
Phosphatase, alkaline, isoenzymes of serum and liver, comparison of canine normal hepatic alkaline phosphatase (Hoffmann, Dorner) (62) 137
Phosphatase, alkaline, isoenzymes in serum, determination using L-phenylalanine and urea (Bergström, Lefvert) (64) 95
Phosphatase, alkaline, isoenzymes, in serum, linked to immunoglobulin G (Nagamine, Okhuma) (65) 39
Phosphatase, alkaline, Regan isoenzyme, in human placenta, immunological methods (Lehmann) (65) 271
Phosphatase, alkaline, Regan variant isoenzyme, in serum of a patient with adenocarcinoma of the stomach (McKenzie, Henderson) (62) 447
Phosphatase, alkaline, standardization of the determination with human placental phosphatase (Hafkenscheid, Jansen) (59) 63
Phosphate, inorganic, kinetic study on the influence of the parameters in the determination by the molybdenum blue reaction (Bartels, Royers) (61) 135
Phosphate, in serum and urine, determination by a single step malachite-green method (Kallner) (59) 35
Phosphatides, in amniotic fluid, specificity of a phosphomolybdic spray used in thin-layer chromatography (Gebhardt, De Rooij) (59) 267
Phosphofructokinase, deficiency in erythrocyte, associated with an unstable variant of muscle phosphofructokinase (Kahn, Etiemble, Meienhofer, Boivin, Galand, Cottreau, Marie) (61) 415
Phospholipids, in plasma and erythrocytes, in chronic liver diseases (Cantoni, Curri, Andreuzzi, Rocchetti) (60) 405
Phospholipids, in tracheal aspirate from normal full term newborn infants, comparison with amniotic fluid (Giudicelli, Pecquery, Magyar, Lacasa, Nordmann) (60) 335
Phospholipid, stained spots, colour stabilization in the determination of the lecithin/sphingomyelin ratio in amniotic fluid (Blau) (64) 217

Phosphomolybdic acid, spray used in thin-layer chromatography of amniotic fluid phosphatides, specificity (Gebhardt, De Rooij) (59) 267

Phosphor, anorganic, in serum and urine, direct determinaton using Rhodamin B (Garčic, Kratochvíla) (62) 29

5-Phosphoribosyl 1-pyrophosphate, determination by spectrophotometry (Michelli, Pompucci, Marcolongo) (65) 181

Photodynamic damage, to the architecture of erythrocyte membranes due to protoporphyrin, in protoporphyria and in normal erythrocytes (De Goeij, Ververgaert, Van Steveninck) (62) 287

Photometers, linearity and accuracy of ultraviolet and visible wavelength photometers, an interlaboratory survey (Vanderlinde, Richards, Kowalski) (61) 39

o-Phthalaldehyde, serotonin (free and bound) in jugular and forearm venous blood by fluorescence using (Somerville, Hinterberger) (65) 399

Phytohaemagglutinins, interaction with dopamine β-hydroxylase from various sources (Miras-Portugal, Aunis, Mandel) (64) 293

Plasma, amino acids and protein levels in chronic renal failure and changes caused by oral supplements of essential amino acids (Young, Keogh, Parsons) (61) 205

Plasma, apolipoprotein A in, in healthy human adults (Farish, Shepherd, Lawrie, Morgan, Wightman) (62) 97

Plasma, benzyl alcohol in, high levels found for uraemic patients on haemodialysis (Bowen, Cowburn, Rennekamp, Sullivan) (61) 399

Plasma, catecholamines in, development and evaluation of a semi-automated assay (Wood, Mainwaring-Burton) (61) 297

Plasma, Factor V from bovine, preparation and properties (Chulkova, Hernandez) (62) 21

Plasma, free fatty acids, rapid gas chromatographic method for quantitation of underivatised individual FFA (Sampson, Hensley) (61) 1

Plásma, non-esterified fatty acids in, effect of short-term oral administration of sunflower seed oil (Belin, Smith, Thompson) (61) 95

Plasma, fluoride in, determination by ion selective electrodes (Fuchs, Dorn, Fuchs, Henning, McIntosh, Scheler, Stennert) (60) 157

Plasma, glucose concentration in, differs from that in whole blood (Holtkamp, Verhoef, Leijnse) (59) 41

Plasma, glutathione reductase (NAD(P)H) in, colorimetric determination of (Lee, Tan, Seet) (58) 101

Plasma, guanidino acids in, automatic quantitative determination (Shainkin, Berkenstadt, Giatt, Berlyne) (60) 45

Plasma, free hydroxyproline, an automated determination (Tepper, De Vos) (59) 373

Plasma, iron in, influence of haemolysis on, (Holá, Vácha, Znojil, Kleinwächter) (61) 121

Plasma, iron turnover in, effect of ascorbic acid (Prasad) (59) 101

Plasma, unbound polyamines in, and in leukocytes of patients with polycythaemia vera (Desser, Höcker, Weiser, Böhnel) (63) 243

Plasma, proteins in, abnormal binding of Cu to, effect of dietary Mo on Cu metabolism (Smith, Wright) (62) 55

Plasma, renin activity in, reliability of the measurement by radioimmuno-assay (Drayer, Benraad) (61) 309

Plasma, steroids in, radioimmunoassays using Plasmasol (Wiegman, Woldring, Pratt) (59) 347

Plasma, testosterone in, determination without extraction and chromatography (Pratt, Wiegman, Lappöhn, Woldring) (59) 337

Plasma, testosterone in female, by radioimmunoassay, rapid and reliable procedure for the routine clinical laboratory (Joyce, Fahmy, Hillier) (62) 231

Plasma, urea in, determination by a continuous flow method using immobilised urease (James, Pring) (62) 435

Plasmin isoenzymes (Dunzendorfer) (64) 87

Platelets, human blood, monoamine oxidase activity in, a sensitive nonisotopic assay for (Takahashi, Karasawa) (62) 393

Pneumoconiosis, serum protein changes in coal workers (Thomas, Evans) (60) 237

Polyacrylamide disc electrophoresis, alkaline phosphatase isoenzyme patterns in human serum, fractions obtained by, diagnostic value (Dingjan, Postma, Stroes) (60) 169
Polyamine, in blood of male homozygotes and heterozygotes for cystic fibrosis (Lundgren, Farrell, Di Sant'Agnese) (62) 357
Polyamines, unbound, in blood plasma and leukocytes of patients with polycythaemia vera (Desser, Höcker, Weiser, Böhnel) (63) 243
Polychlorinated biphenyl, mechanism of hypobilirubinaemia induced by (Bastomsky, Solymoss, Zsigmond, Wyse) (61) 171
Polycythaemia vera, unbound polyamines in blood plasma and leukocytes of patients with (Desser, Höcker, Weiser, Böhnel) (63) 243
Polyethylene glycol separation technique, carrier effect of γ-globulin in, in digoxin radio immunoassay (Shaw, Schulman, Spierto) (60) 385
Polymerization, resulting in immunoglobulin IgM with deficient disulphide cross-linking (Rybarska, Bobrzecka, Konieczny, Bogdał, Ważewska) (63) 171
Polymerization, of IgM subunits, use of thiosulphate to increase (Konieczny, Rybarska, Bobrzecka, Ważewska, Bogdał) (63) 181
Polymorphic cellular enzymes, variability of, in medical students with different serum lipid levels (Hopkins Fox, Dessauer, Srinivasan, Thurmon, Berenson) (63) 149
Polyols, in lens, adipose tissue and urine in diabetes mellitus (Heaf, Galton) (63) 41
Polypeptides, electrophoretic analysis of, of human erythrocyte membranes prepared by low and high osmolarity haemolysis (Zail, Van den Hoek) (60) 231
Prednisone, influence on the distribution of lactate dehydrogenases and behaviour of LDH-3 in patients with malignant diseases (Van Gennip, Tabak-van Gorcum, Taminiau, Wadman) (58) 85
Pregnancy, antigenic components of human chorionic gonadotrophin preparations related to, effect of extraction methods (Yoder, Johnson) (61) 375
Pregnancy, dehydroepiandrosterone in plasma in pregnant and nonpregnant women (Schindler, Gnad, Walk) (64) 287
Pregnancy, deoxycytidylate deaminase in serum in, rapid determination (Targett-Adams, Jones, Williams) (63) 377
Pregnancy, estimation of plasma non-esterified fatty acids (Treharne, Ross, Mayo) (63) 239
Pregnancy, oestriol in urine, determination using mass fragmentography (Björkhem, Blomstrand, Svensson, Tietz, Carlström) (62) 385
Pregnancy, unconjugated oestriol in serum in, radioimmunoassay (Zuchelli, Piro, Grosso, Malvano) (65) 57
Pregnancy, total oestrogen in urine determined by an automated fluorimetric method in normal and abnormal pregnancies (Hull, Braunsberg, Irving) (58) 71
Pregnancy, oestrogen analysis in urine, correction of an artifact (Ryan, Gray) (60) 197
Pregnancy, oestrogen in urine in, comparison of an all-aqueous automated method with one using organic solvent extraction (Little, Aulton, Payne) (65) 167
Progesterone, in serum, using mass fragmentography, validation of routine methods (Björkhem, Blomstrand, Lantto) (65) 343
Prolactin, radioimmunoassay for, clinical utility (Akbar, Kannan, Burke) (61) 391
Propyl thiolpropionate, as a substrate for the automated determination of aliesterase (Leegwater) (62) 177
Protease inhibitors, in meconium, screening for cystic fibrosis by analysis of, and of albumin in meconium (Ryley, Neale, Brogan, Bray) (64) 117
Protein, Bence-Jones, synthesis of polymers of, for use as molecular weight markers for SDS-polyacrylamide gel electrophoresis (Whicher, Bareford) (65) 393
Protein, binding of, easy procedure for in vivo estimation, and correction of elevated serum values induced by venous

stasis (Christiansen, Naestoft, Hvidberg, Larsen, Petersen) (62) 65

Protein,-binding radioassay systems, relative competition of endogenous corticosteroids and of synthetic prednisolone (Angeli, Bisbocci, Melo, Frairia, Gaidano) (61) 279

Protein,-binding radioassay, competitive, for 17α-ethynylestradiol in human plasma (Verma, Curry, Crocker, Titus-Dillon, Ahluwalia) (63) 363

Protein, total, determination by refractometry, interference from serum separations (Collins, Rose, Carter) (59) 105

Proteins, low molecular weight, in urine, use of preparative continuous flow electrophoresis to study (Collé, Tonelle, Leclercq, Manuel) (65) 223

Protein, and lipid contents of low density lipoproteins from patients with various types of hyperlipoproteinaemia (Van der Bijl, Van Gent) (63) 95

Proteins, in plasma, involvement of Mo in abnormal binding of Cu to, effect of dietary Mo on Cu metabolism (Smith, Wright) (62) 55

Proteins, quantitation by two-dimensional immunoelectrophoresis, improved methodology and precision using a straight base line technique (Bradwell, Burnett) (58) 283

Proteins, separation by a two-dimensional polyacrylamide gel technique: electrofocusing followed by gradient electrophoresis, application to immunoglobulins (Emes, Latner, Martin) (64) 69

Proteins, in serum, binding vitamin B-12, determined by disc-acrylamide electrophoresis (Samuels, Khaund, Werthamer, Amaral) (62) 341

Protein, in serum, changes in coal workers' pneumoconiosis (Thomas, Evans) (60) 237

Proteins in serum, electrophoresis on cellulose acetate followed by electrophoresis in antibody-containing agarose gel (Groc, Harms, Lahn) (60) 371

Proteins, soluble, in human amniotic fluid by fraction chromatography (Nicollier, Gibey, Colette, Henry) (60) 15

Protein, specific assays in protein-calorie malnutrition (Olusi, McFarlane, Osunkoya, Adesina) (62) 107

Protein, turnover studies using in vivo ^{75}Se-labelling and immunoprecipitation (Johnson, McMillan) (62) 363

Protein, in urine, evaluation of quantitative methods for determination (Borg, Hemmingsen, Skaarup) (64) 247

Proteinase, acid, and peroxidase in Spielmeyer-Vogt's syndrome (Batten's syndrome-Stengel's syndrome) (Clausen, Jensen) (65) 283

Protophorphyria, erythropoietic, characterization of protoporphyrin in erythrocytes of patients with (De Goeij, Van Steveninck, Went) (63) 355

Protoporphyria, photodynamic damage of protoporphyrin on the architecture of erythrocyte membranes in, and in normal erythrocytes (De Goeij, Ververgaert, Van Steveninck) (62) 287

Protoporphyrin, in erythrocytes, of patients with erythropoietic protoporphyria, characterization of (De Goeij, Van Steveninck, Went) (63) 355

Protoporphyrin, in erythrocyte, in chronic renal failure (Vlassopoulos, Melissinos, Drivas) (65) 389

Protoporphyrin, photodynamic damage to the architecture of erythrocyte membranes due to, in protoporphyria and normal erythrocytes (De Goeij, Ververgaert, Van Steveninck) (62) 287

Pseudocholinesterase, in serum of allergic subjects (Berrens, Van Dijk) (65) 75

Pseudocholinesterase, in serum, and caeruloplasmin, in various types of hyperlipoproteinaemia (Cucuianu, Popescu, Opincaru, Hărăgus) (59) 19

Purine-nucleoside phosphorylase, in erythrocytes and adenosine deaminase activity in gout (Nishizawa, Nishida, Akaoka, Yoshimura) (58) 277

Putrescine, and other polyamines in the urine of patients with leukaemias and tumours (Tsuji, Nakajima, Sano) (59) 161

Pyridoxal 5-phosphate, activation of serum aspartate transaminase in patients with heart and liver disease (Rosalki, Bayoumi) (59) 357

Pyridoxal 5′-phosphate, effect on the temperature relationships of alanine aminotransferase (Jung, Egger) (64) 329

Pyridoxal phosphate, in plasma, and tryptophan metabolism in children with burns and scalds (Barlow, Wilkinson) (64) 79
Pyridoxine kinase, in erythrocyte, purification and characterization (Chern, Beutler) (61) 353
Pyroglutamic acid, increased levels in patients on low-lactose diets (Oberholzer, Wood, Palmer, Harrison) (62) 299
Pyrophosphatase, inorganic, in erythrocytes, factors affecting levels of activity (Fisher, Turner, Dorkin, Harris) (61) 27
Pyruvate kinase, activity in gastric mucosa (Orwell, Thornton, Piper) (60) 307
Pyruvate kinase, deficiency, treatment by riboflavin, normalisation of erythrocyte pyruvate kinase (Staal, Van Berkel, Nijessen, Koster, Wensink-van der Loo) (60) 323
Pyruvate kinase, erythrocytes deficient in, enzymatic pattern of glucose metabolic pathways in (Gumińska, Ważewska-Czyżewska) (64) 165

R

Radioassay, column for the quantification of vitamin B-12 (Boguslaski, Rathjen) (62) 349
Radioassay, for serum folate, evaluation and effects of ascorbate and methotrexate (Lindemans, Van Kapel, Abels) (65) 15
Radioassay systems, competitive protein-binding, relative influence of endogenous corticosteroids and of synthetic prednisolone (Angeli, Bisbocci, Melo, Frairia, Gaidano) (61) 279
Radioimmunoassay, use of Amberlite XAD-2 columns for the determination of plasma aldosterone (Roginsky, Panetz, Gordon) (63) 303
Radioimmunoassay, to demonstrate the antibody to hepatitis-B-surface-antigen (Thamer, Kommereil) (61) 273
Radioimmunoassay, of antihaemophilic factor (Factor VIII) antigen (Paulssen, Van de Graaf-Wildschut, Kolhorn, Planje) (63) 349
Radioimmunoassay, rapid, of carcinoembryonic antigen in ultrafiltered perchloric acid extracts, result of a clinical survey (Boenisch, Raam) (58) 195
Radioimmunoassay, computational method for automatic treatment of data. Experimental validation of the results (Pilo, Zucchelli) (64) 1
Radioimmunoassay, of serum and urinary cortisol following Lipidex chromatography (Apter, Jänne, Vihko) (63) 139
Radioimmunoassay, dehydroepiandrosterone sulphate in normal and pathological sera (Smith, Rudd, Shirley, Rayner, Williams, Duignan, Bertrand) (65) 5
Radioimmunoassay, digoxin, the carrier effect of γ-globulin when a polyethylene glycol separation technique is used (Shaw, Schulman, Spierto) (60) 385
Radioimmunoassay, determination of urinary digoxin and dihydrodigoxin (Greenwood, Snedden, Hayward, Landon) (62) 213
Radioimmunoassay, of digoxin in renal failure, comparison of different commercial kits (Belpaire, Bogaert, De Broe) (62) 255
Radioimmunoassay, electro-, quantitation of α_1 - acid glycoprotein in neutralized gastric juice (Ludwig, Matzku, Rapp) (64) 253
Radioimmunoassay, determination of α-foetoprotein following purification (Forrester, Hancock, Hay, Lai, Lorscheider) (64) 317
Radioimmunoassay, of serum gastrin using commercial kit (Kumar, Deodhar) (61) 191
Radioimmunoassay, magnetic solid-phase (Hersh, Yaverbaum) (63) 69
Radioimmunoassay, use of microfilters as an alternative to centrifugation in (Chalkley, Renshaw) (62) 377
Radioimmunoassay, of oestriol (unconjugated) in pregnancy serum (Zucchelli, Piro, Grosso, Malvano) (65) 57
Radioimmunoassay, determination of parathyroid hormone. Use of a commercially available antiserum and an internal standard (Mallet, Brunelle) (64) 11
Radioimmunoassays, increasing the precision and speed of the separation step using ^{125}I-labelled reagents and ^{75}Se to monitor the separation step (Merrett, Pantin) (65) 131
Radioimmunoassay, preparation of high-quality iodine-125-labelled pituitary luteinizing hormone for (Pinto, Wajchenberg, Higa, Toledo e Souza, Werner, Pieroni) (60) 125
Radioimmunoassay, determination of prolactin, clinical utility (Akbar, Kannan, Burke) (61) 391
Radioimmunoassay, plasma renin activity by, reliability of the measurement (Drayer, Benraad) (61) 309
Radioimmunoassay, semi-automated, for total serum thyroxine and triiodothyronine (Challand, Ratcliffe, Ratcliffe) (60) 15

Radioimmunoassay, solid phase, for serum ferritin (Halliday, Gera, Powell) (58) 207
Radioimmunoassays of steroids in plasma, using Plasmasol (Wiegman, Woldring, Pratt) (59) 347
Radioimmunoassay, specific determination of testosterone in female plasma, rapid and reliable procedure for the routine clinical laboratory (Joyce, Fahmy, Hillier) (62) 231
Radio-immunoelectrophoresis (RIEP) application of the spark chamber for rapid evaluation of quantitative RIEP (Åsard, Svenberg, Nørgaard-Pedersen) (58) 303
Radioisotope dilution technique, for the determination of tissue vitamin B-12 (Van Tonder, Metz, Green) (63) 285
Refractometry, determination of total protein, interference from serum separators (Collins, Rose, Carter) (59) 105
Regan isoenzyme, alkaline phosphatase, in human placenta, immunological methods (Lehmann) (65) 271
Regan variant alkaline phosphatase isoenzyme, in serum of a patient with adenocarcinoma of the stomach (McKenzie, Henderson) (62) 447
Regression lines, a critical evaluation (Wakkers, Hellendoorn, Op de Weegh, Heerspink) (64) 173
Renal disease, presence of serum and tissue forms of N-acetyl-β-glucosaminidase in urine from patients with (Ellis, Tucker, Thompson, Price) (64) 195
Renal failure, chronic, erythrocyte protoporphyrin in (Vlassopoulos, Melissinos, Drivas) (65) 389
Renal failure, chronic, plasma amino acids and protein levels, and changes caused by oral supplements of essential amino acids (Young, Keogh, Parsons) (61) 205
Renal failure, diagnostic meaning of the urinary excretion of N^{ϵ}-methylated lysines (Löwer, Lange, Hempel) (58) 155
Renal failure, radioimmunoassay of digoxin in, comparison of different commercial kits (Belpaire, Bogaert, De Broe) (62) 255
Renin, in plasma, reliability of determination of activity by radioimmunoassay (Drayer, Benraad) (61) 309
Renin, in human plasma, using ^{125}I-labelled sheep renin substrate (Campbell, Skinner) (65) 361
Retinol-binding protein, complex with thyroxine-binding prealbumin, in assessment of malnutrition (Ingenbleek, Van den Schrieck, De Nayer, De Visscher) (63) 61
Reye's syndrome, creatine kinase isoenzymes in serum of patients with (Rock, Dreskin, Kickler, Wimsatt) (62) 159
Rh(C) antigen, isolation and purification (Abraham, Bakerman) (59) 129
Rh(D) antigen, isolation and purification, from human erythrocyte membrane (Abraham, Bakerman) (60) 33
Rheumatoid arthritis, circulating heat-labile DNA binders in, and in chronic active hepatitis (Lindstedt, Lundberg, Iwarsson, Lindberg) (62) 183
Rheumatoid arthritis, influence of drugs and disease activity on biochemical and haematological data in (Wilding, Kendall, Holder, Grimes, Farr) (64) 185
Rhodamin B, direct determination of anorganic phosphor in serum and urine using (Garčic, Kratochvīla) (62) 29
Riboflavin, treatment of pyruvate kinase deficiency (Staal, Van Berkel, Nijessen, Koster, Wensink-van der Loo) (60) 323

S

Salivary, lead level in, and in blood in children (Fung, Yaffe, Mattar, Lanighan) (61) 423
Saturation analysis, simultaneous addition of charcoal by means of microfunnels (Hollemans) (61) 421
Scintillation fluid, method for the recovery of the constituents of, used in the assay of steroid hormones (Smeaton, Fulton) (62) 153
^{75}Selenium labelling in vivo, protein turnover studies using, and immunoprecipitation (Johnson, McMillan) (62) 363
Selenium, in serum, in patients with maple-syrup-urine disease and phenylketonuria under dieto-therapy (Lombeck, Kasperek, Feinendegen, Bremer) (64) 57
Serotonin, in plasma (free) and platelets (bound) in jugular and forearm venous blood, determined by fluorescence with ortho-phthalaldehyde (Somerville, Hinterberger) (65) 399
Serum, abnormal amylases, containing sialic acid, in, (Sudo, Kanno) (64) 303
Serum, total alkaline phosphatase activity in, variations with age and sex in adult and adolescent Ghanaians (Fenuku, Foli) (60) 303
Serum, alkaline phosphatase isoenzyme patterns in, diagnostic value of (Dingjan, Postma, Stroes) (60) 169
Serum, β-aminoisobutyric acid in, determination by ion-exchange chromatography (Solem, Agarwal, Goedde) (59) 203
Serum, aspartate transaminase in, activation by pyridoxal 5-phosphate in patients with heart and liver disease (Rosalki, Bayoumi) (59) 357
Serum, bilirubin (unbound) in, microdetermination. Application to the prevention of kernicterus by estimating the bilirubin-binding capacity of serum albumin (Pays, Beljean) (59) 121
Serum, control, hepatitis B antigen in (Kreutzer, Rechsteiner) (60) 117
Serum, copper in, measurement by a simple automated micromethod (Barnett, Brozović) (58) 295
Serum, creatine kinase in, origin of elevated activity in patients with myxoedema (Doran, Wilkinson) (62) 203
Serum, ferritin in human, solid phase radioimmunoassay (Halliday, Gera, Powell) (58) 207
Serum, α-fetoprotein, immunoenzymatic assay of, in patients with benign and malignant gastrointestinal diseases (Alpert, Coston) (58) 77
Serum, free fatty acid and insulin levels in, effect of essential oil of onion on blood glucose and on, of normal subjects (Augusti, Benaim) (60) 121
Serum, gastrin in, radioimmunoassay using a commercial kit (Kumar, Deodhar) (61) 191
Serum, γ-glutamyltransferase in, pitfalls in assay and interpretation (Martin, Gray, Goldberg) (61) 99
Serum, γ-glutamyltranspeptidase in, decrease in, following abstention from alcohol in cirrhotics (Lamy, Baglin, Aron, Weill) (60) 97
Serum, γ-glutamyltranspeptidase in, use of the measurement of activity to determine the success of cures for alcohol detoxification (Lamy, Baglin, Ferrant, Weill) (60) 103
Serum, glycogen phosphorylase in human, and diagnosis of myocardial infarction (Krause, Will, Böhm, Wollenberger) (58) 145
Serum, glycosaminoglycans in, micromethod for (Niebes, Schifflers) (62) 195
Serum, glycylprolyl β-naphthylamidase activity in (Hino, Nagatsu, Kakumu, Okuyama, Yoshii, Nagatsu) (62) 5
Serum, IgM and high-molecular-weight hydroxyproline-protein in, relation of (Tomaszewski, Kowalewski) (60) 185
Serum, inhibition of elastase by, (Meyer, Bieth, Metais) (62) 43

Serum, iron and unsaturated iron-binding capacity, determination with ferrozine (Ruutu) (61) 229

Serum, isoenzymes in, "nothing dehydrogenase" reaction as an artifact in analyses of (Somer) (60) 223

Serum, lactate dehydrogenase-immunoglobulin A complexes in human (Biewenga, Feltkamp) (58) 239

Serum, lactate dehydrogenase complexes with immunoglobulin IgG_3 (Biewenga, Feltkamp) (64) 101

Serum, lactate dehydrogenase isoenzymes in, correlation with the pulmonary graft rejection after human lung homotransplantation (Ringoir) (58) 291

Serum, lipid constituents in, differences in hyperlipidaemic men and women (Assa) (60) 329

Serum, lipid and lipoprotein levels, in normal Chinese. Influence of dietary habit, bodyweight, exercise and a familial record of coronary heart disease (Ho, Chan) (61) 19

Serum, lipid and lipoprotein profile in, in school children (Srinivasan, Frerichs, Berenson) (60) 293

Serum, lipoproteins, effects of 24 hours starvation and of heparin, studies on rural Africans in Rhodesia (Jones, Guidotti, Gelfand) (58) 299

Serum, lipoprotein-X in, effect of heparin on (Ras, Frison, Rubies-Prat, Masdeu, Bacardi) (61) 91

Serum, magnesium in, in patients treated with phenytoin (Blyth, Stewart) (62) 305

Serum, methotrexate in, enzymological method for determination (Overdijk, Van der Krof, Visser, Hooghwinkel) (59) 177

Serum, myocardial infarction, crystallized creatine kinase isoenzymes from human brain, skeletal and heart muscle, quantitation by an immunological method (Jockers-Wretou, Pfleiderer) (58) 223

Serum, phosphate in determination by a single step malachite-green method (Kallner) (59) 35

Serum, protein in, changes in coal workers' pneumoconiosis (Thomas, Evans) (60) 237

Serum, proteins in, electrophoresis on cellulose acetate followed by electrophoresis in antibody-containing agarose gel (Groc, Harms, Lahn) (60) 371

Serum, proteins in, vitamin B-12 binding, determined by disc-acrylamide electrophoresis (Samuels, Khaund, Werthamer, Amaral) (62) 341

Serum, pseudocholinesterase and caeruloplasmin in various types of hyperlipoproteinaemia (Cucuianu, Popescu, Opincaru, Hărăgus) (59) 19

Serum, separators, interference from, in total protein determination by refractometry (Collins, Rose, Carter) (59) 105

Serum, thyroxine in, simple inexpensive procedure for measurement (Taaffe, O'Kelly, Darragh) (60) 263

Serum, total thyroxine and triiodothyronine by single stage semiautomated radioimmunoassay (Challand, Ratcliffe, Ratcliffe) (60) 15

Serum, triglycerides in, a quick inexpensive method for (Martin) (62) 79

Serum, uric acid in, determination by fluorimetry (Kuan, Kuan, Guilbault) (64) 19

Serum, uric acid in, determination by high performance liquid chromatography with electrochemical detection (Pachla, Kissinger) (59) 309

Sialic acid, in abnormal amylases found in human sera (Sudo, Kanno) (64) 303

Sialic acid, and carbohydrate content and the synthesis of glycoprotein from radioactive precursors by tissues of the normal and diseased upper intestinal tract (Roberts, Heffernan, Douglas) (63) 121

Sialic acid residues, enzymatic removal of, loss of electrophoretic mobility of human very low density lipoproteins (Van der Bijl, Reman) (60) 191

Sialuria, total glycoproteins in urine and serum of a child with, compared with that of normal children (Strecker, Montreuil) (58) 33

Skin, affection, urinary excretion of indolyl-3-acryloylglycine (Marklová, Malina, Hais) (64) 273

Sodium, in serum, by dilution methods, problems by the influence of viscosity (Vader, Vink) (65) 379

Sodium chloride, effect on determination of human low density lipoprotein apoproteins by the Lowry procedure (Van der Bijl, Van Gent) (61) 407

Sorbitol, in lens, adipose tissue and urine in diabetes mellitus (Heaf, Galton) (63) 41

Spark chamber, application for rapid evaluation of quantitative radio-immunoelectrophoresis (RIEP) (Åsard, Svenberg, Nørgaard-Pedersen) (58) 303

Spectrophotometry, atomic absorption, flameless, determination of bismuth in blood, urine and cerebrospinal fluid (Allain) (64) 281

Spectrophotometry, determination of 5-phosphoribosyl 1-pyrophosphate (Michelli, Pompucci, Marcolongo) (65) 181

Spectrophotometry, determination of trypsin in duodenal fluid, two methods using amidase or esterase compared with a titrimetric esterase method (Barns, Elmslie) (58) 165

Spermidine, and other polyamines in the urine of patients with leukaemias and tumours (Tsuji, Nakajima, Sano) (59) 161

Spermine, and other polyamines in the urine of patients with leukaemias and tumours (Tsuji, Nakajima, Sano) (59) 161

Sphingomyelinase, method for the determination of activity, using a quantitative paper chromatographic analysis of phospholipids (De Rooij, Liem, Brouwer-Schipper, Husmann, Hooghwinkel) (59) 71

Spielmeyer-Vogt's syndrome (Batten's syndrome—Stengel's syndrome), acid proteinase and peroxidase in (Clausen, Jensen) (65) 283

Splenectomy, intra-erythrocytary enzymes before and after (Hanel, Cohn) (65) 205

Stable Isotope dilution—mass spectrometry, to determine cyclophosphamide in human blood and urine (Jarman, Gilby, Foster, Bondy) (58) 61

Starvation, 24 hours, effect on serum lipoproteins of rural Africans in Rhodesia (Jones, Guidotti, Gelfand) (58) 299

Stasis, venous, elevated protein binding values in serum corrected (Christiansen, Naestoft, Hvidberg, Larsen, Petersen) (62) 65

Stengel's syndrome, Batten's syndrome Spielmeyer-Vogt's syndrome, acid proteinase and peroxidase in (Clausen, Jensen) (65) 283

Steroids, in plasma, radioimmunoassays using Plasmasol (Wiegman, Woldring, Pratt) (59) 347

β-Streptococcus, non-specific occurrence of free benzoic acid in non-ketotic hyperglycinaemic urine, due to infection with (Geison, O'Neill Rowley, Gerritsen) (60) 137

Sucrase, automatic measurement of, and of lactase (Kidder, Manners) (61) 233

Sunflower seed oil, effect of short-term oral administration on the pattern of non-esterified fatty acids in human plasma (Belin, Smith, Thompson) (61) 95

Syndrome, Reye's, creatine kinase isoenzymes in serum of patients with (Rock, Dreskin, Kickler, Wimsatt) (62) 159

Syndrome, Spielmeyer-Vogt, Batten, Stengel, acid proteinase and peroxidase in (Clausen, Jensen) (65) 283

Syndrome, Werner's, as "hyaluronuria" (raised hyaluronic acid) (Tokunaga, Futami, Wakamatsu, Endo, Yosizawa) (62) 89

Synovial fluid, β-glucuronidase in (Moro, De Bernard, Gonano) (65) 371

T

Taurine, ratio of glycine to, enzymatic method for determination of the, of conjugated bile acids in bile (Hafkenscheid, Hectors) (65) 67

Tears, α-galactosidase in, diagnosis of Fabry disease (Johnson, Del Monte, Cotlier, Desnick) (63) 81

Testosterone, in blood, mass fragmentographic assay using high specific activity tritiated testosterone as an internal standard (Vestergaard, Sayegh, Mowat) (62) 163

Testosterone, in female plasma, by radioimmunoassay. A rapid and reliable procedure for the routine clinical laboratory (Joyce, Fahmy, Hillier) (62) 231

Testosterone, in plasma, determination without extraction and chromatography (Pratt, Wiegman, Lappöhn, Woldring) (59) 337

Testosterone, determination in plasma or serum by mass fragmentography (Björkhem, Lantto, Svensson) (60) 59

Tetrazolium stain, "nothing dehydrogenase" reaction, an artifact in serum isoenzyme analyses, caused by phenazine methosulphate and (Somer) (60) 223

Thiosulphate, to increase polymerization of IgM subunits (Konieczny, Rybarska, Bobrzecka, Ważewska, Bogdał) (63) 181

Thrombin time, improved method for plasma fibrinogen, based on measurement of (Saleem, Fretz) (62) 131

Thyroid disorders, iodide peroxidase activity in (Nagasaka, Hidaka, Ishizuki) (62) 1

Thyroid hormones, interaction between, and the tranquillisers Librium and Valium (El-Hazmi) (63) 211

Thyroid-stimulating hormone, serum levels in hyperlipoproteinaemia (Vessby, Wide) (62) 293

Thyroxine,-binding prealbumin, complex with retinol-binding protein, in assessment of malnutrition (Ingenbleek, Van den Schrieck, De Nayer, De Visscher) (63) 61

Thyroxine, free and thyroxine-binding globulin capacity clinical evaluation of new indicators (Hamada, Kosaka, Torizuka) (63) 129

[^{125}I] Thyroxine, production and storage of, and of [^{125}I] triiodothyronine of high specific activity (Kjeld, Kuku, Diamant, Fraser, Joplin, Mashiter) (61) 381

Thyroxine, in serum, comparison of free thyroxine indices and "corrected" thyroxine tests (Liewendahl, Helenius) (64) 263

Thyroxine, in serum, simple inexpensive procedure for measurement (Taaffe, O'Kelly, Darragh) (60) 263

Thyroxine, total, in serum, by semi-automated radioimmunoassay (Challand, Ratcliffe, Ratcliffe) (60) 25

Thyroxine and triiodothyronine, conversion of, and the subcellular localisation of the converting enzyme (Hesch, Brunner, Söling) (59) 209

Titrimetry, determination of trypsin in duodenal fluid using esterase, compared with two spectrophotometric methods (Barns, Elmslie) (58) 165

o-Toluidine, determination of blood and urinary xylose using (Buttery, Kua, De Witt) (64) 325

Trace metals, in brain, in some neurological pathologies (Greiner, Chan, Nicolson) (64) 211

Tracheal aspirate, phospholipids in, from normal full term newborn infants, comparison with amniotic fluid (Giudicelli, Pecquery, Magyar, Lacasa, Nordmann) (60) 335

Transferrin, in assessment of malnutrition (Ingenbleek, Van den Schrieck, De Nayer, De Visscher) (63) 61

Transhydrogenases, "aerobic", kinetic method to determine (Majkić, Djordjević-Spasić, Berkeš) (65) 227

Transketolase, activity in erythrocytes from adult Ghanaian subjects (Watson, Dako) (59) 55

Transplantation, human lung homo-, serum lactate dehydrogenase isoenzymes in correlation with the pulmonary graft rejection (Ringoir) (58) 291
Triglycerides, rapid quantitative determination by thin-layer chromatography (Mantel, Van Riel, Buys Ballot) (63) 297
Triglycerides, in serum, a quick inexpensive method for (Martin) (62) 79
Triglycerides, in serum, improved semi-automated colorimetric method (Demacker, Van Oppenraay, Baadenhuysen, Jansen) (64) 45
Triglyceride/cholesterol, lipid ratios, in the diagnosis of Type III hyperlipoproteinaemia (Mishkel, Nazir, Crowther) (58) 121
Triglyceride lipases, in postheparin plasma, immunochemical method for selective measurement of two (Huttunen, Ehnholm, Kinnunen, Nikkilä) (63) 335
Trihydroxyindole-alumina methods, and an improved method for determination of catecholamines in urine (Quek, Buttery, De Witt) (58) 137
$[^{125}\mathrm{I}]$ Triiodothyronine, production and storage of, and of $[^{125}\mathrm{I}]$ thyroxine of high specific activity (Kjeld, Kuku, Diamant, Fraser, Joplin, Mashiter) (61) 381
Triiodothyronine and thyroxine, conversion of, and the subcellular localisation of the converting enzyme (Hesch, Brunner, Söling) (59) 209
Triiodothyronine, total in serum, by semi-automated RIA (Challand, Ratcliffe, Ratcliffe) (60) 25
Trypsin, determination, modification and application for estimation of enteropeptidase (Preiser, Schmitz, Maestracci, Crane) (59) 169
Trypsin, determination in duodenal fluid, comparison of two spectrophotometric methods (amidase and esterase) and a titrimetric method (esterase) (Barns, Elmslie) (58) 165
Trypsin, in faeces, and chymotrypsin, simple method for quantitative determination (Robinson, Smith, Elliott) (62) 225
Trypsin, role as an activator, improvements in the technical conditions for the evaluation of elastase (Rabaud, Crockett, Bricaud, Lefebvre) (61) 257
Tryptamine, excretion, dependence on urinary pH (Price) (65) 339
Tryptophan, metabolism and pyridoxal phosphate in children with burns and scalds (Barlow, Wilkinson) (64) 79
Tumours, in breast, a simple method for the determination of oestrogen receptor concentrations in, and in other tissues (Hawkins, Hill, Freedman) (64) 203
Tumour, Wilms', antigen to, isolation by chelation (Beierle, Wise, Trump, Allerton) (61) 411
Tyrosinaemia, and tyrosyluria in healthy prematures: time courses not vitamin C-dependent (Bakker, Wadman, Van Sprang, Van der Heiden, Ketting, De Bree) (61) 73
Tyrosyluria, and tyrosinaemia in healthy prematures: time courses not vitamin C-dependent (Bakker, Wadman, Van Sprang, Van der Heiden, Ketting, De Bree) (61) 73

U

Ultracentrifugation, preparative, a modified method for, of plasma lipoproteins (Cheung, Jersild, Jr., Christian) (64) 215
Ultracentrifugation, zonal, of plasma lipoproteins from normal and cholestatic pigs (Danielsson, Ekman, Johansson, Petersson) (65) 187
Uraemia, high levels of benzyl alcohol found in plasma of patients with, on haemodialysis (Bowen, Cowburn, Rennekamp, Sullivan) (61) 399
Uraemia, lysolecithin in plasma (Schardt, Wardle) (63) 223
Urea, for determination of serum alkaline phosphatase isoenzymes (Bergström, Lefvert) (64) 95
Urea, in plasma, use of immobilised urease in a continuous flow method (James, Pring) (62) 435
Urea cycle defects, plasma carnosinase deficiency in patients with (Burgess, Oberholzer, Palmer, Levin) (61) 215
Urease, immobilised, use in a continuous flow method for the determination of plasma urea (James, Pring) (62) 435
Uric acid, in serum, fluorimetric determination (Kuan, Kuan, Guilbault) (64) 19
Uric acid, in serum, high performance liquid chromatography with electrochemical detection (Pachla, Kissinger) (59) 309
Uridinediphosphategalactose-glycoprotein galactosyltransferase, from canine tracheal mucosa (Rooney) (64) 333
Uridinediphosphate glucuronyltransferase, microsomal, radiometric assay using ^{125}I-labelled phenolphthalein (Aw) (63) 73
Urinary excretion, of aromatic acids, gas-chromatographic analysis of, to detect heterozygotes for phenylketonuria and hyperphenylalaninaemia (Koepp, Hoffmann) (58) 215
Urinary excretion, of catecholamines, an evaluation of alumina-trihydroxy-indole methods and a description of an improved method (Quek, Buttery, De Witt) (58) 137
Urinary excretion, of hexanedioic acid by ketotic patients: in vivo studies on the metabolism of hexanedioic acid (Pettersen) (58) 43
Urinary excretion, of 2-hydroxybutyric acid in experimental animals (Landaas) (58) 23
Urinary excretion, of free hydroxylysine, peptide-bound hydroxylysine and hydroxylysyl glycosides in physiological conditions (Askenasi) (59) 87
Urinary excretion, of N^{ϵ}-methylated lysines, diagnostic meaning. Investigation on healthy individuals and patients with malignant diseases, myopathies or renal failure (Löwer, Lange, Hempel) (58) 155
Urinary excretion, of total oestrogen, determined by an automated fluorimetric method in normal and abnormal pregnancies (Hull, Braunsberg, Irving) (58) 71
Urinary pH, tryptamine excretion, dependence on (Price) (65) 339
Urine, N-acetyl-β-glucosaminidase in, automated assay of, in normal and pathological urine (Tucker, Boyd, Thompson, Price) (62) 333
Urine, N-acetyl-β-glucosaminidase (serum and tissue forms) in, from patients with renal disease (Ellis, Tucker, Thompson, Price) (64) 195
Urine, free benzoic acid in, of a patient with non-ketotic hyperglycinemia, a non-specific occurrence due to a β-streptococcus infection (Geison, O'Neill Rowley, Gerritsen) (60) 137
Urine, N^{ϵ}-(carboxymethyl) lysine in human (Wadman, De Bree, Van Sprang, Kamerling, Haverkamp, Vliegenthart) (59) 313
Urine, catecholamines in, development and evaluation of a semi-automated assay (Wood, Mainwaring-Burton) (61) 297

Urine, di- and polyamines in, rapid determination by electron capture gas chromatography (Makita, Yamamoto, Kōno) (61) 403
Urine, digoxin and dihydrodigoxin in, determination by radioimmunoassay and by mass spectroscopy (Greenwood, Snedden, Hayward, Landon) (62) 213
Urine, 3,4-dihydroxyphenylacetic acid, determination by gas chromatography employing electron capture detection (Weg, Ruthven, Goodwin, Sandler) (59) 249
Urine, glycopeptides in, from myoclonus epilepsy of Lafora-body type and of degenerative type (Masuda, Takeuchi, Kunitake, Anraku) (62) 433
Urine, 4-hydroxy-3-methoxyphenylglycol in, a rapid gas chromatographic assay employing electron capture detection (Fellows, Riederer, Sandler) (59) 255
Urine, total hydroxyproline in, a simplified method for estimation of (Nobbs, Walker, Davies) (64) 219
Urine, indolyl-3-acryloylglycine in, excretion of, in some skin affections (Marklová, Malina, Hais) (64) 273
Urine, methotrexate in, enzymological determination (Overdijk, Van der Kroef, Visser, Hooghwinkel) (59) 177
Urine, low molecular weight monoamines in, by gas chromatography (Baba, Hashimoto, Ishitoya, Fukuoka) (62) 309
Urine, oestriol in, during pregnancy validation of methods for determination of, using mass fragmentography (Björkhem, Blomstrand, Svensson, Tietz, Carlström) (62) 385
Urine, oestrogen in pregnancy, analysis, an artifact corrected (Ryan, Gray) (60) 197
Urine, oligosaccharides in, of patients with glycoprotein storage diseases (Humbel, Collart) (60) 143
Urine, oxalate in, colorimetric determination of, recovered as calcium oxalate. Application of a simple correction factor for incomplete precipitation (Baadenhuijsen, Jansen) (62) 315
Urine, 17-oxosteroids in, semi-automated determination in a continuous flow system (Egloff, Degrelle, Jayle) (59) 147
Urine, phosphate in, determination by a single step malachite-green method (Kallner) (59) 35
Urine, polyamines in, of patients with leukaemias and tumours (Tsuji, Nakajima, Sano) (59) 161
Urine, protein in, evaluation of quantitative methods for determination (Borg, Hemmingsen, Skaarup) (64) 247

V

Valium, interaction between thyroid hormones and the tranquillisers Librium and (El-Hazmi) (63) 211
Vanilmandelic acid, gas chromatographic routine analysis in urine (Schwedt, Blödorn, Bussemas) (65) 309
Vanilmandelic acid, in human ventricular fluid (Karoum, Gillin, McCullough, Wyatt) (62) 451
Ventricular fluid, vanilmandelic acid, free and conjugated 3-methoxy-4-hydroxyphenylglycol in human (Karoum, Gillin, McCullough, Wyatt) (62) 451
Viscosity, influence on dilution methods, problems in determination of serum sodium (Vader, Vink) (65) 379
Vitamin B-1, B-2 and B-6 deficiencies, in geriatric patients, measured by coenzyme stimulation of enzyme activities (Hoorn, Flikweert, Westerink) (61) 151
Vitamin B-12, binding by serum proteins, determined by disc-acrylamide electro-phoresis (Samuels, Khaund, Werthamer, Amaral) (62) 341
Vitamin B-12, column radioassay for quantification (Boguslaski, Rathjen) (62) 349
Vitamin B-12, determination using radioassay kits, comparison of results using three commercially available kits (Kampa, Hundertmark) (59) 191
Vitamin B-12, in tissue, by a radioisotope dilution technique (Van Tonder, Metz, Green) (63) 285
Vitamin B-12, and vitamin B-12-binding capacity, serial measurements in the blood of patients suffering from marasmic kwashiorkor (Lejeune-Lenain, Fondu) (59) 81
Vitamin C (ascorbic acid), inhibitory effect of, on cortisol secretion following adrenal stimulation in children (Liakakos, Doulas, Ikkos, Anoussakis, Vlachos, Jouramani) (65) 251
Vitamin C, tyrosinaemia and tyrosyluria in healthy prematures: time courses not dependent on vitamin C (Bakker, Wadman, Van Sprang, Van der Heiden, Ketting, De Bree) (61) 73
Vitatron, automatic kinetic enzyme system, evaluation of (McQueen, King) (64) 155

W

Werner's syndrome as "hyaluronuria" (raised hyaluronic acid) (Tokunaga, Futami, Wakamatsu, Endo, Yosizawa) (62) 89

Wilms' tumour, antigen to, isolation by chelation (Beierle, Wise, Trump, Allerton) (61) 411

X

Xanthine oxidase, in serum, in jaundice (Giler, Sperling, Brosh, Urca, De Vries) (63) 37

Xylose, in blood and urine, determination by the o-toluidine method (Buttery, Kua, De Witt) (64) 325

Y

Yeast, extract, interference on the Zimmerman reaction (Sobrinho, Gonçalves, Faro) (65) 241

Z

Zimmerman reaction, interference of yeast extract (Sobrinho, Gonçalves, Faro) (65) 241
Zinc, in serum and erythrocytes, in burn patients (Touillon, Bansillon, Vallon, Badinand, Comtet) (63) 115
Zinc, urinary excretions of, and of copper in children with burns and scalds (Carr, Wilkinson) (61) 199